

# CATALOGUE OF TYPE-SPECIMENS IN THE ZOOLOGICAL SURVEY OF INDIA

## PART 2.—FISHES

By

A. G. K. MENON AND G. M. YAZDANI

*Zoological Survey of India, Calcutta*

### CONTENTS

	PAGE
I—Introduction . . . . .	91
II—List of Type-specimens . . . . .	95
III—Index . . . . .	166

### I—INTRODUCTION

All the holotypes, paratypes, and syntypes of fishes in the reference collection of the Zoological Survey of India are listed in this Catalogue and are systematically arranged, the general classification followed being that of Berg<sup>1</sup>. There are altogether 441 types comprising 1,638 specimens. They are tabulated below (Table 1) according to the number of species and specimens under the respective families with their type category.

TABLE I—*Type-specimens of fishes in the Zoological Survey of India.*

Serial No.	Family	Types present		
		Species	Specimens	Type Category
1.	Scyliorhinidae .	4	5	Holotypes & Paratypes
2.	Squalidae .	2	3	Holotype & Syntypes
3.	Rajidae . .	4	4	Holotypes
4.	Trygonidae .	3	3	Holotypes
5.	Myliobatidae .	3	6	Holotype & Paratypes syntypes

<sup>1</sup> Berg, L.S. Classification of fishes, both recent and fossil. — *Trav. Inst. Zool. Acad. Sci. USSR.*, 5(2), pp. 87-517, (1940).

Serial No.	Family	Types present		
		Species	Specimens	Type Category
6.	Torpedinidae . . .	3	5	Holotype & Syntypes
7.	Clupeidae . . .	3	5	Holotypes & Paratypes
8.	Engraulidae . . .	3	20	Holotypes & Paratypes
9.	Alepocephalidae . . .	9	10	Holotypes & Syntypes
10.	Dolichopterygidae . . .	1	1	Holotype
11.	Gonostomidae . . .	2	7	Syntypes
12.	Stomiatidae . . .	2	3	Holotype & Syntypes
13.	Bathyclupeidae . . .	1	2	Syntypes
14.	Synodidae . . .	2	10	Syntypes
15.	Scopelarchidae . . .	1	1	Holotype
16.	Evermannellidae . . .	1	1	Holotype
17.	Sudidae . . .	3	7	Holotype & Syntypes
18.	Scopelidae . . .	3	26	Holotype & Syntypes
19.	Cyprinidae . . .	92	533	Holotypes, Paratypes & Syntypes
20.	Homalopteridae . . .	7	21	Holotypes, Paratypes & Syntypes
21.	Cobitidae . . .	44	166	Holotypes, Paratypes & Syntypes
22.	Ariidae . . .	1	1	Holotype
23.	Siluridae . . .	1	1	Holotype
24.	Bagridae . . .	4	7	Holotypes & Syntypes
25.	Amblycepididae . . .	1	1	Holotype
26.	Akysidae . . .	1	1	Holotype
27.	Sisoridae . . .	30	58	Holotypes, Paratypes & Syntypes
28.	Schilbeidae . . .	2	4	Holotypes & Paratypes
29.	Claridae . . .	1	2	Holotype & Paratype
30.	Olyridae . . .	1	1	Syntype
31.	Trichomycteridae	1	6	Paratypes

Serial No.	Family	Types present		
		Species	Specimens	Type Category
32.	Muraenidae . . .	12	26	Holotypes, Paratypes & Syntypes
33.	Ophichthyidae . . .	3	6	Holotype & Paratypes
34.	Dysominidae . . .	2	3	Holotype & Syntypes
35.	Synaphobranchidae . . .	1	1	Holotype
36.	Serrivomeridae . . .	1	1	Holotype
37.	Nemichthyidae . . .	1	1	Holotype
38.	Halosauridae . . .	5	5	Holotypes & Syntypes
39.	Hemiramphidae . . .	1	4	Paratypes
40.	Notacanthidae . . .	1	1	Holotype
41.	Moridae . . .	2	4	Holotype & Syntypes
42.	Macruridae . . .	12	18	Holotypes & Syntypes
43.	Indostomidae . . .	1	59	Syntypes
44.	Syngnathidae . . .	11	18	Holotype & Syntypes
45.	Cyprinodontidae . . .	5	115	Syntypes
46.	Sphyraenidae . . .	1	1	Holotype
47.	Mugilidae . . .	1	2	Holotype & Paratype
48.	Polynemidae . . .	1	4	Holotype & Paratypes
49.	Ophiocephalidae . . .	1	4	Holotype & Paratypes
50.	Serranidae . . .	1	2	Syntypes
51.	Apogonidae . . .	2	4	Holotype & Syntypes
52.	Percidae . . .	1	1	Holotype
53.	Lactariidae . . .	1	1	Holotype
54.	Carangidae . . .	4	26	Syntypes
55.	Sciaenidae . . .	4	12	Holotypes & Syntypes
56.	Sparidae . . .	3	5	Holotypes & Paratype
57.	Chaetodontidae . . .	1	1	Holotype
58.	Labridae . . .	1	1	Holotype
59.	Trachinidae . . .	1	1	Holotype
60.	Bembropidae . . .	1	1	Holotype

Serial No.	Family	Type present		
		Species	Specimens	Type Category
61.	Trichonotidae . .	1	3	Syntypes
62.	Uranoscopidae . .	2	2	Syntypes
63.	Chiasmodontidae . .	2	2	Holotypes
64.	Blenniidae . . .	3	16	Holotypes & Paratypes
65.	Brotulidae . . .	1	1	Holotype
66.	Ophidiidae . . .	19	33	Holotypes & Syntypes
67.	Callionymidae . .	2	3	Syntypes
68.	Gempylidae . . .	1	4	Syntypes
69.	Tetragonuridae	1	1	Holotype
70.	Anabantidae . . .	1	1	Holotype
71.	Eleotridae . . .	1	7	Holotype & Paratypes
72.	Gobiidae . . .	17	148	Holotypes, Paratypes & Syntypes
73.	Scorpaenidae . . .	7	16	Holotype & Syntypes
74.	Triglidae . . .	6	9	Holotypes & Syntypes
75.	Bothidae . . .	12	18	Holotypes, Paratypes & Syntypes
76.	Pleuronectidae . .	4	8	Holotypes & Syntypes
77.	Soleidae	4	8	Holotypes & Syntypes
78.	Cynoglossidae . .	12	26	Holotypes & Syntypes
79.	Chaudhuridae . .	1	2	Syntypes
80.	Mastocembefidae .	4	4	Holotypes
81.	Triacanthidae . . .	3	10	Holotypes & Syntypes
82.	Tetraodontidae	2	12	Holotype, Paratypes & Syntypes
83.	Lophiidae . . .	6	9	Holotypes & Syntypes
84.	Chaunacidae . . .	1	1	Holotype
85.	Oncocephalidae . .	9	23	Holotypes & Syntypes
86.	Oneirodidae	1	1	Holotype

The species are listed in alphabetical order. The current name of the species is given first, and the name of the species as given in the original

description with its first reference following it. The type category with the number contained in the collection is then given followed by the registered number, locality and the name of the collector or donor.

Our thanks are due to Dr. M. L. Roonwal, Director, Zoological Survey of India, without whose encouragement this catalogue would never have been published, and to Drs. Leonard P. Schultz of the U.S. National Museum, Washington, and P. H. Greenwood of the British Museum who have supplied information on certain specimens.

## II—LIST OF TYPE SPECIMENS

### Class I. ELASMOBRANCHII

#### Order 1. LAMNIFORMES

#### Family 1. SCYLORHINIDAE

#### 1. *Pentachus (Parapristis) investigatoris* Misra

1962. *Pentachus (Parapristis) investigatoris* Misra, *Proc. 1st All India Congr. Zool.*, Calcutta, Pt. 1 (1959), p. 636.

*Holotype* : F 1627/2 ; Andaman sea, 11°46'30" N., 93° 16' E., 569 fms., 26. iii. 1904, R.I.M.S. "Investigator" Coll.

#### 2. *Proscyllium alcocki* Misra

1950. *Proscyllium alcocki* Misra, *J. zool. Soc. India*, Calcutta, 2(2), p. 87, pl. 1, figs. 1-5.

*Holotype* : F 229/1 ; Andaman sea, 13°17'15" N., 93°10'25" E., 185 fms., 6.xii.1897, R.I.M.S. "Investigator" Coll.

*Paratype* (1) : F 382/1 ; Andaman sea, 14°13' N., 93°40' E., 370-419 fms., 18. iv. 1898, R.I.M.S. "Investigator" Coll.

#### 3. *Scyliorhinus (Halaelurus) hispidum* (Alcock)

1891. *Scyllium hispidum* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 8, p. 21<sup>evt</sup>

1899. *Scyllium hispidum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. (Ill. Zool. Investig. Fish., pl. 8, figs. 3, 3a).

*Holotype* : F 13120 (♂) ; Andaman Sea, lat. 11° 31' 40" N. 92° 46' 40" ; 188-220 fms., 9. xii. 1890, R.I.M.S. "Investi-

yd Coll.

#### 4. *Scyliorhinus (Halaelurus) quagga* (Alcock)<sup>elhi</sup>, p. 361, pl. 1.

1899. *Scyllium-quagga* Alcock, *Cat. Ind. Deep Sea Fish.*, Arabian Sea (Ill. Zool. Investig. Fish., pl. 27, figs. 1, 1a).

*Holotype* : F 751/1 ; Off Malabar Coast, 102 fms., R.I.M.S. "Investigator" Coll.

## Order 2. SQUALIFORMES

## Family 2. SQUALIDAE

5. *Centrophorus rossi* (Alcock)

1898. *Centrophorus rossi* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 143.
1899. *Centrophorus rossi* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 13 (*Ill. Zool. Investig. Fish.*, pl. 26, figs. 3, 3a, 3b, 3c).

*Holotype* : F 225/1 ; Laccadive Sea, 430 fms., 9.x.1897, R.I.M.S. "Investigator" Coll.

6. *Centroscyllum ornatum* (Alcock)

1889. *Paracentroscyllum ornatum* Alcock, *Ann. Mag. nat. Hist.*, London (6) 4, p. 379.
1899. *Paracentroscyllum ornatum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 14 (*Ill. Zool. Investig. Fish.*, pl. 8, fig. 2).

*Syntypes* (2) : F 11664 & F 11666 ; Bay of Bengal, 285 to 405 fms., 23.iii.1885, R.I.M.S. "Investigator" Coll.

## Order 3. RAJIFORMES

## Family 3. RAJIDAE

7. *Raja andamanica* (Lloyd)

1909. *Raja andamanica* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 140.

*Holotype* : F 1129/1 ; Andaman Sea, 279 fms., R.I.M.S. "Investigator" Coll.

8. *Raja johannis-davisi* (Alcock)

1899. *Raja johannis-davisi* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 21 (*Ill. Zool. Investig. Fish.*, pl. 27, figs. 2, 2a).

*Holotype* : F 477/1 ; Laccadive Sea, Off the Travancore Coast, 224-284 fms., 17.x.1898, R.I.M.S. "Investigator" Coll.

9. *Raja powelli* (Alcock)

1898. *Raja powelli* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 145.
1899. *Raja powelli* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 20 (*Ill. Zool. Investig. Fish.*, pl. 26, fig. 4).

: F 235/1 ; Gulf of Martaban, Burma, 67 fms., 1897-98 ; "Investigator" Coll.

10. *Raja reversa* (Lloyd)

- Raja reversa* Lloyd, *Ann. Mag. nat. Hist.*, London, (7) 18, p. 310.

: F 221/1 ; Arabian Sea, Off Baluchistan Coast, 820 fms., "Investigator" Coll.

## Family 4. TRYGONIDAE

11. *Dasyatis (Himantura) alcocki* (Annandale)

1909. *Trygon alcocki* Annandale, *Mem. Indian Mus.*, Calcutta, 2, p. 27, fig. 3.

*Holotype* : F 2474/1 ; Puri, Orissa Coast ; iii. 1909 ; N. Annandale Coll.

12. *Dasyatis (Himantura) favus* (Annandale)

1909. *Trygon favus* Annandale, *Mem. Indian Mus.*, Calcutta, 2, p. 25, pl. 1, fig. 3, pl. 3, fig. 10.

*Holotype* : F 2411/1 ; Bay of Bengal, Off Orissa Coast, *Bengal Fisheries, "Golden Crown"* Coll.

*Remarks* : Mouth and skin of a specimen from the type.

13. *Dasyatis (Amphotistius) microps* (Annandale)

1908. *Trygon microps* Annandale, *Rec. Indian Mus.*, Calcutta, 2, p. 393, pl. 27.

*Holotype* : F 2410/1 ; Bay of Bengal, Off Chittagong Coast, 17 fms., *Bengal Fisheries, "Golden Crown"* Coll.

## Family 5. MYLIOBATIDAE

14. *Aetomylaeus nieuhofii cornifera* (Annandale)

1909. *Myliobatis nieuhofii cornifera* Annandale, *Mem. Indian Mus.*, Calcutta 2, p. 52, pl. 2, fig. 4.

*Syntypes* (2) : F 2285/1 & F 2286/1 ; Balasore, Orissa Coast ; *Bengal Fisheries, "Golden Crown"* Coll.

15. *Manta birostris* (Walbaum)

1908. *Ceratoptera orissa* Lloyd, *Rec. Indian Mus.*, Calcutta, 2, p. 176, text fig. 1, pl. 5, figs. 1, 2.

*Holotype* : F 2968/1 ; Puri, Orissa Coast, 30.i.1909, R.E. Lloyd Coll.

16. *Rhinoptera sewelli* Misra

1946. *Rhinoptera sewelli* Misra, *Rec. Indian Mus.*, Delhi, p. 361, pl. 1.

*Holotype* : F 79/2 ; West-Hill, Off Calicut Coast, Arabian Sea  
24. xi. 1944 ; K. C. Chacko Coll.

*Paratypes* (2) : F 80/2 ; data exactly as for holotype.

## Order 4. TORPEDINIFORMES

## Family 6. TORPEDINIDAE

17. *Bengalichthys impennis* Annandale

- 1909 *Bengalichthys impennis* Annandale, *Mem. Indian Mus.*, Calcutta, 48, pl. 3a, fig. 7.

*Holotype* : F 2357/1 ; Balasore Bay, Orissa Coast ; *Bengal Fisheries*, "Golden Crown" Coll.

*Remarks* : Only head of the type preserved.

18. *Benthobatis moresbyi* (Alcock)

1898. *Benthobatis moresbyi* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 145.

1899. *Benthobatis moresbyi* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, 18 (*Ill. Zool. Investig. Fish.*, pl. 26, fig. 1).

*Syntypes* (2) : F 232/1 ; F.234/1 ; Laccadive See, 430 fms., 19.x. 1897 ; *R.I.M.S.* "Investigator" Coll.

19. *Narcine brunnea* Annandale

1909. *Narcine brunnea* Annandale, *Mem. Indian Mus.*, Calcutta, 2, p. 45, pl. 3a, figs. 2, 2a.

*Syntypes* (2) : F 2349/1 & F 2350/1 ; Aracan Coast ; *Bengal Fisheries*, "Golden Crown" Coll.

*Syntypes* (2) : F 11577 & F 11578 ; Sand heads, Hooghly ; *R. M. Daley* Coll.

## Class II. TELEOSTOMI

## Order 5. CLUPEIFORMES

## Family 7. CLUPEIDAE

20. *Ehirava fluviatilis* Deraniyagala

1929. *Ehirava fluviatilis* Deraniyagala, *Spolia Zeylan*, Colombo, 15, p. 35, pl. 14.

*Paratype* (1) F 11043/1 ; Moratua, W.P. Ceylon, *P.E.P. Deraniyagala* Coll.

21. *Gonialosa modesta* (Day)

1869. *Chatoessus modestus* Day, *Proc. zool. Soc. Lond.*, London, p. 622.

*Molotype* : F 2695 ; Bassein River, Burma ; *F. Day* Coll.

*Paratypes* (2) : F 8022/1 & F 8023/1, data exactly as for holotype.



22. *Gudusia chapra* (Ham.)

1822. *Clupanodon chapra* Hamilton, *Fish Ganges*, pp. 248, 383.

*Holotype* : F 4648/1 ; Gandak River in Saran, Bihar ; x. 1909 ; *M. Mackenzie* Coll.

## Family 8. ENGRAULIDAE

23. *Thrissocles annandalei* (Chaudhuri)

1916. *Engraulis annandalei* Chaudhuri, *Mem. Indian Mus.*, Calcutta, 5, p. 419, fig. 3.

*Holotype* : F 8781/1 ; Off Nalbano Island, Chilka lake, Orissa ; 18. ix. 1914 ; *Zoological Survey of the Chilka Lake, 1914* Coll.

24. *Thrissocles kemp*i (Chaudhuri)

1916. *Engraulis kemp*i Chaudhuri, *Mem. Indian Mus.*, Calcutta, 5, p. 421, fig. 4.

*Holotype* : F 8782/1 : Off Barkul, Lower Chilka, Orissa ; 1. iii. 1914 ; *Zoological Survey of the Chilka Lake, 1914* Coll.

*Paratypes* (15) : F 8785/1 to 8799/1 ; data exactly as for holotype.

25. *Thrissocles rambhae* (Chaudhuri)

1915. *Engraulis rambhae* Chaudhuri, *Mem. Indian Mus.*, Calcutta, 5, p. 423, fig. 5.

*Holotype* : F 8783/1 ; Rambha Bay, Chilka Lake ; iii. 1914 ; *Zoological Survey of the Chilka Lake, 1914* Coll.

*Paratypes* (2) : F 8800/1 & 8801/1 ; data exactly as for holotype.

## Family 9. ALEPOCEPHALIDAE

26. *Alepocephalus blanfordi* Alcock

1892. *Alepocephalus blanfordi* Alcock, *Ann. Mag. nat. Hist.*, London, 10, p. 357.

1899. *Alepocephalus blanfordi* Alcock, *Cat. Ind. Deep Sea Fish*, Calcutta, p. 172 (*Ill. Zool. Investig. Fish.*, pl. 9, fig. 1).

*Holotype* : F 13191 ; South of Cape Comorin, 902 fms. ; 14. xii. 1891 ; *R.I.M.S. "Investigator"* Coll.

27. *Alepocephalus edentulus* (Alcock)

1892. *Alepocephalus edentulus* Alcock, *Ann. Mag. nat. Hist.*, London (6), 10, p. 358.

1899. *Alepocephalus edentulus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 172 (*Ill. Zool. Investig. Fish.*, pl. 32, fig. 4).

*Holotype* : F 13192 ; Bay of Bengal, 475 fms. ; 31. iii. 1892 ; *R.I. M.S. "Investigator"* Coll.

28. *Alepocephalus macrops* Lloyd

1909. *Alepocephalus macrops* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 148.

1909. *Alepocephalus macrops* Lloyd, *Ill. Zool. Investig. Fish.*, pl. 44, fig. 3.

*Holotype* : F 1094 ; Bay of Bengal, Off Arakan Coast, 419 fms. 5. iii. 1904 ; R.I.M.S. "Investigator" Coll.

29. *Bathytroctes squamosus* Alcock

1890. *Bathytroctes squamosus* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 303.

1899. *Bathytroctes squamosus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 173 (*Ill. Zool. Investig. Fish.*, pl. 4, fig. 1).

*Holotype* : F 12869 ; Arabian Sea, 740 fms. ; 5.v.1890 ; R.I.M.S. "Investigator" Coll.

30. *Narcetes affinis* Lloyd

1906. *Narcetes affinis* Lloyd, *Ann. Mag. nat. Hist.*, London, (7) 18, p. 308.

1908. *Narcetes affinis* Lloyd, *Ill. Zool. Investig. Fish.*, pl. 42, figs. 1, 1a.

*Holotype* : F 1385/1 ; Gulf of Oman, 1005 fms. ; 8.xii.1905 ; R.I.M.S. "Investigator" Coll.

31. *Platyroctogen mirus* Lloyd

1909. *Platyroctogen mirus* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 145

*Holotype* : F 2382/1 ; Bay of Bengal, 500 fms. ; R.I.M.S. "Investigator" Coll.

32. *Tauredophidium hextii* (Alcock)

1890. *Tauredophidium hextii* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 213, pl. 8, fig. 1.

1899. *Tauredophidium hextii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 97 (*Ill. Zool. Investig. Fish.*, pl. 21, fig. 3).

*Syntypes* (2) : F 12829 & F 12830 ; Bay of Bengal, 1310 fms., 14. iii. 1890 ; R.I.M.S. "Investigator" Coll.

33. *Xenodermichthys guentheri* Alcock

1892. *Xenodermichthys guentheri* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 10, p. 359, pl. 18, fig. 3.

1899. *Xenodermichthys guentheri* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 180 (*Ill. Zool. Investig. Fish.*, pl. 32, fig. 2).

*Holotype* : F 13193 ; Bay of Bengal, 678 fms., 1. iv. 1892 ; R.I.M.S. "Investigator" Coll.

**34. Xenodermichthys squamilaterus Alcock**

1898. *Xenodermichthys squamilaterus* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 148.

1899. *Xenodermichthys squamilaterus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 181 (*Ill. Zool. Investig. Fish.*, pl. 25, fig. 4).

*Holotype* : F 375/1 ; Andaman Sea, 370-419 ; 8. iv. 1898 ; *R.I.M.S.* "Investigator" Coll.

## Family 10. DOLICHOPTERYGIDAE

**35. Aulastomatomorpha phospherops Alcock**

1890. *Aulastomatomorpha phospherops* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 307.

1899. *Aulastomatomorpha phospherops* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 178 (*Ill. Zool. Investig. Fish.*, pl. 5, fig. 2).

*Holotype* : F 12872 ; Arabian Sea, 1,000 fms., 3. v. 1890 ; *R.I.M.S.* "Investigator" Coll.

## Family 11. GONOSTOMIDAE

**36. Triplophos hemingi (McArdle)**

1901. *Photichthys hemingi* McArdle, *Ann. Mag. nat. Hist.*, London, (7) 8, p. 521.

*Syntype* (1) : F 928/1 ; South of Ceylon, 859-880 fms., 10. i. 1901 ; *R.I.M.S.* "Investigator" Coll.

*Syntype* (1) : F 13707 ; Bay of Bengal, 475 fms., *R.I.M.S.* "Investigator" Coll.

**37. Yarella corythaeolum (Alcock)**

1898. *Diplophos corythaeolum* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 147.

1899. *Diplophos corythaeolum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 142 (*Ill. Zool. Investig. Fish.*, pl. 25, fig. 3).

*Syntypes* (5) : F 13076, F 13077, F 150/1, F 314/1 & F 315/1 ; Andaman Sea ; 188-220 fms., 185 fms. & 405 fms., *R.I.M.S.* "Investigator" Coll.

## Family 12. STOMIATIDAE

**38. Stomias affinis (Gthr.)**

1887. *Stomias affinis* Günther, *Challenger Rep. Deep Sea Fish.*, 22, p. 205, pl. 54, Fig. A.

1891. *Stomias elongatus* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 8, p. 129.

*Holotype* : 13075 ; Laccadive sea, 738 fms., 23. x. 1890 ; *R.I.M.S.* "Investigator" Coll.

39. *Stomias nebulosus* Alcock

1889. *Stomias nebulosus* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 4, p. 451.  
 1899. *Stomias nebulosus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 146  
 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 1).

*Syntypes* (2) : F 11734 & F 11735 ; Gulf of Manaar, lat. 6° 29' N. long. 79° 34' E., 597 fms., *R.I.M.S. "Investigator"* Coll.

## Order 6. BATHYCLUPEIFORMES

## Family 13. BATHYCLUPEIDAE

40. *Bathyclupea hoskynii* Alcock

1891. *Bathyclupea hoskynii* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 131, fig. 4.  
 1899. *Bathyclupea hoskynii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 140, (*Ill. Zool. Investig. Fish.*, pl. 28, fig. 2).

*Syntypes* (2) : F 13112 & F 13114 ; Andaman Sea, 188-220 fms., 9. xii. 1890 ; *R.I.M.S. "Investigator"* Coll.

## Order 7. SCOPELIFORMES

## Family 14. SYNODIDAE

41. *Harpodon squamosus* Alcock

1891. *Harpodon squamosus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 127.  
 1899. *Harpodon squamosus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 154 (*Ill. Zool. Investig. Fish.*, pl. 30, fig. 1).

*Syntypes* (10) : F 13084 to F 13086 & F 13088, F 13090 to F 13095; Bay of Bengal, 240 to 276 fms., 24.xii.1890 ; *R.I.M.S. "Investigator"* Coll.

42. *Synodus indicus* (Day)

1873. *Saurus indicus* Day, *J. Linn. Soc. (Zool.)*, London, 11, p. 526.

*Holotype* : F 2337 ; Madras ; *F. Day* Coll.

## Family 15. SCOPELARCHIDAE

43. *Scopelarchus guentheri* Alcock

1896. *Scopelarchus guentheri* Alcock, *J. Asiat. Soc. Bengal*, Calcutta, 65, p. 307.  
 1899. *Scopelarchus guentheri* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 153 (*Ill. Zool. Investig. Fish.*, pl. 17, fig. 7).

*Holotype* : F 63/1 ; Arabian Sea, Off Indus delta, 947 fms., 2.i.1895 ; *R.I.M.S. "Investigator"* Coll.

## Family 16. EVERMANNELLIDAE

44. *Evermannella atratus* (Alcock)

1893. *Odontostomus atratus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62, p. 182, pl. 9, fig. 4.  
 1899. *Odontostomus atratus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta p. 167 (*Ill. Zool. Investig. Fish.*, pl. 33, fig. 3).

*Holotype* : F 13434 ; Bay of Bengal, 573 fms., 13.iv.1893 ; *R.I.M.S. "Investigator"* Coll.

## Family 17. SUDIDAE

45. *Bathypterois guentheri* Alcock

1889. *Bathypterois guentheri* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 4, p. 450.  
 1899. *Bathypterois guentheri* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 157 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 6).

*Holotype* : F 11770 ; Andaman Sea, 490 fms., *R.I.M.S. "Investigator"* Coll.

46. *Bathypterois insularum* Alcock

1892. *Bathypterois insularum* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 10, p. 356.  
 1899. *Bathypterois insularum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 158 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 6).

*Syntypes* (2) : F 13187 & F 13188 ; Arabian Sea, 1140 fms., 22.x.1891 ; *R.I.M.S. "Investigator"* Coll.

47. *Chlorophthalmus corniger* Alcock

1894. *Chlorophthalmus corniger* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63 (2), p. 133, pl. 6, fig. 5.  
 1899. *Chlorophthalmus corniger* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 155 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 8).

*Syntypes* (4) : F 13712 to 13715 ; Bay of Bengal, 145-250 fms., 30.i.1894 ; *R.I.M.S. "Investigator"* Coll.

## Family 18. SCOPELIDAE

48. *Lampanyctus pyrsobolus* (Alcock)

1890. *Scopelus pyrsobolus* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 218, pl. 8, fig. 3.  
 1899. *Scopelus pyrsobolus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 163 (*Ill. Zool. Investig. Fish.*, pl. 30, fig. 3).

*Holotype* : F 12839 ; Bay of Bengal, 690-920 fms., 1.iv.1890 ; *R.I.M.S. "Investigator"* Coll.

49. *Myctophum pterotum* (Alcock)

1890. *Scopelus (Myctophum) pterotus* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 217.

1899. *Scopelus (Myctophum) pterotus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 162 (*Ill. Zool. Investig. Fish.*, pl. 9, fig. 3).

*Syntypes* (24) : F 12737, F 12738 & F 12739 ; Bay of Bengal, 98-102 fms., 4. iii. 1890 ; *R.I.M.S. "Investigator"* Coll.

50. *Scopelengys tristis* Alcock

1890. *Scopelengys tristis* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 6, p. 303.

1899. *Scopelengys tristis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 166 (*III. Zool. Investig. Fish.*, pl. 7, fig. 7).

*Holotype* : F 12873 ; Arabian Sea, 1000 fms., 3.v.1890 ; *R.I.M.S. "Investigator"* Coll.

## Order 8. CYPRINIFORMES

## Family 19. CYPRINIDAE

51. *Amblypharyngodon saranensis* Chaudhuri

1912. *Amblypharyngodon saranensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 440, pl. 39, fig. 2.

*Syntypes* (2) : F 3779/1 & F 3780/1 ; Jharia, Saran Dist., Bihar ; 15.vii.1909 ; *M. Mackenzie* Coll.

52. *Barbus belayewi* Menon

1960. *Barbus belayewi* Menon, *Rec. Indian Mus.*, Delhi, 54 (3 & 4), p. 144, Text-fig. 2.

*Holotype* : F 1046/2 ; Tigris, Baghdad, Iraq ; 1950 ; *Directorate General of Agriculture Baghdad, Iraq* Coll.

*Paratype* (1) : F 1047/2 ; data exactly as for holotype.

53. *Barbus cauveriensis* Hora

1937. *Barbus cauveriensis* Hora, *Rec. Indian Mus.*, Calcutta, 39, p. 20, fig. 7

*Holotype* : F 12179/1 ; Cauvery River, Coorg State ; *C. R. Narayana Rao* Coll.

**54. *Barbus clevatus burtoni* Mukerji**

1934. *Barbus clevatus burtoni* Mukerji, *J. Bombay nat. Hist. Soc.*, Bombay, 37 (1), p. 64, pl. 3, fig. 1 & text-figs.

*Holotype* : F 11437/1 ; Phungin Hka, tributary of Mali Hka River, Myitkyina district, Upper Burma ; 10.v.1930 ; *Lt. Col. R. W. Burton* Coll.

*Paratypes* (2) : F 11462/1 ; data exactly as for holotype.

**55. *Barbus cogginii* Chaudhuri**

1911. *Barbus cogginii* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 6, p. 16, pl. 1, fig. 2.

*Syntypes* (4) : F 4680/1, F 4682/1, F 4685/1 and F 4686/1 ; Lake Tali Fu, 7,000 feet, Yunnan ; iv. 1909 ; *J. Coggin Brown* Coll.

**56. *Barbus fraseri* Hora & Misra**

1938. *Barbus fraseri* Hora & Misra, *J. Bombay nat. Hist. Soc.*, Bombay, 40 (1), p. 29, pl. 3, fig. 2, text-fig. 4.

*Syntypes* (6) : F 12497/1 ; Darna River, Deolali, Bombay State ; *A. G. L. Fraser* Coll.

**57. *Barbus jerdoni muciveri* Annandale**

1919. *Barbus jerdoni* var. *muciveri* Annandale, *Rec. Indian Mus.*, Calcutta, 16 (1), p. 137, pl. 2, fig. 4.

*Syntypes* (2) : F 9576/1 ; Kistna River near Mahuli, 3 miles from Satara, Bombay State ; *C. D. McIver* Coll.

**58. *Barbus mcClellandi* Day**

1869. *Barbus mcClellandi* Day, *Proc. zool. Soc. Lond.*, London, p. 619.

*Syntype* (1) : F 2298 ; Moulmein, Burma ; *F. Day* Coll.

**59. *Barbus (Puntius) micropogon periyarensis* Raj**

1941. *Barbus (Puntius) micropogon periyarensis* Raj, *Rec. Indian Mus.*, Delhi, 43 (3), p. 379, text-fig.

*Holotype* : F 13516/1 ; Periyar Lake, Travancore ; *B. Sundara Raj* Coll.

*Paratype* (1) : F 13517/1, data exactly as for holotype.

**60. *Barbus narayani* Hora**

1937. *Barbus narayani* Hora, *Rec. Indian Mus.*, Calcutta, 39, p. 24, fig. 10.

*Syntypes* (2) : F 12180/1 ; Cauvery River, Coorg, Mysore State, *C. R. Narayana Rao* Coll.

**61. *Barbus (Puntius) ophiocephalus* Raj**

1941. *Barbus (Puntius) ophiocephalus* Raj, *Rec. Indian Mus.*, Delhi, 43 (3), p. 375, text-figs. 1 & 2.

*Holotype* : F 13514/1 ; Kallar near Periyar Lake, Travancore ; *B. Sundara Raj* Coll.

**62. *Barbus sewelli* Prashad & Mukerji**

1929. *Barbus sewelli* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, (3), p. 197, pl. 9, figs. 1, 1a, 1b.

*Holotype* : F 10910/1 ; Indawgyi Lake, Myitkyna Dist., U. Burma ; *B. N. Chopra* Coll.

**63. *Barbus (Puntius) smithi* Hora**

1923. *Barbus (Puntius) smithi* Hora, *J. nat. Hist. Soc. Siam*, Bangkok, 6, p. 156, pl. 2, fig. 1.

*Syntypes* (2) : F 10526/1 ; Bangkok, Siam ; *H. M. Smith* Coll.

**64. *Barilius auropurpureus* Annandale**

1918. *Barilius auropurpureus* Annandale, *Rec. Indian Mus.*, Calcutta, 14, p. 51, pl. 2, fig. 4, pl. 4, figs. 11 & 12.

*Holotype* : F 9432/1 ; Shan State, Burma ; *N. Annardale* Coll.

**65. *Barilius dogarsinghi* Hora**

1921. *Barilius dogarsinghi* Hora, *Rec. Indian Mus.*, Calcutta, 22 (3), p. 191, text-fig. 3.

*Holotype* : F 9983/1 ; Etok stream near Chanderkhong, Manipur, Assam ; *S. L. Hora* Coll.

*Paratypes* (9) : F 9984/1 ; data exactly as for holotype.

**66. *Chela dadyburjori* (Menon)**

1951. *Laubuca dadyburjori* Menon, *Rec. Indian Mus.*, Delhi, 49(1), p. 1, text-fig. 1.

*Holotype* : F 541/2 ; Cochin, S. India ; viii. 1950 ; *Sam. J. Dadyburjor* Coll.

*Paratypes* (4) : F 542/2 ; data exactly as for holotype.

**67. *Chela (Allochela) fasciata* Silas**

1958. *Chela (Allochela) fasciata* Silas, *J. Bombay nat. Hist. Soc.*, Bombay, 55 (1), p. 87, pl. 2, figs. 1-5.

*Holotype* : F 744/2 ; Annamalai River at the base of the Annamalai Hills, Chittur Taluk, Kerala State ; 22. iv. 1950 ; *E. G. Silas* Coll.

*Paratypes* (2) : F 745/2 ; data exactly as for holotype.



**68. *Cirrhinus horai* V. Lakshmanan**

1966. *Cirrhinus horai* V. Lakshmanan, *J. zool. Soc. India*, Calcutta, 16, p. 59.

*Holotype* : F 2083/2 ; Godavari River, Rajahmundry ; i-ii. 1961  
*Central Inland Fisheries Research Institute (Krishna-Godavari Unit) Coll*

*Paratypes* (8) : F 2084/2 ; data exactly as for holotype.

**69. *Crossocheilus diplochilus* (Heckel)**

1919. *Discognathus adiscus* Annandale, *Rec. Indian Mus.*, Calcutta, 18, p. 68, pl. 10, fig. 2 ; pl. 11, fig. 1.

*Syntypes* (20) : F 9758/1 ; Seistan ; xii. 1918 ; *N. Annandale & S. W Kemp Coll.*

**70. *Cultrops siamensis* (Hora)**

1923. *Culter siamensis* Hora, *J. nat. Hist. Soc. Siam*, Bangkok, 6, p. 149, pl. 10, fig. 1 ; pl. 2, figs. 4, 5.

*Holotype* : F 10504/1 ; Bangkok, Siam, *Malcom Smith Coll.*

**71. *Cyprinus carpio intha* Annandale**

1918. *Cyprinus carpio* var. *intha* Annandale, *Rec. Indian Mus.*, Calcutta, 14, p. 47, pl. 111, fig. 1.

*Syntypes* (11) : F 9366/1 ; Inle Lake, S. Shan States, Burma ; *N. Annandale Coll.*

*Syntypes* (9) : F 9367/1 ; He-Ho, S. Shan States, Burma ; Collector same as above.

**72. *Danio (Brachydanio) acuticephala* Hora**

1921. *Danio (Brachydanio) acuticephala* Hora, *Rec. Indian Mus.*, Calcutta, 22 (3), p. 193, text-fig. 4.

*Holotype* : F 9986/1 ; Yaribuk, Manipur, Assam ; *S. L. Hora Coll.*

**73. *Danio annandalei* Chaudhuri**

1908. *Danio annandalei* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 2(2), p. 125.

*Syntypes* (2) : F 1599/1 ; Dawna Hills, Amherst distt., Tenasserim, Burma ; 18-19.i.1908 ; *N. Annandale Coll.*

**74. *Danio browni* Regan**

1907. *Danio browni* Regan, *Rec. Indian Mus.*, Calcutta, 1 (4), p. 395.

*Syntypes* (5) : F 1872/1 ; N. Shan States, Upper Burma ; *J. Coggin Brown Coll.*

75. *Danio (Brachydanio) choprae* Hora

1928. *Danio (Brachydanio) choprae* Hora, *Rec. Indian Mus.*, Calcutta, 30, p. 39, fig.

*Holotype* : F 10811/1 ; Kamaing, Myitkyna Distt., Upper Burma ; B. N. Chopra Coll.

76. *Danio feegradei* Hora

1937. *Danio feegradei* Hora, *Rec. Indian Mus.*, Calcutta, 39 (4), p. 325, text-fig. 3.

*Holotype* : F 12477/1 ; Sandoway, Lower Burma ; Lieut. E. S. Fee-grade Coll.

77. *Danio naganensis* Chaudhuri

1912. *Danio naganensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 441, pl. 40, figs. 1, 1a, 1b.

*Syntypes* (6) : F 5297/1 to F 5302/1 ; Lungting River, Naga Hills, Manipur, xi. 1910 ; Rev. Pettygrewe Coll.

78. *Danio (Brachydanio) shanensis* Hora

1928. *Danio (Brachydanio) shanensis* Hora, *Rec. Indian Mus.*, Calcutta, 30, p. 38, fig. 1.

*Holotype* : F 10814/1 ; Hsipaw, N. Shan States, Burma ; B. N. Chopra & H. S. Rao Coll.

79. *Danio (Brachydanio) sondhii* Hora & Mukerji

1934. *Danio (Brachydanio) sondhii* Hora & Mukerji, *Rec. Indian Mus.*, Calcutta, 36, p. 128, fig. 1.

*Holotype* : F 11513/1 ; S. Shan States. Burma ; V P. Sondhi Coll.

*Paratype* (9) : 11514/1 ; data exactly as for holotype.

80. *Diptychus annandalei* Regan

1907. *Diptychus annandalei* Regan, *Rec. Indian Mus.*, Calcutta, 1 (2), p. 158.

*Syntypes* (2) : F 1551/1 ; Pharping, Nepal ; R. Hodgart Coll.

81. *Esomus ahli* Hora & Mukerji

1928. *Esomus ahli* Hora & Mukerji, *Rec. Indian Mus.*, Calcutta, 30, p. 47, text-fig. 3.

*Syntypes* (22) : F 10794/1 ; Rangoon, Burma ; F. G. Meggitt Coll.

82. *Esomus altus* (Blyth)

1860. *Nuria alta* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 162.

*Syntypes* (2) : A. S. B. Cat. No. 832 ; Tenasserim, Burma ; *Berdmore* Coll.

83. *Garra annandalei* Hora

1921. *Garra annandalei* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 657

1921. *Garra chaudhurii* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 671, pl. 25, fig. 3.

*Syntypes* (5) (*annandalei*) : F 10104/1 ; Mahanadi River, Darjeeling ; *G. E. Shaw & S. L. Hora* Coll.

*Holotype* (*chaudhurii*) : F 8146/1 ; Darjeeling ; *Walker* Coll.

*Paratypes* (2) (*chaudhurii*) : F 8147/1 & 8148/1 ; data exactly as for holotype.

84. *Garra arabica* Hora

1921. *Garra arabica* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 677, text-fig. 5.

*Holotype* : F 8123/1 ; Lahej, Aden ; *W. T. Blanford* Coll.

85. *Garra barraeimiae* Fowler & Steinitz

1956. *Garra barraeimiae* Fowler & Steinitz, *Bull. Res. Council. Israel*, Jerusalem, 5B (3 & 4), p. 262.

*Paratypes* (2) : F 2285/2 ; Barreimi, Oman ; *H. Steinitz* Coll.

86. *Garra ethelwynnae* Menon

1958. *Garra ethelwynnae* Menon, *Curr. Sci.*, Bangalore, 27, p. 450, text-fig. 1.

*Paratype* (1) : F 859/2 ; Salamona, Eritrea, Africa ; *D. L. Eewis* Coll.

87. *Garra gotyla gotyla* (Gray)

1921. *Garra monti-salsa* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 651.

*Holotype* : F 9953/1 ; Nilwan ravine near the Shapur Salt range, Punjab ; *F. Day* Coll.

88. *Garra gravelyi* (Annandale)

1919. *Discognathus gravelyi* Annandale, *Rec. Indian Mus.*, Calcutta, 16 (1), p. 133, pl. 2, figs. 3, 3a.

*Holotype* : F 9694/1 ; He-Ho Stream, Yawaghwe States, 3,800 feet South Shan States, Burma, ii-iii. 1918 ; *N. Annandale* Coll.

89. *Garra hughi* Silas

1954. *Garra hughi* Silas, *Rec. Indian Mus.*, Delhi, 52 (1), p. 2, pl. 4, figs. 1-4.

*Holotype* : F 746/2 ; Vauguvarrai Estate, High Range, Travancore, Kerala State, 15.x.1952 ; E. G. Silas Coll.

*Paratypes* (51) : F 747/2 ; data exactly as for holotype.

90. *Garra kempi* Hora

1921. *Garra kempi* Hora, *Rec. Indian Mus.*, Calcutta, 22(5), p. 665, pl. 26, figs. 3, 3a.

*Holotype* : F 7716/1 ; Siyom River, below Damda, 1,300 feet, Abor Hills, Assam, 1912 ; S. W. Kemp Coll.

91. *Garra lamta* Ham.

1921. *Garra prashadi* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 669, pl. 24, fig. 3.

*Syntypes* (3) : F 9971/1 ; Malwatal, U. P., B. Prashad & S. L. Hora Coll.

92. *Garra mcClellandi* (Jerdon)

1867. *Garra jerdoni* Day, *Proc. zool. Soc. Lond.*, p. 288.

1919. *Discognathus elegans* Annandale, *Rec. Indian Mus.*, Calcutta, 18, p. 76, pl. 9, fig. 4.

1920. *Garra platycephala* Rao, *Ann. Mag. nat. Hist.*, London, (9) 6, p. 56, pl. 1, figs. 2, 2a, 2b.

*Holotype* (*жерdoni*) : F 1507 ; Bhavani River, Nilgris, Madras State ; F. Day Coll.

*Holotype* (*elegans*) : F 9798/1 ; Nierolay Stream, Nilgris, Madras State ; N. Annandale Coll.

*Paratype* (2) (*elegans*) : F 9794/1 and F 9795/1 ; data exactly as for holotype.

*Syntype* (1) (*platycephala*) : F 9816/1 ; Cauvery River, Seringapatam, Mysore ; 1919 ; C. R. Narayana Rao Coll.

93. *Garra mullya* (Sykes)

1921. *Garra jenkinsonianum* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 673, pl. 25, fig. 1.

1953. *Horabiosa joshuai* Silas, *Rec. Indian Mus.*, Delhi, 51 (1), 30, text-figs., pl. 5.

*Holotype* (*jenkinsonianum*) : F 5736/1 ; Paresnath Hills, Bihar ; v. 1909 ; J. T. Jenkins & N. Annandale Coll.

*Holotype (joshuai)* : F 734/2 ; Stream in Singampatty, Singampatty range, Tinnevely Distt., Madras ; ix. 1949 ; *E. G. Silas* Coll.

*Paratypes* (11) (*joshuai*) : Data exactly as for holotype.

94. *Garra nasuta* (McClelland)

1934. *Garra salweenica* Hora & Mukerji, *Rec. Indian Mus.*, Calcutta, 36, p. 365, figs. 4, 5.

*Holotype* : F 11602/1 ; Salween River at Takaw Kengtung State, South Shan States, Burma ; *V. P. Sondhi* Coll.

*Paratype* (1) : F 11603/1 ; data exactly as for holotype.

95. *Garra rossica* (Nikolsky)

1919. *Discognathus phryne* Annandale, *Rec. Indian Mus.*, Calcutta, 18, p. 70, pl. 10, fig. 3 ; pl. 11, fig. 2.

*Holotype* : F 9787/1 ; Nasratabad, Seistan, 2,000 feet ; 25.xi. 19. xii. 1918 ; *S. W. Kemp & N. Annandale* Coll.

96. *Garra rufa obtusa* (Heckel)

1913. *Garra persica* Berg, *Ann. Mus. zool. Ac. St. Petersb.*, 18, p. 61, pl. 61.

*Syntypes* (3) : F 11101/1 ; Bampur River, E. Persia ; *Institute of Fisheries, Industries and Scientific Exploration, Leningrad* (Exchange).

97. *Garra rupecula* McClelland

1921. *Garra abhoyai* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5) ; p. 664, pl. 26, figs. 1, 1a, 1b.

*Holotype* : F 5307/1 ; Ukhral, 6,000 feet, Manipur, Assam ; xi. 1910 ; *Rev. Pettygrewe* Coll.

*Paratypes* (2) : F 5308/1 & F 5309/1 ; data exactly as for holotype.

98. *Gymnocypris hobsonii* Stewart

1911. *Gymnocypris hobsonii* Stewart, *Rec. Indian Mus.*, Calcutta, 6 (2), p. 90, pl. 3, fig. 6.

*Holotype* : F 452/1 ; Eastern Tibet ; *H. E. Hobson* Coll.

99. *Gymnocypris waddellii* Regan

1905. *Gymnocypris waddellii* Regan, *Ann. Mag. nat. Hist.*, London, (7)15, p. 300.

*Syntypes* (2) : F 4952/1 ; Yamdok Lake, 14,800 feet, Tibet ; *British Museum* (Exchange).

**100. *Labeo almorae* Chaudhuri**

1912. *Labeo almorae* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 438, pl. 38, figs. 2, 2a, 2b.

*Holotype* : F 2014/1 ; Almora, U. P., 10.x.1907 ; *Museum Collector Coll.*

**101. *Labeo henshawi* Fowler**

1924. *Labeo henshawi* Fowler, *Proc. Acad. nat. Sci. Philad.*, 76, p. 98, fig. 9.

*Paratype* (1) : F 11237/1 ; Ludhiana, Punjab ; *Academy of Natural Sciences, Philadelphia* (Exchange).

**102. *Labeo kunki* Chaudhuri**

1912. *Labeo kunki* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 483, pl. 38, fig. 3.

*Holotype* : F 4659/1 ; Gandak River, Saran distt., Bihar ; x. 1909 ; *M. Mackenzie Coll.*

**103. *Labeo rilli* Chaudhuri**

1912. *Labeo rilli* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 439, pl. 38, fig. 4.

*Syntypes* (4) : F 4653/1 to F 4656/1 ; Gandak River, Saran distt., Bihar ; x. 1909 ; *M. Mackenzie Coll.*

**104. *Labeo tezpurenensis* Chaudhuri**

1912. *Labeo tezpurenensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7 (5), p. 439, pl. 39, figs. 1, 1a, 1b.

*Syntypes* (3) : F 5788/1 to F 5790/1 ; Belsiri River ; Tezpur, Assam ; 10.x.1910 ; *Museum Collector Coll.*

**105. *Labeo yunnanensis* Chaudhuri**

1912. *Labeo yunnanensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 6, p. 14, 15, pl. 1, figs. 1, 1a, 1b.

*Holotype* : F 4748/1 ; Lake Tali Fu, Yunnan, S. China ; 26. v. 1910 ; *Coggin Brown Coll.*

**106. *Laubuca caeruleostigma* Smith**

1931. *Laubuca caeruleostigma* Smith, *Proc. U. S. nat. Mus.*, Washington, 79 (7), p. 5, fig. 3.

*Paratype* (1) : F 11163/1 ; Menam Chao Phya below Nakon Sawan, Central Siam ; *Fisheries Dept., Bangkok, Thailand* (Donor).

107. *Lepidopygopsis typus* Raj

1941. *Lepidopygopsis typus* Raj, *Rec. Indian Mus.*, Delhi, 43 (2), p. 210, pl. 7, figs. 1-4.

*Holotype* : F 13510/1 ; Periyar Lakes, Travancore ; *B. Sundara Raj* Coll.

*Paratypes* (9) : F 13511/1 ; data exactly as for holotype,

108. *Lissochilus hendersoni* Herre

1940. *Lissochilus hendersoni* Herre, *Bull. Raffles Mus.*, Singapore, 16, p. 10, pl. 4.

*Paratypes* (2) : F 13631/1 ; Penang, Malaya ; *A. W. C. T. Herre* Coll.

109. *Microrasbora rubescens* Annandale

1918. *Microrasbora rubescens* Annandale, *Rec. Indian Mus.*, Calcutta, 14, p. 50, pl. 2, fig. 3 ; pl. 4, fig. 13.

*Syntypes* (84) : F 9386/1 to 9387/1 ; Fort Stedman, Inle Lake, S. Shan States, Burma ; *N. Annandale* Coll.

110. *Oreinus baileyi* Lloyd

1909. *Oreinus baileyi* Lloyd, *Rec. Indian Mus.*, Calcutta, 2, p. 344, pl. 25, figs. 2, 2a.

*Syntypes* (4) : F 2151/1 ; Gyantse, Tibet ; *F. H. Stewart* Coll.

111. *Oreinus molesworthi* Chaudhuri

1913. *Oreinus molesworthi* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 8 (3), p. 247, pl. 7, figs. 2, 2a, 2b.

*Holotype* : F 7735/1 ; Yembung, 1100 feet ; Abor Hills, Assam, 1912 ; *S. W. Kemp* Coll.

112. *Osteocheilus hasseltii tweediei* Menon

1954. *Osteocheilus hasseltii tweediei* Menon, *Bull. Raffles Mus.*, Singapore, 25, p. 12.

*Holotype* : F 324/2 : Kuala Tahan, Pahang ; 1939 ; *Raffles Museum, Singapore* (Donor).

*Paratypes* (6) : F 325/2 ; 2 from Kuala Tahan, Pahang, and 4 from River Ketil and Candor, Kelantan ; donor same as above.

113. *Osteochilus sondhii* Hora & Mukerji

1954. *Osteochilus sondhii* Hora & Mukerji, *Res. Indian Mus.*, Calcutta, 36, p. 359, fig. 2.

*Holotype* : F 11600/1 ; Salween River at Takaw in Kengtung State, South Shan States, Burma ; *V. P. Sondhi* Coll.

*Paratype* (1) : F 11601/1 ; data exactly as for holotype.

#### 114. *Oxygaster horai* (Silas)

1951. *Chela horai* Silas, *J. zool. Soc. India*, Calcutta, 3, p. 8, fig. 1.

*Holotype* : F 635/2 ; Cauvery River, Coorg, Mysore State ; ix. 1949 ; *M. M. Belliapah* Coll.

*Paratypes* (2) : F 636/2 ; data exactly as for holotype.

#### 115. *Parapsilorhynchus prateri* Hora & Misra

1938. *Parapsilorhynchus prateri* Hora & Misra, *J. Bombay nat. Hist., Soc.*, Bombay, 40, p. 32, pl. 2, fig. 1, text-figs. 5, 6.

*Syntypes* (14) : F 12498/1 ; Narsullah Wadi, Deolali ; *A. G. L. Fraser* Coll.

#### 116. *Parapsilorhynchus tentaculatus* Annandale

1919. *Parapsilorhynchus tentaculatus* Annandale, *Rec. Indian Mus.*, Calcutta, 16 (1), p. 128, pl. 1, figs. 4, 4a ; pl. 3, fig. 2.

*Syntypes* (2) : F 9695/1 ; Khandalla, 2500 feet, Maharashtra State ; 6-10.ii.1918 ; *N. Annandale* Coll.

#### 117. *Psilorhynchus homaloptera* Hora & Mukerji

1935. *Psilorhynchus homaloptera* Hora & Mukerji, *Rec. Indian Mus.*, Calcutta, 37, p. 391, pl. 7, figs. 1-6.

*Holotype* : F 11792/1 ; Emilomi, Keleki Stream, Naga Hills, Assam ; 26.ii.1935 ; *B. Prashad* & *B. N. Chopra* Coll.

*Paratypes* (13) : F 11796/1 ; data exactly as for holotype.

#### 118. *Psilorhynchus homaloptera rowleyi* Hora & Misra

1941. *Psilorhynchus homaloptera* var. *rowleyi* Hora & Misra, *J. Bombay nat. Hist. Soc.*, Bombay, 42, 3, p. 481, pl. 1, figs. 1 & 2.

*Syntypes* (2) : F 13461/1 ; Kora, Upper Chindwin, Burma ; *Vernay—Hopwood Upper—Chindwin Expedition* Coll.

#### 199. *Psilorhynchus pseudecheneis* Menon & Datta

1962. *Psilorhynchus pseudecheneis* Menon & Datta, *Rec. Indian Mus.*, Delhi, 59 (3), p. 253, pl. 16, figs. 1-3.

*Holotype* : F 1928/2 ; Dudh Kosi drainage, about 2,950 metres, Solokhumbhu Distt., Eastern Nepal ; 10.iv.1958 ; *A. K. Datta* Coll.

*Paratypes* (14) : F 1929/2 ; data exactly as for holotype.



**120. *Puntius arenatus* (Day)**

1878. *Barbus arenatus* Day, *Fish India*, London, p. 574, fig. 7.

*Holotype*: F 2737; Madras; *F. Day* Coll.

**121. *Puntius arulius tamberparniei* Silas**

1953. *Puntius arulius tamberparniei* Silas, *Rec. Indian Mus.*, Delhi, 51 (1), p. 34, text-figs. 2, 3 & 4.

*Holotype*: F 735/2; Kalladaikurichi, Tinnevely Distt., Madras State; ix.1949; *E. G. Silas* Coll.

*Paratypes* (12): Data exactly as for holotype.

**122. *Puntius daruphani tweedei* Menon**

1954. *Puntius daruphani tweedei* Menon, *Bull. Raffles Mus.* Singapore, 25 p. 17.

*Holotype*: F 248/2; Kuala Tahan, Pahang; *M. W. F. Tweedei* (Donor).

*Paratypes* (6): F 249/2; data exactly as for holotype.

**123. *Puntius denisonii* (Day)**

1865. *Labeo denisonii* Day, *Proc. zool. Soc. Lond.*, London, p. 299.

*Holotype*: F 2371; Mundakayam, Travancore; *F. Day* (Donor).

**124. *Puntius leiacanthus malayensis* Menon**

1954. *Puntius leiacanthus malayensis* Menon, *Bull. Raffles Mus.*, Singapore, 25, p. 21.

*Holotype*: F 246/2; Kota Bharu, Kelantan; *Raffles Museum, Singapore* (Donor).

*Paratypes* (4): F 247/2; data exactly as for holotype.

**125. *Puntius melanampyx* (Day)**

1865. *Labeo melanampyx* Day, *Proc. zool. Soc. Lond.*, London, p. 298.

*Holotype*: F 2719; Cochin; *F. Day* (Donor).

**126. *Puntius oatesii* (Boulenger)**

1893. *Barbus oatesii* Boulenger, *Ann. Mag. nat. Hist.*, London, (6) 12 p. 201.

*Syntype* (1): F 3002/1; Nampandet, 2,000 feet, Shan States, Burma ; *British Museum* (Donor).

127. *Puntius sahyadriensis* Silas

1953. *Puntius sahyadriensis* Silas, *J. Bombay nat. Hist. Soc.*, Bombay, **51**, p. 582.

*Holotype*: F 733/2; Yenna River; Mahabaleshwar, Satara Distt., iv.1952; E. G. Silas Coll.

*Paratypes* (2): F 733/2; data exactly as for holotype.

128. *Puntius sarana orphoides* (Val)

1937. *Barbus (Puntius) binduchitra* Hora, *Rec. Indian Mus.*, Calcutta, **39** (4), p. 327, text-fig.

*Syntypes* (10): F 12478/1; Sandoway, Lower Burma; Feegrade Coll.

129. *Puntius titteya* Deraniyāgala

1929. *Puntius titteya* Deraniyāgala, *Spoliae Zlan.*, Colombo, **15**, p. 73, pl. 21.

*Paratypes* (2): F 11044/1; Ceylon; P. E. P. Deraniyagala Coll.

130. *Rasbora rasbora kobonensis* Chaudhuri

1913. *Rasbora rasbora* var. *kobonensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, **8** (3), p. 251, pl. 8, figs. 1, 1a, 1b.

*Holotype*: F 7796/1; Brahmaputra River, Kobo, Abor Hills, Assam; 4.xii.1911; S. W. Kemp Coll.

131. *Rohtee dayi* Hora & Misra

1940. *Rohtee dayi* Hora & Misra, *Rec. Indian Mus.*, Delhi, **42** (1), p. 162.

*Syntypes* (3): F 2698; Godavari River; F. Day Coll.

132. *Sambwa resplendens* Annandale

1918. *Sambwa resplendens* Annandale, *Rec. Indian Mus.*, Calcutta, **14**, p. 48, p. 2, fig. 3; pl. 4, fig. 15.

*Syntypes* (13): F 9413/1; Fort Stedman, Inle Lake, South Shan States; Burma; N. Annandale Coll.

*Syntypes* (8): F 9414/1; Keyzagon, Inle Lake, South Shan States; Collector same as above.

133. *Scaphiodon baluchiorum* Jenkins

1910. *Scaphiodon baluchiorum* Jenkins, *Rec. Indian Mus.*, Calcutta, **5** (2), p. 124, pl. 6, fig. 1.

*Syntypes* (3): F 9398 to F 9400; Bumpusht, Gishtigan, Baluchistan; 1872; W. J. Blanford Coll.

**134. *Scaphiodon daukesi* Zugmayer**

1912. *Scaphiodon daukesi* Zugmayer, *Ann. Mag. nat. Hist.*, London, (8) 10, p. 596.

*Syntypes* (2): F 8028/1 to F 8032/1; Irrigation channel and pools near Pajur, Mekran; *E. Zugmayer Coll.*

**135. *Scaphiodon macmahoni* Regan**

1906. *Scaphiodon macmahoni* Regan. *J. Asiat. Soc. Beng.*, Calcutta, 2, p. 8.

*Syntype* (1) : F 1239/1; Helmund Basin; *Seistan Arbitration Commission Coll.*

**136. *Scaphiodon readingi* Hora**

1923. *Scaphiodon readingi* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. 379, pl. 8.

*Syntypes* (27): F 10353/1 to F 10354/1; Khewrah gorge, Jhelum, Punjab; vii.1922; *S. L. Hora Coll.*

**137. *Scaphiodon watsoni belense* Zugmayer**

1912. *Scaphiodon watsoni* var. *belense* Zugmayer, *Ann. Mag. nat. Hist.*, London, (8) 10, p. 596.

*Syntypes* (4): F 8027/1, F 8029/1, F 8030/1 & 8031/1; Las Bela, Baluchistan; *E. Zugmayer Coll.*

**138. *Schizocypris brucei* Regan**

1914. *Schizocypris brucei* Regan, *Ann. Mag. nat. Hist.*, London, (8) 13, p. 262, fig. 8.

*Paratype* (1): F 9832/1; Wana Toi, a tributary of the Gomal River in Southern Waziristan, N.W.F.P., *British Museum, London Coll.*

**139. *Schizopygopsis stewarti* Lloyd**

1909. *Schizopygopsis stewarti* Lloyd, *Rec. Indian Mus.*, Calcutta, 2, p. 342, pl. 25, fig. 1.

*Syntypes* (2): F 2149/1 & F 2150/1; Gyantse, Tibet; *F. H. Stewart Coll.*

**140. *Schizothorax o'connori* Lloyd**

1909. *Schizothorax o'connori* Lloyd, *Rec. Indian Mus.*, Calcutta, 2, p. 343, pl. 25, fig. 3.

*Syntypes* (2): F 2147/1 to F 2148/1; Gyantse, Tibet; *F. H. Stewart Coll.*

141. *Semiplotus cirrhosus* Chaudhuri

1919. *Semiplotus cirrhosus* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 16(4), p. 280, pl. 22, figs. 3, 3a.

*Holotype*: F 9747/1; Hill stream in the Putas plains, Upper Burma; vi.1918; Murray Stuart Coll.

142. *Semiplotus modestus* Day

1870. *Semiplotus modestus* Day, *Proc. zool. Soc. Lond.*, London, p. 101.

*Syntype* (1): F 2343; Hill ranges of Akyab; F. Day Coll.

## Family 20. HOMALOPTERIDAE

143. *Balitora brucei burmanicus* Hora

1932. *Balitora brucei* var. *burmanicus* Hora, *Mem. Indian Mus.*, Calcutta, 12, p. 291.

*Syntypes* (2): F 11034/1; Meekalan, Burma; *Genova Museum* (Donor).

144. *Homaloptera leonardi* Hora

1941. *Homaloptera leonardi* Hora, *Bull. Raffles Mus.*, Singapore, 17 (2 & 3), p. 61, p. 5, figs. 5 & 6.

*Holotype*: F 13213/1; Kuala Tahan (King George V. National Park, Pahang.), Malaya; *Raffles Museum, Singapore* Coll.

*Paratypes* (7): F 13214/1; data exactly as for holotype.

145. *Homaloptera rupicola* (Prashad & Mukerji)

1929. *Chopraia rupicola* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 188, p. 8, fig. 3.

*Holotype*: F 10879/1; Kamaing, Myitkyina Distt., U. Burma, B. N. Chopra Coll.

146. *Homaloptera smithi* Hora

1932. *Homaloptera smithi* Hora, *Mem. Indian Mus.*, Calcutta, 12, p. 286, pl. 11, fig. 3.

*Syntypes* (4): F 11293/1 & F 11294/1; Klong Pong, Ban Kiriwong Nakon Sritamarat, Peninsular Siam; 12. VII. 1928; H. M. Smith Coll.

*Syntypes* (2): F 11295/1; Tadi Stream, Bankiriwong Nakon Sritamarat, Peninsular Siam; data exactly as above.

147. *Homaloptera weberi* Hora

1932. *Homaloptera weberi* Hora, *Mem. Indian Mus.*, Calcutta, 12, p. 284, pl. 11, figs. 2.

**Syntype (1):** F 11292/1; Akar River, Sarawak, Borneo; *British Museum (Exchange)*.

**148. *Parhomaloptera disparis* Linn.**

1934. *Parhomaloptera disparis* Lin, *Lingnan. Sci. J.*, Canton, 13 (2), p. 225, fig. 1-4.

**Paratype (1):** F 11873/1; White cloud mount, Canton, China; *British Museum (Donor)*.

**149. *Travancoria jonesi* Hora**

1941. *Travancoria jonesi* Hora, *Rec. Indian Mus.*, Delhi, 43(2), p. 230, pl. 8, figs. 5-9.

**Holotype:** F 13507/1; Pampadampara, Travancore, Kerala Stat S. Jones Coll.

**Paratype (1):** F 13508/1; data exactly as for holotype.

**Family 21. COBITIDAE**

**150. *Aborichthys elongatus* Hora**

1921. *Aborichthys elongatus* Hora, *Rec. Indian Mus.*, Calcutta, 22 (5), p. 735, text-fig.

**Syntypes (3):** F 10087/1; Reang River, 2,000 ft., Darjeeling distt. ; G. C. Shaw Coll.

**151. *Aborichthys garoensis* Hora**

1925. *Aborichthys garoensis* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 233, text-figs. 1-4.

**Syntypes (2):** F 10669/1; Tura, Garo Hills, Assam; S. W. Kemp Coll.

**152. *Aborichthys kempi* Chaudhuri**

1913. *Aborichthys kempi* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 8 (3), p. 245, pl. 7 figs. 1, 1a, 1b.

**Syntypes (3):** F 7721/1 to F 7723/1; Egar stream between Renging and Rotung Abor; 1912; S. W. Kemp Coll.

**Syntypes (3):** F 7725/1 to 7727/1; Sirpo River, near Renging, Abor Country; data exactly as above.

**Syntypes (2):** F 7769 /1 to 7770/1; Yambang, East side of Dhang River, Abor Country; data exactly as above.

**Syntypes (8):** F 7778 /1 to 7779/1, F 7878/1 to F 7879/1 & F 8297/1 to F 8298/1; Egar stream between Renging and Rotung Abor; Mde Courey Coll.

153. *Adiposia macmahoni* (Chaudhuri)

1909. *Nemachilus macmahoni* Chaudhuri, *Rec. Indian Mus.*; Calcutta, 3, p. 341.

*Holotype* : F 1222/1; Helmand River, Seistan; *Seistan Arbitration Commission* Coll.

154. *Adiposia rhadinaea* (Regan)

1906. *Nemachilus rhadinaeus* Regan, *J. Asiat. Soc. Beng.*, Calcutta, 2, p. 8.

*Syntype* (1): F 1240/1; Helmand basin, Seistan, *Seistan Arbitration Commission* Coll.

155. *Apua fusca* Blyth

1860. *Apua fusca* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 169.

*Syntypes* (2): F 2647/1; Tenasserim, Burma; *Berdmore* Coll.

156. *Botia berdmorei* (Blyth)

1860. *Syncrossus berdmorei* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 166.

*Syntypes* (4): F 2636/1; Tenasserim, Burma; *Berdmore* Coll.

157. *Botia birdi* Chaudhuri

1909. *Botia birdi* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 3, p. 339.

*Syntypes* (3): F 3578/1 to F 3580/1; Sirhind Canal, Punjab; *W. J. A. Bird* Coll.

158. *Botia dayi* Hora

1932. *Botia dayi* Hora, *Rec. Indian Mus.*, Calcutta, 34, p. 571.

*Holotype*: F 11299/1; Mahandi River at Siliguri, at the base of Himalayas; *G. E. Shaw & E. O. Shebbeare* Coll.

*Paratypes* (2): F 11300/1; data exactly as for holotype.

159. *Botia histrionica* Blyth

1860. *Botia histrionica* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 166.

*Holotype*: F 2634/1; Pegu, Burma, *Berdmore* Coll.

160. *Botia lohachata* Chaudhuri

1912. *Botia lohachata* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7, p. 441, pl. 40, figs. 2, 2a, 2b.

*Holotype*: F 8068/1; Gandak River, Saran; *M. Mackenzie* Coll.

161. *Botia nebulosa* Blyth

1860. *Botia nebulosa* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 165,

*Holotype* : F 2637/1; Darjeeling; *Wallich* Coll.

**162. *Botia striata* Rao**

1920 *Botia striata* Rao, *Ann. Mag. nat. Hist.*, London, (9) 6, p. 60, pl. 2, figs. 4, 4a, 4b.

*Syntypes* (2): F 9817/1 to F 9818/1; Thunga River, Shimoga Town, Mysore, 1919; C. R. Narayana Rao Coll.

**163. *Diplophysa stewarti* Hora**

1922 *Diplophysa stewarti* Hora, *Rec. Indian Mus.*, Calcutta, 24, p. 70, text-figs. 2c, 2d.

*Holotype*: F 2894/1; Rham-tso, Tibet, 30.vii.1909; R. S. Kennedy Coll.

*Paratypes* (7): F 2897/1 to F 2903/1; data exactly as for holotype.

**164. *Lepidocephalichthys annandalei* Chaudhuri**

1912. *Lepidocephalichthys annandalei* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7, p. 442, pl. 40, figs. 3, 3a, 3b.

*Syntypes* (3): F 5593/1 to F 5595/1; River Mahanadi, Siliguri, 17.xii.1911; N. Annandale Coll.

**165. *Noemacheilichthys shimogensis* Rao**

1920. *Nemachilichthys shimogensis* Rao, *Ann. Mag. nat. Hist.*, London, (9) 6, p. 62, pl. 2, figs. 5, 5a, 5b.

*Syntypes* (3): F 9824/1 to 9826/1; River Thunga, Shimoga Town, Mysore, 1919; C. R. Narayana Rao Coll.

**166. *Noemacheilus acuticephalus* Hora**

1929. *Nemachilus acuticephalus* Hora, *Rec. Indian Mus.*, Calcutta, 31, p. 328, pl. 14, figs. 5, 6.

*Holotype*: F 6675/1; Hwe-gna-Sang River, Monglong subdivision, Hsipaw State, N. Shan States, Burma; i.v. 1908; J. Coggin Brown Coll.

**167. *Noemacheilus akhtari* V. Lakshmanan**

1950. *Noemachilus akhtari* V. Lakshmanan, *Rec. Indian Mus.*, Delhi, 47, p. 219, fig.

*Holotype*: F 244/2; Helmand River, Afghanistan; 1937; S. Ali Akhtar Coll.

**168. *Noemacheilus anguilla* Annandale**

1919. *Nemachilus anguilla* Annandale, *Rec. Indian Mus.*, Calcutta, 16 (1), p. 127, pl. 1, fig. 3; pl. 3, fig. 1.

*Holotype*: F 9692/1; Yenna River at Medha, Satara Distt., Bombay; 27.ii.1918 to 4.iii.1918; N. Annandale Coll.

169. *Noemacheilus bhimachari* Hora

1937. *Nemachilus bhimachari* Hora, *Rec. Indian Mus.*, Calcutta, 39, p. 13, text-fig. 5.

*Holotype*: F 12178/1; Thunga River at Shimoga Town, Mysore ; xii. 1935 ; B. S. Bhimachar Coll.

170. *Noemacheilus deterrai* Hora

1936. *Nemachilus deterrai* Hora, *Mem. Conn. Acad. Arts. Sci.*, Bangkok, p. 311, text-figs. 4, 5; pl. 12, figs. 5, 6.

*Syntypes* (6): F 12200/1; Man Lagoon; *Yale North India Expedition*, 1932 Coll.

171. *Noemacheilus griffithi afghana* Hora

1935. *Nemachilus griffithi* var. *afghana* Hora, *J. Bombay nat. Hist. Soc.*, Bombay, 37, p. 799.

*Paratypes* (2): F 11526/1; Sir-i-Chashma, Afghanistan; A. E. Farwell Coll.

172. *Noemacheilus horai* Menon

1951. *Nemachilus horai* Menon, *Rec. Indian Mus.*, Delhi, 49 (2), p. 227, pl. 7, figs. 1-3.

*Holotype*: F 637/2; Bener Khand, South of Kangra, Kangra Distt., Punjab; S. L. Hora Coll.

*Paratypes* (8): F 638/2; data exactly as for holotype.

173. *Noemacheilus hutchinsoni* Hora

1936. *Nemachilus hutchinsoni* Hora, *Mem. Conn. Acad. Arts. Sci.*, Bangkok, 10, p. 314, text-figs. 6, 7, pl. 12, figs. 1, 2.

*Syntype* (1): F 12201/1; About 3 miles west of Mugleb; *Yale North India Expedition*, 1932 Coll.

*Syntypes* (3): F 12202/1; Pond between Durbuk and Tangtse; data exactly as above.

*Syntype* (1) : F 12203/1; Tsar-Tso; data exactly as above.

174. *Noemacheilus kangjupkhulensis* Hora

1921. *Nemachilus kangjupkhulensis* Hora, *Rec. Indian Mus.*, Calcutta, 22 (3), p. 202, pl. 10, figs. 4, 4a.

*Holotype*: F 10060/1; Yaribuk, Manipur; S. L. Hora Coll.

175. *Noemacheilus kangrae* Menon

1951. *Nemachilus kangrae* Menon, *Rec. Indian Mus.*, Delhi, 49(2), p. 229, pl. 7, figs. 4-5.

*Holotype*: F 639/2; Baijnath, Kangra distt., Punjab; S. L. Hora Coll.

*Paratypes* (3): F 640/2; data exactly as for holotype.



**176. *Noemacheilus kashmirensis* Hora**

1922. *Nemacheilus kashmirensis* Hora, *Rec. Indian Mus.*, Calcutta, p. 76.

*Syntypes* (7) : F 10122/1 ; Harwan, Kashmir, *Zoological Survey, Kashmir Coll.*

*Syntypes* (9) : F 10121/1 ; Stream flowing from Kukar-nag Spring, Kashmir; data exactly as above.

**177. *Noemacheilus mackenziei* Chaudhuri**

1910. *Nemacheilus mackenziei* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 5 (3), p. 183.

*Syntype* (1) : F 2017/1 ; Cheriadhang, U.P., 1908-1909 ; *Museum Collector Coll.*

*Syntypes* (2) : F 4170/1 to F 4171/1 ; Jhil at Purnea, Champaran Distt., 1908-1909, *Walker Coll.*

*Syntypes* (2) : F 4172/1 to 4173/1 ; Jamwari River, Saran Distt.; Bihar ; 1908-1909 ; *M. Mackenzie Coll.*

**178. *Noemacheilus monilis* Hora**

1921. *Nemacheilus monilis* Hora, *Rec. Indian Mus.*, Calcutta, 22 (1), p. 19.

*Holotype* : F 9981/1 ; Bhavani River, 10 miles from Methupalayam, Nilgiris, alt. 1,800 feet, Madras State ; 20.viii.1918 ; *N. Annandale Coll.*

*Paratype* (1) : data exactly as for holotype.

**179. *Noemacheilus multifasciatus* Day**

1878. *Nemacheilus multifasciatus* Day, *Fish., India*, London, p. 617, pl. 153, fig. 7.

*Holotype* : F 2677 ; Darjeeling ; *F. Day Coll.*

**180. *Noemacheilus panguri* Hora**

1936. *Nemacheilus panguri* Hora, *Mem. Conn. Acad. Arts. Sci.*, Bangkok, p. 318, text-figs. 8, 9 ; pl. 12, figs. 3, 4.

*Syntypes* (2) : F 12204/1 ; Pangur Tso ; *Yale North India Expedition, 1932 Coll.*

**181. *Noemacheilus paucifasciatus* Hora**

1929. *Nemacheilus paucifasciatus* Hora, *Rec. Indian Mus.*, Calcutta, 31, p. 330.

*Holotype* : F 6314/1 ; Hwe-gna-sang River, Monglong subdivision, N. Shan States, Burma ; v.1910, *J. Coggin Brown Coll.*

**182. *Noemacheilus peguensis* Hora**

1929. *Nemacheilus peguensis* Hora, *Rec. Indian Mus.*, Calcutta, 31, p. 320, pl. 14, figs. 1-2.

*Holotype* : F 11057/1 ; Pegu Yoma hills, Burma ; *J. P. Cook Coll.*

**183. *Noemacheilus poonaensis* Menon**

1949. *Nemachilus poonaensis* Menon, *Rec. Indian Mus.*, Delhi, **42** (2), p. 226, text-figs.

*Holotype* : F 242/2 ; Mula-Mutha river, Poona, Bombay State; xi.1948; A. G. K. Menon Coll.

*Paratypes* (7) : F 243/2 ; data exactly as for holotype.

**184. *Noemacheilus prashadi* Hora**

1921. *Nemachilus prashadi* Hora, *Rec. Indian Mus.*, Calcutta, **22**, p. 203, pl. 10, figs. 2, 2a.

*Syntypes* (26): F 9988/1; Thonagpal tank, 5 miles from Yaribuk, Manipur ; S. L. Hora Coll.

**185. *Noemacheilus punjabensis* Hora**

1923. *Nemachilus punjabensis* Hora, *Rec. Indian Mus.*, Calcutta, **25**, p. 384, text-figs. 2, 3.

*Syntypes* (6): F 10348/1 ; Stream below Watta Hills, salt range Punjab ; 16.vii.1922; S. L. Hora Coll.

**186. *Noemacheilus raoe* Hora**

1929. *Nemachilus raoe* Hora, *Rec. Indian Mus.*, Calcutta, **31**, p. 332, pl. 15, figs. 7 & 8.

*Holotype* : F 11062/1; Mongyai, N. Shan States, Burma ; B.N. Chopra & H. S. Rao Coll.

*Paratypes* (4) : F 11063/1 ; data exactly as for holotype.

**187. *Noemacheilus rivulicola* Hora**

1929. *Nemachilus rivulicola* Hora, *Rec. Indian Mus.*, Calcutta, **31**, p. 324, pl. 15, figs. 3, 4.

*Holotype* : F 11060/1 ; He-Ho plain, South Shan States ; iii.1922; S. L. Hora Coll.

**188. *Noemacheilus rupecola* inglisi Hora**

1935. *Noemacheilus rupecola* var. *inglisi* Hora, *Rec. Indian Mus.*, Calcutta, **37**, p. 18, pl. 3, figs. 9 & 10.

*Holotype* : F 11755/1; Eastern Himalayas. Rivers below Darjeeling and Sikkim ; S. L. Hora Coll.

**189. *Noemacheilus salmonides* Chaudhuri**

1911. *Nemachilus salmonides* Chaudhuri, *Rec. Indian Mus.*, Calcutta, **6**, p. 18, pl. 1, figs. 3, 3a.

*Holotype* : F 4732/1; Mongpan, Southern Yunnan; 26.v.1910; J. Coggin Brown Coll.

**190. Noemacheilus shebbeari Hora**

1935. *Nemachilus shebbeari* Hora, *Rec. Indian Mus.*, Calcutta, 37 (1) p. 52, pl. 3, figs. 1, 2.

*Holotype* : F 11719/1 ; rivers of North Bengal ; *G. E. Shaw & E. O. Shebbeare* Coll.

**191. Noemacheilus vinciguerrae Hora**

1935. *Nemachilus vinciguerrae* Hora, *Rec. Indian Mus.*, Calcutta, 37 (1), p. 62, pl. 3, fig. 12.

*Holotype* : F 11754/1 ; Meekalam, Burma ; *Genova Museum (Exchange)*.

**192. Noemacheilus yasinensis Alcock**

1898. *Nemachilus yasinensis* Alcock, *Rep. Nat. Hist. Res. Pamir. Bound Comm.*, p. 38, pl. 2, figs. 2, 2a.

*Holotype* : F 14181 ; Yasin River, *Pamir Boundary Commission* Coll.

**193. Vaillantella flavofasciata Tweedie**

1956. *Vaillantella flavofasciata* Tweedie, *Bull. Raffles Mus.*, Singapore 27, p. 59, fig.

*Paratypes* (2) : F 855/2 ; Than river, Pahang, Malaya ; 3.i.1955. *M. W. F. Tweedie* Coll.

## Family 22. ARIIDAE

**194. Arius satparanus Chaudhuri**

1916. *Arius satparanus* Chaudhuri, *Mem. Indian Mus.*, Calcutta, 4, p. 430, figs. 6-8.

*Holotype* : F 8784/1 ; Channel between Satpara and Barkuda ; 4.ix. 1914 ; *Zoological Survey of the Chilka Lake* Coll.

## Family 23. SILURIDAE

**195. Wallago tweediei (Hora & Misra)**

1941. *Wallagonia tweediei* Hora & Misra, *Bull. Raffles Mus.*, Singapore, 17, p. 18, text-fig. 3.

*Holotype* : F 13365/1 (Right anterior gill arch only) ; Kuala Tahan, Pahang, Malaya Peninsula ; *M. W. F. Tweedie* Coll.

## Family 24. BAGRIDAE

**196. Rita chrysea Day**

1878. *Rita chrysea* Day, *Fish India*, London, p. 455, pl. 104, fig. 1,

*Holotype* : F 498 ; Orissa ; *F. Day* Coll.

**197. Mystus blythii (Day)**

1878. *Macrones blythi* Day, *Fish. India*, London, p. 445.

*Holotype* : F 7880/1; Sittang River, Tenasserim ; *Berdmore* Coll.

198. *Mystus merianiensis* (Chaudhuri)

1913. *Macrones merianiensis* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 8 (3), p. 253, pl. 9, figs. 1, 1a, 1b.

*Holotype* : F 7781/1 ; Meriani Junction, N.E. Assam 1911; *S. W. Kemp* Coll.

199. *Mystus pulcher* (Chaudhuri)

1911. *Macrones pulcher* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 6 (1), p. 20, pl. 1, fig. 4.

*Syntypes* (4) : F 4716/1 to F 4719/1; Bhamo, Upper Burma; 26.v.1910; *J. Coggin Brown* Coll.

Family 25. AMBLYCIPITIDAE

200. *Amblyceps horai* Prashad & Mukerji

1929. *Amblyceps horai* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 173, pl. 7, fig. 1.

*Holotype* : F 10854/1 ; Indawgyi Lake along its Western shore, Myitkyina Distt., Upper Burma ; *B. N. Chopra* Coll.

Family 26. AKYSIDAE

201. *Akysis variegatus variegatus* Prashad & Mukerji

1919. *Akysis variegatus variegatus* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 180, p. 8, figs. 1, 2.

*Holotype* : F 10873/1; south end of Indawgyi Lake, and along west shore near Lonton village, Myitkyina distt., U. Burma ; *B. N. Chopra* Coll.

Family 27. SISORIDAE

202. *Batasio travancoria* Hora & Law

1941. *Batasio travancoria* Hora & Law, *Rec. Indian Mus.*, Delhi, 43 (1), p. 40, pl. 2, figs. 7-9.

*Holotype* : F 13449/1; Peruntenaruvi, tributary of the Pamba river at Edakadathy, Travancore; *C. C. John* Coll.

*Paratypes* (2) : F 13450/1 ; Kolathupuzha, a tributary of the Kallada river. Travancore; collector same as above.

*Par type* (1) : F 13451/1 ; Kallada river, 4 miles east of Thenmalai, Travancore; collector same as above.

*Paratype* (1) : F 13452/1 ; Chittar river, Palode, Travancore ; collector same as above.

**203. *Erethistoides montana* Hora**

1949. *Erethistoides montana* Hora, *Rec. Indian Mus.*, Delhi, 47 (2), pl. 191, pl. 1, figs., 10-12.

*Holotype* : F 314/2 ; streamlets round about Tangla, Darrang Distt. Assam ; 14.xi.1939 ; S. L. Hora Coll.

**204. *Erethistoides montana pipri* Hora**

1949. *Erethistoides montana pipri* Hora, *Rec. Indian Mus.*, Delhi, 47 (2), p. 193, pl.1, figs. 7-9.

*Holotype* : F 315/2 ; Rihand river, Pipri, Mirzapur distt., U.P., 16. xii.1947 ; K. S. Misra Coll.

**205. *Euchiloglanis hodgarti* (Hora)**

1923. *Glyptosternum hodgarti* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. 38, pl. 11, figs. 1, 2, 3.

*Holotype* : F 1553/1 ; Pharping, Nepal ; R. Hodgart Coll.

**206. *Exostoma berdmorei* Blyth**

1860. *Exostoma berdmorei* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 155.

*Syntypes* (2) : A.S.B. Cat. No. 597, Tenasserim, Burma ; *Berdmore* Coll.

*Remarks* : Hora & Silas (*Vide Rec. Indian Mus.*, 49, p. 24, 1951) in their revision of the Glyptosternoid fishes selected two specimens registered under A.S.B. Cat. No. 597 as the types of *E. berdmorei* Blyth as these specimens agree well with Blyth's description of the species even though A.S.B. Cat. No. 600 bears the type label of this species. A.S.B. Cat. No. 600 is in a badly damaged condition and practically worthless for any study.

**207. *Exostoma stuarti* (Hora)**

1923. *Glyptosternum stuarti* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. 39, pl. 2, figs. 4, 5, 6.

*Holotype* : F 9742/1 ; Nam-Yak river at Tanja, N. E. Burma ; vi.1918 ; *Murray Stewart* Coll.

**208. *Exostoma vinciguerrae* Regan**

1923. *Glyptosternum chaudhuri* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. text-fig. 7.

*Holotype* : F 9741/1 ; Putao plains, N. F. Burma ; vi.1918 ; *Murray Stewart* Coll.

**209. *Glaridoglanis andersonii* (Day)**

1869. *Exostoma andersonii* Day, *Proc. zool. Soc. Lond.*, London, p. 524.

*Syntypes* (2) : F 9173/1 ; F 9174/1 & A.S.B. Cat. No. 596 ; Yunnan, China ; *J. Anderson* Coll.

*Remarks* : Body desiccated ; head separated from the body in one of the specimens.

### 210. *Glyptosternum akhtari* Silas

1941. *Glyptosternum akhtari* Silas, *Rec. Indian Mus.*, Delhi, 49(1), p. 11, pl. 1, figs. 4-6.

*Holotype* : F 643/2 ; Bamian river, Oxus Watershed, Afghanistan ; A. S. Akhtar Coll.

*Paratype* (1) : F 644/2 ; data exactly as for holotype.

### 211. *Glyptosternum armenicum* Berg

1918. *Glyptosternum armenicum* Berg, *Bull. Mus. Georgie Tiflis*, 11, p. 145.

*Paratype* (1) : F 11319/1 ; Muktam-Darash (Trib. Euphrates lower Chata) ; 2.viii.1916 ; *Institute of Ichthyology, Leningrad (Exchange)*.

### 212. *Glyptosternum reticulatum* McClelland

1876. *Exostoma stoliczkae* Day, *Proc. zool. Soc. Lond.*, London, p. 782, pl. 1, fig. 1.

*Holotype* : F 497 ; upper waters of the Indus ; F. Day Coll.

### 213. *Glyptothorax anamalaiensis* Silas

1951. *Glyptothorax anamalaiensis* Silas, *J. Bombay nat. Hist. Soc.*, Bombay, 50, p. 370.

*Holotype* : F 629/2 ; Anamalai Hills, South India ; E. G. Silas Coll.

### 214. *Glyptothorax annandalei* Hora

1923. *Glyptothorax annandalei* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. 14, pl. 1, fig. 3.

*Holotype* : F 10135/1 ; Nierolay stream, Bhavani river, Nilgiri Distt., Madras State, N. Annandale Coll.

*Paratypes* (2) : data exactly as for holotype.

### 215. *Glyptothorax brevipinnis* Hora

1923. *Glyptothorax brevipinnis* Hora, *Rec. Indian Mus.*, Calcutta, 25, p. 16, pl. 1, fig. 4.

*Syntypes* (4) : F 10134/1 ; no history.

### 216. *Glyptothorax cavia* (Ham.)

1877. *Euglyptosternum lineatum* Day, *Fish India*, London, p. 500, pl. 116, fig.7.

1929. *Glyptothorax burmanicus* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 184, fig. 5, pl.7, fig. 3.

*Holotype (lineatum)* : 1312 ; Jumna (Bengal?) ; F. Day Coll.

*Holotype (burmanicus)* : F 10877/1; Sankha, a large hill-stream, midway between Kamaing and Mogaung, Myitkyina Distt., U. Burma; *B. N. Chopra* Coll.

**217. *Glyptothorax conirostre poonaensis* Hora**

1938. *Glyptothorax conirostre poonaensis* Hora, *Rec. Indian Mus.*, Calcutta, 40(4), p. 368, pl. 17, figs. 5 & 6.

*Holotype* : F 12126/1; Mula-Mutha river, Poona, Bombay State; *C. V. Kulkarni* Coll.

*Paratypes* (3): data exactly as for holotype.

**218. *Glyptothorax horai* Shaw & Shebbeare**

1937. *Glyptothorax horai* Shaw & Shebbeare, *J. Bombay. nat. Hist. Soc.* Bombay, 39, p. 188.

*Holotype* : F 11376/1; streams of the Terai, N. Bengal; *G. E. Shaw & E. O. Shebbeare* Coll.

**219. *Glyptothorax kashmirensis* Hora**

1923. *Glyptothorax kashmirensis* Hora, *Rec. Indian Mus.*, Calcutta, 22, p. 22, text-fig. 2.

*Syntypes* (2) : F 10270/1; Kashmir Valley; 25.x.1915; *T. H. Pearse* Coll.

**220. *Glyptothorax madraspatanum* (Day)**

1873. *Glyptosternum madraspatanum* Day, *J. Linn. Soc. (Zool.)*, London, 11, p. 526.

*Syntypes* (2) : F 1235 & F 1313; Bhavani river, Nilgiris, Madras State; *F. Day* Coll.

**221. *Glyptothorax prashadi* Mukerji**

1932. *Glyptothorax prashadi* Mukerji, *Rec. Indian Mus.*, Calcutta, 34, p. 281, text-fig. 1.

*Holotype* : F 11334/1; Kyenchaung river, Mergui Distt., Lower Burma; *K. Biswas* Coll.

**222. *Glyptothorax platypogonoides* (Bleeker)**

1923. *Glyptothorax siamensis* Hora, *Journ. Siam. Soc. Nat. Hist. Supp.*, Bangkok, 6, p. 168, pl. 10, figs. 1-3.

*Holotype* : F 10548/1; Nakon Sritamart hills, Thailand; *H. M. Smith* Coll.

**223. *Glyptothorax ribeiroi* (Hora)**

1921. *Laguvia ribeiroi* Hora, *Rec. Indian Mus.*, Calcutta, 22(5), p. 741, pl. 29, fig. 3.

*Holotype* : F 10086/1; Khoila river, a tributary of Tista at Jalpaiguri, Darjeeling Distt., *S. H. Ribeiro* Coll.

**224. Glyptothorax saisii (Jenkins)**

1910. *Glyptosternum saisii* Jenkins, *Rec. Indian Mus.*, Calcutta, 5, p. 128, pl. 6, fig. 6, text-fig. 1.

*Holotype* : F 2583/1 ; Paresnath Hills, Bihar ; 11.iv.1909 ; *N. Annadale & J. T Jenkins* Coll.

*Paratypes* (2) : F 3260/1 and F 3261/1 ; data exactly as for holotype.

**225. Glyptothorax shawi (Hora)**

1921. *Laguvia shawi* Hora, *Rec. Indian Mus.*, Calcutta, 22(5), p. 741, pl. 29, fig. 2.

*Holotype* : F 10085/1 ; Mahanadi river below Darjeeling ; *G. E. Shaw* Coll.

**226. Glyptothorax sinense manipurensis Menon**

1956. *Glyptothorax sinense manipurensis* Menon, *Rec. Indian Mus.*, Delhi, 52 (1954), p. 23.

*Holotype* : F 738/2 ; Barak river, Karong, Naga Hills, *A. G. K. Menon* Coll.

*Paratypes* (6) : F 739/2 ; data exactly as for holotype.

**227. Glyptothorax trewavasae Hora**

1938. *Glyptothorax trewavasae* Hora, *Rec. Indian Mus.*, Calcutta, 40(4), p. 373, pl. 7, figs. 3 and 4.

*Holotype* : F 9723/1 ; Yenna valley in the Satara Distt., Bombay State ; 1918 ; *N. Annandale* Coll.

**228. Glyptothorax trilineatus Blyth**

1860. *Glyptothorax trilineatus* Blyth ; *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 154.

*Syntypes* (2) : F 10380/1 ; Tenasserim, Burma ; *Berdmore* Coll.

**229. Glyptothorax tuberculatus Prashad & Mukerji**

1929. *Glyptothorax tuberculatus* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 182, pl. 7, fig. 2, text-fig. 4.

*Holotype* : F 10876/1 ; Sankha, a large hill-stream, midway between Kamaing and Mogaung, Myitkyina Distt., U. Burma ; *B. N. Chopra* Coll.

**230. Myersglanis blythi (Day)**

1869 *Exostoma blythi* Day, *Proc. zool. Soc. Lond.*, London, p. 525.

*Syntypes* (2) : A. S. B. Cat. No. 599 ; Darjeeling ; *Stoliczka* Coll.

*Remarks* : The specimens are in a very bad state of preservation ; in one the head is severed from the body.



331. *Oreoglanis siamensis* Smith

1933. *Oreoglanis siamensis* Smith, *Journ. Siam. Soc. nat. Hist. Supp.*, Bangkok, 9(1), p. 72, pl.3, figs. 1 & 3, text-fig. 4.

*Holotype* : F 12233/1; Kang river, near the base of Doi Angka, Northern Siam.

## Family 28. SCHILBEIDAE

232. *Clupisoma prateri* Hora

1937. *Clupisoma prateri* Hora, *J. Bombay nat. Hist. Soc.*, Bombay, 39, p. 671.

*Holotype* : A. S. B. Dup. Cat. No. 219; Irrawady, F. Day Coll.

*Paratypes* (1) : F 8709; Burma; collector same as above.

233. *Neotropius khavalchor* Kulkarni

1951. *Neotropius khavalchor* Kulkarni, *Rec. Indian Mus.*, Delhi, 49 (3-4), p. 232, text-figs. 1-2.

*Holotype* : F 647/2; Panchaganga river, near Kolhapur, Bombay State; S. B. Setna Coll.

*Paratype* (1) : F 648/2; data exactly as for holotype.

## Family 29. CLARIIDAE

234. *Horaglanis krishnai* Menon

1950. *Horaglanis krishnai* Menon, *Rec. Indian Mus.*, Delhi, 48 (1), p. 64, pl. 1, figs. 1, 2, 3.

*Holotype* : F 313/2; Kottayam, Travancore, *Krishna Pillay* Coll.

*Paratype* (1) : data exactly as for holotype.

## Family 30. OLYRIDAE

235. *Olyra kemp*i Chaudhuri

1912. *Olyra kemp*i Chaudhuri, *Rec. Indian Mus.*, Calcutta, 7(5), p. 443, pl. 41, figs. 4, 4a, 4b.

*Syntype* (1): F 5387/1; Dishnor R., Mangaldai Distt., Assam-Bhutan Frontier; 25.xii.1910; S. W. Kemp Coll.

## Family 31. TRICHOMYCTERIDAE

236. *Pygidium emanueli emanueli* Schultz

1944. *Pygidium emanueli emanueli* Schultz *Proc. U. S. Nat. Mus.*, Washington, 94, No. 3172, p. 259, pl. 5, C.

*Paratypes* (3) : F 2254/2; Venezuela, Riogonzales, Trib. Rio Gonzales, Estado de Merida; L. P. Schultz Coll.

*Paratypes* (3) : F 2255/2 ; Venezuela, Rio Chama et Estangues, Estado de Merida ; Collector same as above.

Order 9. ANGUILLIFORMES

Family 32. MURAENIDAE

237. *Bathymyrus echinorhynchus* Alcock

1889. *Bathymyrus echinorhynchus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63, p. 305, pl. 22, fig. 6.

*Holotype* : F 12440 ; 16 miles east of the mouth of the Devi river in the Mahanadi delta, 68 fms. ; *R. I. M. S.* "Investigator" Coll.

238. *Coloconger raniceps* Alcock

1889. *Coloconger raniceps* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 4, p. 456.

1899. *Coloconger raniceps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 196. (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 4).

*Syntypes* (2) : F 11777 and F 11778 ; Andaman Sea, Off Ross Island, 267-271 fms. ; 11. iv. 1888 ; *R. I. M. S.* "Investigator" Coll.

239. *Congromuraena macrocerus* (Alcock)

1889. *Congromuraena longicauda* Alcock, *Ann. Mag. nat. Hist.*, London, p. 455.

1899. *Congromuraena longicauda* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 197 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 5).

*Syntypes* (2) : F 11781 & F 11782 ; Andaman sea, 215 fms. ; 11. iv. 1888 ; *R. I. M. S.* "Investigator" Coll.

240. *Congromuraena musteliceps* Alcock

1894. *Congromuraena musteliceps* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63 (2), p. 133, pl. 7, fig. 5.

1899. *Congromuraena musteliceps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 199 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 7).

*Holotype* : F 13698 ; Bay of Bengal, 145-250 fms. ; 30. i. 1894 ; *R. I. M. S.* "Investigator" Coll.

*Paratypes* (4) : F 13699 to F 13702 ; data exactly as for holotype.

241. *Congromuraena nasica* Alcock

1893. *Congromuraena nasica* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62(2), p. 183.

1899. *Congromuraena nasica* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 198 (*Ill. Zool. Investig. Fish.*, pl. 9, fig. 2).

*Syntypes* (4) : F 13453 to F 13456 ; Bay of Bengal, 128 fms. ; 1893 ; *R. I. M. S.* "Investigator" Coll.

**242. *Congromuraena squaliceps* Alcock**

1893. *Congromuraena squaliceps* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62 (2), p. 183.

1899. *Congromuraena squaliceps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 197.

*Holotype* : F 13450 ; Bay of Bengal, 128 fms. ; 1893 ; *R. I. M. S.* "Investigator" Coll.

**243. *Haplogenyis petersi* Day**

1876. *Haplogenyis petersi* Day, *Fish. India*, Calcutta, p. 77, pl. 20, fig. 3.

*Holotype* : F 336 ; Sind ; *F. Day* Coll.

**244. *Moringua hodgarti* Chaudhuri**

1913. *Moringua hodgarti* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 8(3), p. 255, pl. 9, figs. 3-3b.

*Syntypes* (6) : F 7830/1 to F 7834/1 & F 7838/1 ; Upper Rotung, Abor Hills, Assam ; 24-25. i. 1912 ; *S. W. Kemp* Coll.

**245. *Nettenchelys taylori* Alcock**

1898. *Nettenchelys taylori* Alcock, *Ann. Mag. nat. Hist.*, London, (7)2, p. 150.

1899. *Nettenchelys taylori* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 207 (*Ill. Zool. Investig. Fish.*, pl. 25, fig. 5).

*Holotype* : F 317/1 ; Off the Travancore coast, 430 fms. ; 19. x. 1897 ; *R. I. M. S.* "Investigator" Coll.

**246. *Promyllantor purpureus* Alcock**

1890. *Promyllantor purpureus* Alcock, *Ann. Mag. nat. Hist.*, London, 6, p. 310.

1899. *Promyllantor purpureus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 202 (*Ill. Zool. Investig. Fish.*, pl. 6, fig. 2).

*Holotype* : F 12878 ; Arabian Sea, 1,000 fms. ; 3. v. 1890, *R.I.M.S.* "Investigator" Coll.

**247. *Sauromuraenesox vorax* Alcock**

1889. *Sauromuraenesox vorax* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 4, p. 458.

1899. *Sauromuraenesox vorax* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 203 (*Ill. Zool. Investig. Fish.*, pl. 6, fig. 3).

*Holotype* : F 11672 ; Bay of Bengal, lat. 20° 17' 30" N., long. 88° 51' E., 193 fms. ; 25. iii. 1885, *R. I. M. S.* "Investigator" Coll.

248. *Xenomystax trucidans* Alcock

1894. *Xenomystax trucidans* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 134.

1899. *Xenomystax trucidans* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta; p. 205 (*Ill. Zool. Investig. Fish.*, pl. 16, fig. 5).

*Holotype* : F 13704 ; Laccadive Sea, 719 fms. ; 29. i. 1893 ; *R.I. M.S. "Investigator"* Coll.

## Family 33. OPHICHTHYIDAE

249. *Bascanichthys deraniyagalai* Menon

1961. *Bascanichthys deraniyagalai* Menon, *J. zool. Soc. India*, Calcutta, 13(1), p. 13, text-fig.

*Holotype* : F 1964/2 ; mouth of Arasalar river, Karaikkal, Tanjore distt., Madras State, 10. iii. 1958, *A. G. K. Menon* Coll.

*Paratypes* (2) : F 1965/2 ; data exactly as for holotype.

250. *Ophichthys chilensis* Chaudhuri

1916. *Ophichthys chilensis* Chaudhuri, *Mem. Indian Mus.*, Calcutta, 5, p. 445, figs. 12, 13.

*Holotype* : F 9177/1 ; Rambha Bay, Lower Chilka, Orissa ; 22.vii. 1914 ; *Zoological Survey of Chilka Lake, 1914* Coll.

*Paratype* : F 9182/1 ; data exactly as for holotype.

251. *Ophichthys microcephalus* Day

1878. *Ophichthys microcephalus* Day, *Fish. India*, London, p. 665, pl. 170, fig. 2.

*Holotype* : F 2759 ; Malabar ; *F. Day* Coll.

## Family 34. DYSOMINIDAE

252. *Dysomma bucephalus* Alcock

1889. *Dysomma bucephalus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 459.

1899. *Dysomma bucephalus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 192 (*Ill. Zool. Investig. Fish.*, pl. 6, fig. 1).

*Holotype* : F 11675 ; Bay of Bengal, lat. 20° 17' 30" N., long. 88° 51' E., 193 fms. ; 25. iii. 1885 ; *R. I. M. S. "Investigator"* Coll.

253. *Dysommopsis mucipara* Alcock

1891. *Dysommopsis mucipara* Alcock, *Ann. Mag. nat. Hist.*, London, p. 137.

1899. *Dysommopsis mucipara* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 193 (*Ill. Zool. Investig. Fish.*, pl. 34, figs. 1, 1a).

*Syntypes* (2) : F 13106 & F 13107 ; Bay of Bengal, 240-276 fms. ; 24. xii. 1890 ; *R. I. M. S. "Investigator"* Coll.

## Family 35. SYNAPHOBRANCHIDAE

254. *Synaphobranchus pinnatus* var. *brevidorsalis* Lloyd

1909. *Synaphobranchus pinnatus* var. *brevidorsalis* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 152.

*Holotype* : F 1141/1 ; Arabian Sea, 839 fms. ; 12.x.1904 ; *R.I.M.S.* "Investigator" Coll.

## Family 36. SERRIVOMERIDAE

255. *Gavialiceps microps* Alcock

1889. *Gavialiceps microps* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 461.

1899. *Gavialiceps microps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 191.

*Holotype* : F 11662. ; Bay of Bengal, 1045 fms. ; 6.xi.1887 ; *R.I.M.S.* "Investigator" Coll.

## Family 37. NEMICHTHYIDAE

256. *Nemichthys acanthonotus* Alcock

1894. *Nemichthys acanthonotus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 136.

1899. *Nemichthys acanthonotus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 190 (*Ill. Zool. Investig. Fish.*, pl. 13, fig. 5).

*Holotype* : F 13643 ; Bay of Bengal ; 475 fms. ; 2. ii.1894 ; *R.I.M.S.* "Investigator" Coll.

## Order 10. HALOSAURIFORMES

## Family 38. HALOSAURIDAE

257. *Halosaurichthys carinicauda* Alcock

1889. *Halosaurichthys carinicauda* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 454.

1899. *Halosaurichthys carinicauda* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 187 (*Ill. Zool. Investig. Fish.*, pl. 7, figs. 2, 2a).

*Holotype* : F 11763'; Andaman Sea, 7½ miles east of—North Cinque Island, 490 fms. ; 11-12.iv.1888 ; *R. I. M. S.* "Investigator" Coll.

258. *Halosaurichthys nigerrimus* Alcock

1898. *Halosaurichthys nigerrimus* Alcock, *Ann. Mag. nat. Hist.*, London, (7)2, p. 149.

1899. *Halosaurichthys nigerrimus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 188 (*Ill. Zool. Investig. Fish.*, pl. 35, fig. 2).

*Holotype* : F 165/1 ; Arabian Sea, Off Maldives, 459 fms. ; 21.x.1896 ; *R.I.M.S.* "Investigator" Coll.

259. *Halosaurus anguilliformes* Alcock

1889. *Halosaurus anguilliformes* Alcock, *Ann. Mag. nat. Hist.*, London, (6) 4, p. 453.

1899. *Halosaurus anguilliformes* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 184 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 3).

*Syntype* (1) : F 11542 ; Off Colombo, Gulf of Manaar, lat. 60' 33" N. ; long 79' 37" E., 675 fms. ; 5.v.1886 ; *R.I.M.S.* "Investigator" Coll.

260. *Halosaurus hoskynii* Alcock

1890. *Halosaurus hoskynii* Alcock, *Ann. Mag. nat. Hist.*, London, 6. p. 309.

1899. *Halosaurus hoskynii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 184 (*Ill. Zool. Investig. Fish.*, pl. 7, fig. 3).

*Syntype* (1) : F 12876 ; Arabian Sea, 1,000 fms. ; 3.v.1890 ; *R.I.M.S.* "Investigator" Coll.

261. *Halosaurus parvipennis* Alcock

1892. *Halosaurus parvipennis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)10, p. 362.

1899. *Halosaurus parvipennis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 186 (*Ill. Zool. Investig. Fish.*, pl. 33, fig. 1).

*Holotype* : F 13198 ; Arabian Sea, Laccadive Sea, lat. 12° 05' 55" N., long. 24 E. ; 29.x.1891 ; *R.I.M.S.* "Investigator" Coll.

## Order 11. BELONIFORMES

## Family 39. HEMIRAMPHIDAE

262. *Dermogenys burmanicus* Mukerji

1935. *Dermogenys burmanicus* Mukerji, *Rec. Indian Mus.*, Calcutta, 37, p. 213.

*Paratypes* (4) : F 11779/1 ; Myagaing Kyanktan, Hanthawaddy distt., Lower Burma ; Director, Harcourt Butler Institute of Public Health, Rangoon Donor.

## Order 12. NOTACANTHIFORMES

## Family 40. NOTACANTHIDAE

263. *Notacanthus indicus* Lloyd

1909. *Notacanthus indicus* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 153.

*Holotype* : F 1019/1 ; Arabian Sea, 512 fms. ; 1.v. 1902 ; *R.I.M.S.* "Investigator" Coll.

## Order 13. GADIFORMES

## Family 41. MORIDAE

264. *Physiculus argyropastus* Alcock

1893. *Physiculus argyropastus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62(2), p. 180, pl. 9, fig. 2.
1899. *Physiculus argyropastus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 77 (*Ill. Zool. Investig. Fish.*, pl. 22, fig. 1).

*Syntypes* (3) : F 13439 to F 13441 ; Bay of Bengal, 128 fms. ; 1893 ; *R.I.M.S. "Investigator"* Coll.

265. *Physiculus roseus* Alcock

1891. *Physiculus roseus* Alcock, *Ann. Mag. nat. Hist.*, London, 68, p. 28.
1899. *Physiculus roseus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 76. (*Ill. Zool. Investig. Fish.*, pl. 11, fig. 2).

*Holotype* : F 13047 ; Andaman Sea, 188-220 fms. ; 9. xii. 1890 ; *R.I.M.S. "Investigator"* Coll.

## Order 14. MACRURIFORMES

## Family 42. MACRURIDAE

266. *Bathygadus (Bathygadus) furvescens* (Alcock)

1894. *Bathygadus furvescens* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, (63)2, p. 128.
1899. *Bathygadus furvescens* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 121 (*Ill. Zool. Investig. Fish.*, pl. 16, fig. 1).

*Holotype* : F 13470 ; Arabian Sea, 719 fms. ; 29.xi.1893 ; *R.I.M.S. "Investigator"* Coll.

267. *Coelorhynchus quadricristatus* Alcock

1891. *Macrurus quadricristatus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 119.
1899. *Macrurus quadricristatus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 106 (*Ill. Zool. Investig. Fish.*, pl. 3, fig. 1).

*Syntypes* (2) : F 13070 & F 13071 ; Andaman Sea, 188-220 fms. ; 9.xii.1890 ; *R.I.M.S. "Investigator"* Coll.

*Syntype* (1) : F 13072, Andaman Sea, 405 fms. ; data same as above.

268. *Hymenocephalus cavernosus* (Goode & Bean)

1889. *Macrurus heterolepis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 396.
1899. *Macrurus heterolepis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 117 (*Ill. Zool. Investig. Fish.*, pl. 3, fig. 3).

*Syntype* (1) : F 11774, Off Ross Island, 265-271 fms., 11. iv. 1888, R.I.M.S. "Investigator" Coll.

### 269. *Macrurus flabellispinnis* Alcock

1894. *Macrurus flabellispinnis* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 123.

1899. *Macrurus flabellispinnis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 107 (*Ill. Zool. Investig. Fish.*, pl. 16, figs. 2, 2a).

*Holotype* : F 13472 ; 13½ miles N., 64' W. of Colombo Light House, 142-400 ; 4.xii.1893 ; R.I.M.S. "Investigator" Coll.

### 270. *Macrurus hoskynii* Alcock

1890. *Macrurus hoskynii* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 214.

1899. *Macrurus hoskynii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 116 (*Ill. Zool. Investig. Fish.*, pl. 9, fig. 4).

*Holotype* : F 12833 ; Bay of Bengal, Off Madras Coast, lat. 18' 26" N., long. 85° 24' E., 1310 fms. ; 14.iii.1890 ; R.I.M.S. "Investigator" Coll.

### 271. *Macrurus lophotes* Alcock

1889. *Macrurus ophotes* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 395.

1899. *Macrurus lophotes* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 116 (*Ill. Zool. Investig. Fish.*, pl. 33, fig. 2).

*Syntypes* (2) : F 11670 & F 11671 ; Bay of Bengal, 285-405 fms. ; 25.ii.1885 ; R.I.M.S. "Investigator" Coll.

### 272. *Macrurus macrolophus* Alcock

1889. *Macrurus macrolophus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 394.

1899. *Macrurus macrolophus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 115 (*Ill. Zool. Investig. Fish.*, pl. 12, fig. 1).

*Holotype* : F 11776 ; 7 miles South-east by south of Ross Island, Port Blair, Andamans, 265 fms. ; 11.iv.1888 ; R.I.M.S. "Investigator" Coll.

### 273. *Macrurus polylepis* Alcock

1839 *Macrurus polylepis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 395.

1899. *Macrurus polylepis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 112 (*Ill. Zool. Investig. Fish.*, pl. 29, figs. 4, 4a).

*Spntypes* (2) : F 11678 & F 11724 ; Bay of Bengal, lat. 20° 17' 30" N., long. 88° 51' E., 193 fms. ; lat. 19° 35' N., long. 92° 24' E., 272 fms. ; 25.iii.1885 ; R.I.M.S. "Investigator" Coll.



274. *Macrurus pumiliceps* Alcock

1894. *Macrurus pumiliceps* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 125.

1899. *Macrurus pumiliceps* Alcock, *Cat. Ind. Deep Sea Fish*, p. 113 (*Ill. Zool. Investig. Fish.*, pl. 16, fig. 3).

*Syntypes* (2) : F 13561 & F 13562 ; Laccadive Sea, 719 fms. ; 29. xi. 1893 ; *R.I.M.S. "Investigator"* Coll.

275. *Macrurus semiquincunciatus* Alcock

1889. *Macrurus semiquincunciatus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 392.

1899. *Macrurus semiquincunciatus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 111 (*Ill. Zool. Investig. Fish*, pl. 12, fig. 2).

*Holotype* : F 11660 ; Bay of Bengal, south-west of Sentinelist and, Andamans, 130-250 fms. ; 1.ii.1888 ; *R.I.M.S. "Investigator"* Coll.

276. *Macrurus wood-masoni* Alcock

1890. *Macrurus wood-masoni* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 301.

1899. *Macrurus wood-masoni* Alcock, *Cat. Ind. Deep Sea Fish.* Calcutta, p. 114 (*Ill. Zool. Investig. Fish*, pl. 13, fig. 1).

*Holotype* : F 12867 ; Arabian Sea, 1,000 fms. ; 3.iv.1890 ; *R.I.M.S. "Investigator"* Coll.

277. *Ventrifossa patersonii* (Alcock)

1891. *Macrurus patersonii* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 121.

1899. *Macrurus patersonii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 110 (*Ill. Zool. Investig. Fish.*, pl. 3, fig. 5).

*Syntypes* (2) : F 13117 & F 13118 ; Andaman Sea, lat. 11° 31' 40" N., long. 92° 46' 40" E., 188-220 fms. ; 9.xii.1890 ; *R.I.M.S. "Investigator"* Coll.

## Order 15. GASTEROSTEIFORMES

## Family 43. INDOSTOMIDAE

278. *Indostomus paradoxus* Prashad & Mukerji

1929. *Indostomus paradoxus* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 220, pl. 10, figs. 1, 2, 3.

*Syntypes* (59) : F 11013/1 & F 11014/1 ; North of the Indawgyi Lake near Nyaungbin, Upper Burma ; *B. N. Chopra* Coll.

## Order 16. SYNGNATHIFORMES

## Family 44. SYNGNATHIDAE

279. *Bhanotia sewelli* Hora

1925. *Bhanotia sewelli* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 465, p. 11, fig. 5.

*Holotype* : F 10690/1 ; South Pt. of Outram Island, Andamans , 5.ii.1924 ; R. B. S. Sewell Coll.

### 280. *Dorichthys dunckeri* Prashad & Mukerji

1929. *Dorichthys dunckeri* Prashad & Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 222, pl. 10, fig. 4.

*Holotype* : F 11018/1 ; Namkawng chaung (stream) at Kamaing, Myitkyina distt., Upper Burma ; B. N. Chopra Coll.

### 281. *Dorichthys heraldi* Menon

1962. *Dorichthys heraldi* Menon, *J. zool. Soc. India*, Calcutta, (In press).

*Holotype* : F 1893/2 ; Ponnayar river, about 5 miles north-west of Cuddalore O.T. ; South Arcot distt., Madras State ; 12.i.1957 ; A.G.K. Meron Coll.

### 282. *Dorichthys insularis* Hora

1925. *Dorichthys insularis* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 38, pl. 2, fig. 1.

*Syntypes* (5) : F 10705/1 ; On coral reef at Aberdeen at Andamans ; S. W. Kemp Coll.

*Syntypes* (2) : F 10706/1 ; stream at Corbyns Cove, Andamans ; Collector same as above.

### 283. *Dorichthys ocellatus* Duncker

1911. *Dorichthys ocellatus* Duncker, *Spolia Zeylan*, Colombo, 7, 28, pl. fig. A.

*Syntype* (1) : F 10073/1 ; Ganjain near Valvello, S. W. Ceylon ; G. Duncker Coll.

### 284. *Hippocampus brachyrhynchus* Duncker

1914. *Hippocampus brachyrhynchus* Duncker, *Rec. Indian Mus.*, Calcutta, 10, p. 295.

*Syntype* (1) : F 8539/1 ; Rambha Bay, Lower Chilka, Orissa ; Zoological Survey of Chilka Lake, 1914 Coll.

### 285. *Hippocampus horai* Duncker

1925. *Hippocampus horai* Duncker, *Rec. Indian Mus.*, Calcutta, 27, p. 475.

*Holotype* : F 11836 ; Andaman ; G. H. Booley Coll.

### 286. *Microphis annandalei* Hora

1924. *Microphis annandalei* Hora, *Mem. Asiat. Soc. Beng.*, Calcutta, 6, p. 472, fig. 1.

*Holotype* : F 10377/1 ; Lake at Lampan patelung, Thailand ; 16.i.1916 ; N. Annandale Coll.

**287. *Nannocapichthys gigas* Hora & Mukerji**

1936. *Nannocapichthys gigas* Hora and Mukerji, *Rec. Indian Mus., Calcutta*, **38**, p. 23.

*Holotype* : F 11870/1 ; Maungmagan, Tavoy distt., Lower Burma ; 1934 ; *F. J. Meggit* Coll.

**288. *Syngnathus analicarens* Duncker**

1915. *Syngnathus analicarens* Duncker, *Hamburg. Jahrb. Wiss. Aust.*, **32**, p. 83.

*Syntype* (1) : F 14297 ; Persian Gulf, Baluchistan ; *F. W. Townsend* Coll.

**289. *Syngnathus investigatoris* Hora**

1925. *Syngnathus investigatoris* Hora, *Rec. Indian Mus., Calcutta*, **27**, p. 461, pl. 11, fig. 4.

*Syntypes* (2) : F 10723/1 ; Mergui Harbour, 6 fms., *Sewell* Coll.

**Order 17. CYPRINODONTIFORMES****Family 45. CYPRINODONTIDAE****290. *Cyprinodon blanfordi* Jenkins**

1910. *Cyprinodon blanfordi* Jenkins, *Rec. Indian Mus., Calcutta*, **5**, p. 124, pl. 6, fig. 3.

*Syntypes* (3) : F 9416 to F 9418 ; east of Shiraz, South Persia ; 1872 ; *W. T. Blanford* Coll.

**291. *Cyprinodon persicus* Jenkins**

1910. *Cyprinodon persicus* Jenkins, *Rec. Indian Mus., Calcutta*, **5**, p. 125 ; pl. 6, fig. 4.

*Syntypes* (2) : F 9403 & F 9404\* ; spring on the edge of Shiraz Lake, South Persia ; 1872 ; *W. T. Blanford* Coll.

**292. *Cyprinodon pluristriatus* Jenkins**

1910. *Cyprinodon pluristriatus* Jenkins, *Rec. Indian Mus., Calcutta*, **5**, p. 125, pl. 6, fig. 5.

*Syntypes* (4) : F 9408 to F 9411 ; east of Shiraz, stream running into Fussa, South Persia ; 1872 ; *W. T. Blanford* Coll.

**293. *Horaichthys setnai* Kulkarni**

1940. *Horaichthys setnai* Kulkarni, *Rec. Indian Mus., Delhi*, **42**, pt.2, p. 385, figs. 2-20.

*Syntypes* (87) : F 13203/1 & F 13204/1 ; Creeks near Bombay ; *C. V. Kulkarni* Coll.

**294. *Panchax panchax blockii* (Arnold)**

1916. *Panchax parvus* Sundara Raj, *Rec. Indian Mus.*, Calcutta, 12, p. 268, pl. 25, figs. 2, 8 ; pl. 26, fig. 2.

*Syn types* (19) : F 9103/1 ; Madras ; B. Sundara Raj Coll.

## Order 18. MUGILIFORMES

## Family 46. SPHYRAENIDAE

**295. *Sphyraena raghava* Chaudhuri**

1917. *Sphyraena raghava* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 5, p. 500, text-figs. 20, 21.

*Holotype* : F 9453/1 ; Satpara, Chilka Lake ; *Zoological Survey of the Chilka Lake, 1914* Coll.

## Family 47. MUGILIDAE

**296. *Mugil (Liza) hishni* Hora & Misra**

1943. *Mugil (Liza) hishni* Hora & Misra, *J. Asiat. Soc. Beng.*, (Sci.), Calcutta, 9(1), p. 10, fig. 5.

*Holotype* : F 13626/1 ; Rivers and Hors, Iraq ; D. D. Belayew Coll.

*Paratype* (1) : F 13627/1 ; data exactly as for holotype.

## Order 19. POLYNEMIFORMES

## Family 48. POLYNEMIDAE

**297. *Polynemus sextarius mullani* Hora**

925. *Polynemus sextarius mullani* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 453.

*Holotype* : F 10747/1 ; Bombay ; J. P. Mullan Coll.

*Paratypes* (3) : F 10748/1 to 10750/1 ; data exactly as for holotype.

## Order 20. OPHIOCEPHALIFORMES

## Family 49. OPHIOCEPHALIDAE

**298. *Channa burmanica* Chaudhuri**

1919. *Channa burmanica* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 16, p. 284, pl. 22, figs. 4, 4a, and 4b.

*Holotype* : F 9755/1 ; Sen-Bin-Ti, Putao plains, N.E. Burma, Tibetan Frontier ; vi.1918 ; *Murray-Stuart* Coll.

*Paratypes* (3) : F 9754/1, F 9756/1 & F 9757/1 ; data exactly as for holotype.

## Order 21. PERCIFORMES

## Family 50. SERRANIDAE

299. *Chelidoperca investigatoris* (Alcock)

1890. *Centropristis investigatoris* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 199.

1899. *Centropristis investigatoris* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 23 (*Ill. Zool. Investig. Fish.*, pl. 10, fig. 1).

*Syntypes* (2) : F 12820 & F 12821 ; Bay of Bengal, off Madras Coast, lat. 18° 30' N., long. 84° 46' E., 98-102 fms., 4. iii. 1890 ; R.I.M.S. "Investigator" Coll.

## Family 51. APOGONIDAE

300. *Acropoma splendens* (Lloyd)

1909. *Synagrops splendens* Lloyd, *Mem. Indian Mus.*, Calcutta, 2(3), p. 159.

*Holotype* : F 1164/1 ; Gulf of Oman, 230 fms. ; 18.x.1904 R.I.M.S. "Investigator" Coll.

301. *Gymnapogon japonicus* Regan

1905. *Gymnapogon japonicus* Regan, *Ann. Mag. nat. Hist.*, London, (7)15, p. 20.

*Syntypes* (3) : F 2994/1 to F 2996/1 ; Inland Sea of Japan ; British Museum (Exchange).

## Family 52. PERCIDAE

302. *Nemipterus marginatus* (C.V.)

1876. *Synagris bleekeri* Day, *Fish India*, p. 92, pl. 24, fig. 1.

*Holotype* : F 290 ; Madras ; F. Day Coll.

## Family 53. LACTARIIDAE

303. *Lactarius burmanicus* Lloyd

1907. *Lactarius burmanicus* Lloyd, *Rec. Indian Mus.*, Calcutta, 1. p. 219.

*Holotype* : F 1512/1 ; Akyab, Burma ; I. H. Burkill Coll.

## Family 54. CARANGIDAE

304. *Bathyseriola cyanea* Alcock

1890. *Bathyseriola cyanea* Alcock, *Ann. Mag. nat. Hist.* London, (6)6 p. 202.

1899. *Bathyseriola cyanea* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 43 (*Ill. Zool. Investig. Fish.*, pl. 18, fig. 1).

*Syntypes* (4) : F 12816, F 12817 and F 12819 ; Bay of Bengal, off Madras Coast, lat. 18° 30' N., long. 84° 46' E. ; 98-102 fms. ; 4.iii.1890 ; R. I. M. S. "Investigator" Coll.

### 305. *Caranx auricoronae* Chaudhuri

1909. *Caranx auricoronae* Chaudhuri *Rec. Indian Mus.*, Calcutta, 3, p. 142, fig. 2.

*Syntypes* (3) : F 2717/1 to E 2719/1 ; Bay of Bengal, off Chittagong Coast ; Bengal Fisheries "Golden Crown" Coll.

### 306. *Caranx guptae* Chaudhuri

1909. *Caranx guptae* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 3, p. 14, fig. 1.

*Syntypes* (2) : F 2165/1 & F 2166/1 ; Bay of Bengal, off Elephant-point ; Bengal Fisheries "Golden Crown" Coll.

### 307. *Psenes nigrescens* Lloyd

1909. *Psenes nigrescens* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 158.

*Syntypes* (17) : F 1038/1 to F 1049/1 ; Andaman Sea, 960 fms., 5.xi.1902 ; R. I. M. S. "Investigator" Coll.

## Family 55. SCIAENIDAE

### 308. *Johnius osseus* (Day)

1876. *Sciaena osseus* Day, *Fish. India*, London, p. 193, pl. 46, fig. 3.

*Holotype* : F 1340 ; Malabar Coast of India ; F. Day Coll.

### 309. *Otolithoides brunneus* (Day)

1873. *Otolithus brunneus* Day, *J. Linn. Soc. (Zool.)*, London, 11, p. 524.

*Holotype* : F 906 ; Bombay, F. Day Coll.

### 310. *Pseudosciaena biekeri* (Day).

1876. *Sciaena bleekeri* Day, *Fish. India*, London, p. 185, pl. 45, fig. 4.

*Syntypes* (2) : F 968 & F 988 ; Bombay ; F. Day Coll.

### 311. *Pseudosciaena ophiceps* (Alcock)

1889. *Sciaena ophiceps* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 300.

*Syntypes* (8) : F 12099 to F 12101, F 12103, F 12170 to F 12171, F 12336 & F 12381 ; Bay of Bengal, off Orissa Coast; 1888-89; R.I.M.S. "Investigator" Coll.

## Family 56. SPARIDAE

### 312. *Chrysophrys berda calamara* Day

1876. *Chrysophrys berda calamara* Day, *Fish. India*, London, p. 140. pl. 34 fig. 2, and pl. 35, fig. 2 (var. *calamara*).

**Holotype** : F 1785 ; Sind ; *F. Day* Coll.

**313. *Crenidens indicus* Day**

1876. *Crenidens indicus* Day, *Fish. India*, London, p. 132. pl. 32, fig. 4.

**Holotype** : F 1774 ; Sind ; *F. Day* Coll.

**Paratypes (2)** : F 1775 to F 1776 ; data exactly as for holotype.

**314. *Petrus belayewi* Hora & Misra**

1943. *Petrus belayewi* Hora & Misra, *J. Asiat. Soc. Beng.*, Calcutta, 9(1), p. 12, figs. 6-7.

**Holotype** : F 13628/1 ; Rivers & Hors, Iraq ; *D. D. Belayew* Coll.

Family 57. CHAETODONTIDAE

**315. *Pomacanthus (Pomacanthodes) semicirculatus* (Cuvier)**

1897. *Holacanthus alternans* var. *meleagris* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 65(2), p. 303.

**Holotype** : F 14074 ; Palk strait ; *A. R. Anderson* Coll.

Family 58. LABRIDAE

**316. *Epibulus striatus* Day**

1870. *Epibulus striatus* Day, *Proc. zool. Soc. Lond.*, London, p. 697

**Holotype** : F 1562 ; Andamans ; *F. Day* Coll.

Family 59. TRACHINIDAE

**317. *Chiasmodus niger* Johnson**

1890. *Ponerodon vastator* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 203, pl. 9, fig. 5.

1899. *Ponerodon vastator* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 50 (*Ill. Zool. Investig. Fish.* pl. 28, fig. 3).

**Holotype** : F 12836 ; Bay of Bengal ; off Madras Coast, lat. 15° 38' N., long. 82° 30' E., 690-920 fms. ; 1.iv.1890 ; *R. I. M. S. "Investigator"* Coll.

Family 60. BEMBROPIDAE

**318. *Bembrops caudimacula* Steind**

1899. *Bembrops platyrhynchus* Alcock, *Cat. Ind. Deep Soc. Fish.*, Calcutta, p. 48 (*Ill. Zool. Investig. Fish.* pl. 20, fig. 6).

**Holotype** : F 13437 ; Bay of Bengal ; 128 fms. ; 3.iii.1893 ; *R.I.M.S. "Investigator"* Coll.

## Family 61. TRICHONOTIDAE

319. *Taeniolabrus cyclograptus* Alcock

1890. *Taeniolabrus cyclograptus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 430, fig. 1.

1899. *Taeniolabrus cyclograptus* Alcock, *Ill. Zool. Investig. Fish.*, pl. 20, fig. 5.

*Syntypes* (3) : F 12932, F 12935 & F 12936 ; Bay of Bengal, Ganjam Coast, 10-13 fms.; *R. I. M. S.* "Investigator" Coll.

## Family 62. URANOSCOPIDAE

320. *Centridermichthys adhesipinnis* (Blyth)

1860. *Uranoscopus adhesipinnis* Blyth, *J. Asiat. Soc. Beng.*, Calcutta, 29, p. 142.

*Syntype* (1) : A.S.B. Cat. No. 119 ; Calcutta, *Asiatic Society of Bengal* Donor.

321. *Uranoscopus crassiceps* Alcock

1890. *Uranoscopus crassiceps* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 205.

1899. *Uranoscopus crassiceps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 45 (*Ill. Zool. Investig. Fish.*, pl. 10, fig. 4).

*Syntype* (1) : F 12788 ; Bay of Bengal, off Madras Coast, lat. 18° 30' N., long. 84° 46' E., 100 fms.; 4.iii.1890 ; *R. I. M. S.* "Investigator" Coll.

## Family 63. CHIASMODONTIDAE

322. *Dysalotus alcocki* Mac Gilchrist

1905. *Dysalotus alcocki* Mac Gilchrist, *Ann. Mag. nat. Hist.*, London, (7)15, p. 268.

*Holotype* : F 1053/1 ; South of Andaman Island ; 705 fms.; 12.iv.1903 ; *R. I. M. S.* "Investigator" Coll.

323. *Kali indica* Lloyd

1909. *Kali indica* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 154.

*Holotype* : F 1054/1 ; Bay of Bengal, 1343 fms.; 18.iii.1903 ; *R.I.M.S.* "Investigator" Coll.

## Family 64. BLENNIDAE

324. *Andamia raoi* Hora

1938. *Andamia raoi* Hora, *Rec. Indian Mus.*, Delhi, 40, p. 398, pl. 10, figs. 1-4 & 6.

*Holotype* : F 12933/1 (♂) : East Ross Island, Andamans ; *Andaman Fisheries* Coll.



*Paratypes* (6) : F 12934/1 ; data exactly as for holotype.

*Remarks* :—Two specimens, a male and a female are kept together as holotype. Evidently the female specimen is the Allotype.

### 325. *Petroscirtes bhattacharyae* Chaudhuri

1916. *Petroscirtes bhattacharyae* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 12, p. 107.

*Holotype* : F 8764/1 ; Chilka Lake, Orissa, 2.iii.1914 ; *Zoological Survey of Chilka Lake, 1914 Coll.*

*Paratypes* (7) : F 8770/1, F 8774/1 to F. 8779/1 ; data exactly as for holotype.

### 326. *Salarias burmanicus* Hora & Mukerji

1936. *Salarias burmanicus* Hora & Mukerji, *Rec. Indian Mus.*, Calcutta, 38, p. 34, pl. 1, fig. 1.

*Holotype* : F 11872/1 ; Maungmagan, Tavoy distt., Lower Burma, i.1934 ; *F.S. Meggit Coll.*

## Family 65. BROTULIDAE

### 327. *Dinematichthys piger* Alcock

1890. *Dinematichthys piger* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 432.

*Holotype* : F 12939 ; Coral reefs of Great Coco Island, Andaman Archipelago; *R.I.M.S. "Investigator"* Coll.

## Family 66. OPHIDIIDAE

### 328. *Bathyonus glutinosus* Alcock

1890. *Bathyonus glutinosus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 211.

1899. *Bathyonus glutinosus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 88 (*Ill. Zool. Investig. Fish.*, pl. 1, fig. 3).

*Syntype* (1) : F 12824 ; Bay of Bengal, off Madras Coast, lat. 18° 26' N., long. 85° 24' E., 1310 fms.; 1889-90 ; *R.I.M.S. "Investigator"* Coll.

### 329. *Dermatorus melanocephalus* Alcock

1891. *Dermatorus melanocephalus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 32.

1899. *Dermatorus melanocephalus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 91 (*Ill. Zool. Investig. Fish.*, pl. 21, fig. 4).

*Syntype* : F 13073 ; Bay of Bengal ; 1644 fms., 6.xi.1890 ; *R.I.M.S. "Investigator"* Coll.

330. *Dermatorus trichiurus* Alcock

1890. *Dermatorus trichiurus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 298.

1899. *Dermatorus trichiurus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 90 (*Ill. Zool. Investig. Fish.*, pl. 1, fig. 1).

*Holotype* : F 12865 ; Arabian Sea, lat. 11° 12' 47" N., long. 74° 25' 30" E., 1000 fms.; 3.v.1890 ; *R.I.M.S.* "Investigator" Coll.

331. *Diplacanthopoma raniceps* Alcock

1898. *Diplacanthopoma raniceps* Alcock, *Ann. Mag. nat. Hist.*, London, (7)2, p. 154.

1899. *Diplacanthopoma raniceps* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 101 (*Ill. Zool. Investig. Fish.*, pl. 26, fig. 2, 2a).

*Syntypes* (3) : F 117/1, F 118/1 & F 139/1 ; Andaman Sea, 405 fms.; 21.xii.1896 ; *R.I.M.S.* "Investigator" Coll.

332. *Diplacanthopoma ravers-andersonii* Alcock

1895. *Diplacanthopoma ravers-andersonii* Alcock, *Ann. Mag. nat. Hist.*, London, (6)16, p. 144.

1899. *Diplacanthopoma ravers-andersonii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 99 (*Ill. Zool. Investig. Fish.*, pl. 17, fig. 1).

*Holotype* : F 14136 ; Arabian Sea, lat. 22° 14' 25" N., long. 67° 8' 55" E., 947 fms. ; 2.i.1895 ; *R.I.M.S.* "Investigator" Coll.

333. *Diplacanthopoma squamiceps* Lloyd

1907. *Diplacanthopoma squamiceps* Lloyd, *Rec. Indian Mus.*, Calcutta, 1, p. 10.

*Syntypes* (2) : F 1321/1 & F 1322/1 ; S.E. Coast of Arabia ; 540 fms., 24.iii.1906 ; *R.I.M.S.* "Investigator" Coll.

334. *Glyptophidium argenteum* Alcock

1889. *Glyptophidium argenteum* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 390.

1899. *Glyptophidium argenteum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 93 (*Ill. Zool. Investig. Fish.*, pl. 2, fig. 3).

*Holotype* : F 11661 ; Andaman Sea, Off Ross Island, 271 fms.; 2.i.1888 ; *R.I.M.S.* "Investigator" Coll.

335. *Glyptophidium macropus* Alcock

1894. *Glyptophidium macropus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(1), p. 122, pl. 6, fig. 3.

1899. *Glyptophidium macropus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 94 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 6).

*Syntype* (7) : F 13529 to F 13635 ; Bay of Bengal, 145-250 fms.; 30.i.1894 ; *R.I.M.S.* "Investigator" Coll.

**336. *Hepthocara simum* Alcock**

1892. *Hepthocara simum* Alcock, *Ann. Mag. nat. Hist.*, London, (6)10, p. 349, pl. 18, fig. 1.

1899. *Hepthocara simum* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 103 (*Ill. Zool. Investig. Fish.*, pl. 22, fig. 3).

*Holotype* : F 13172 ; Gulf of Manaar, lat. 16° 41' N., long. 82° 33' 45" E., 902 fms.; 14.xii.1891 ; R.I.M.S. "Investigator" Coll.

**337. *Lamprogrammus fragilis* Alcock**

1892. *Lamprogrammus fragilis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)10, p. 348.

1899. *Lamprogrammus fragilis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 96.

*Holotype* : F 13171 ; Bay of Bengal, lat. 15° 13' 43' N., long. 81° 19' 30" E., 678 fms., 1.iv.1892 ; R.I.M.S. "Investigator" Coll.

**338. *Lamprogrammus niger* Alcock**

1891. *Lamprogrammus niger* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 33, fig. 2.

1899. *Lamprogrammus niger* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 95 (*Ill. Zool. Investig. Fish.*, pl. 1, fig. 2).

*Syntypes* (2) : F 13048 & F 13049 ; Bay of Bengal, 561 fms. ; 7.xi.1890 ; R.I.M.S. "Investigator" Coll.

**339. *Neobythites (Monomitopus) conjugator* Alcock**

1896. *Neobythites (Monomitopus) conjugator* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 65(2), p. 304.

1899. *Neobythites (Monomitopus) conjugator* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 81 (*Ill. Zool. Investig. Fish.*, pl. 17, fig. 4).

*Syntypes* (2) : F 56/1 & F 57/1 ; Bay of Bengal, 296-320 fms. ; 16.vi.1895 ; R.I.M.S. "Investigator" Coll.

**340. *Neobythites pterotus* Alcock**

1890. *Neobythites pterotus* Alcock, *Ann. Mag. nat. Hist.*, London, 4, p. 210.

1899. *Neobythites pterotus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 83 (*Ill. Zool. Investig. Fish.*, pl. 11, fig. 4 (♀), and pl. 29, fig. 1 (♂)).

*Holotype* : F 12832 ; Bay of Bengal, off Madras Coast, lat. 18° 26' N., long. 85° 24' E., 1310 fms. ; 14.iii.1890 ; R.I.M.S. "Investigator" Coll.

**341. *Neobythites steatiticus* Alcock**

1893. *Neobythites steatiticus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62(2), p. 181, pl. 9, fig. 3.

1899. *Neobythites steatiticus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 82 (*Ill. Zool. Investig. Fish.*, pl. 21, fig. 2).

*Holotype* : F 13435 ; Bay of Bengal, 128 fms. ; 3.iii.1893 ; *R.I.M.S.* "Investigator" Coll.

### 342. *Paradicrolene multifilis* Alcock

1889. *Paradicrolene multifilis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 387.

1899. *Paradicrolene multifilis* Alcock, *Cat. Ind. Deep Sea Fish*, Calcutta, p. 86 (*Ill. Zool. Investig. Fish.*, pl. 11, fig. 1).

*Syntype* (1) : F 11717 ; Bay of Bengal, lat. 20° 17' 30" N., long. 88° 50' E., 193 fms. ; *R.I.M.S.* "Investigator" Coll.

### 343. *Paradicrolene nigricaudis* Alcock

1891. *Paradicrolene nigricaudis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 30.

1899. *Paradicrolene nigricaudis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 87 (*Ill. Zool. Investig. Fish.*, pl. 2, fig. 4).

*Syntypes* (2) : F 13040 & F 13044 ; Andaman Sea, 188-220 fms. 9.xii.1890 ; *R.I.M.S.* "Investigator" Coll.

### 344. *Pycnocraspedum squamipinne* Alcock

1889. *Pycnocraspedum squamipinne* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 386.

1899. *Pycnocraspedum squamipinne* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 84 (*Ill. Zool. Investig. Fish.*, pl. 21, fig. 1).

*Syntypes* (2) : F 11700 & F 11703, Bay of Bengal, lat. 20° 17' 30" N., long. 88° 50' E., 193 fms. ; *R.I.M.S.* "Investigator" Coll.

### 345. *Saccogaster maculatus* Alcock

1889. *Saccogaster maculatus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 389.

1899. *Saccogaster maculatus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 102 (*Ill. Zool. Investig. Fish.*, pl. 29, fig. 2).

*Syntypes* (2) : F 11673 and F 11674 ; Bay of Bengal, lat. 20° 17' 30" N., long. 88° 50' E., 193 fms., 25.iii.1885 ; *R.I.M.S.* "Investigator" Coll.

### 346. *Sirembo nigripinnis* Alcock

1889. *Sirembo nigripinnis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 384.

1899. *Sirembo nigripinnis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 82 (*Ill. Zool. Investig. Fish.*, pl. 11, fig. 3).

*Holotype* : F 11764 ; Andaman Sea, 7½ miles east of North Cinque Island, 490 fms. ; *R.I.M.S.* "Investigator" Coll.

## Family 67. CALLIONYMIDAE

347. *Callionymus carebares* Alcock

1890. *Callionymus carebares* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 209.

1899. *Callionymus carebares* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 73 (*Ill. Zool. Investig. Fish.*, pl. 20, fig. 4.)

*Syntypes* (2) : F 12740 & F 12741 ; Bay of Bengal, off Madras Coast, lat. 18° 30' N., 84° 46' E., 98-102 fms. ; 4.iii.1890 ; *R.I.M.S.* "Investigator" Coll.

348. *Callionymus ornatipinnis* Alcock

1905. *Callionymus ornatipinnis* Alcock, *Ann. Mat. nat. Hist.*, London, (7)15, p. 23, pl. 3.

*Syntype* (1) : F 2991/1 ; Inland Sea of Japan ; *British Museum* (Exchange).

## Family 68. GEMPYLIDAE

349. *Rexea prometheoides* (Bleeker)

1894. *Thyrstes bengalensis* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 117, pl. 6, fig. 1.

1899. *Thyrstes bengalensis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 42 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 10).

*Syntypes* (4) : F 13518, F 13521, F 13522, & F 13524 ; Bay of Bengal, 145-250 fms. ; 30.i.1894 ; *R.I.M.S.* "Investigator" Coll.

## Family 69. TETRAGONURIDAE

350. *Mulichthys squamiceps* Lloyd

1910. *Mulichthys squamiceps* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 158.

*Holotype* : F 1020/1 ; Arabian Sea, 512 fms. ; 1.v.1902 ; *R.I.M.S.* "Investigator" Coll.

## Family 70. ANABANTIDAE

351. *Parasphaerichthys ocellatus* Prashad & Mukerji

1929. *Parasphaerichthys ocellatus* Prashad and Mukerji, *Rec. Indian Mus.*, Calcutta, 31, p. 217, pl. 8, figs. 4, 4a.

*Holotype* : F 11011/1 ; Kamaing, Myitkyina distt., U. Burma ; *B. N. Chopra* Coll.

## Family 71. ELEOTRIDAE

352. *Eleotris andamensis* Herre

1939. *Eleotris andamensis* Herre, *Rec. Indian Mus.*, Delhi, 41, p. 344.

*Holotype* : F 13632/1 ; Port Blair, Andamans ; x.1934 ; *H.S. Rao* Coll.

*Paratypes* (6) : F 13633/1 & F 13634/1 ; data exactly as for holotype.

Family 72. GOBIIDAE

353. *Acentrogobius cyanomos* (Bleeker)

1923. *Ctenogobius dentifer* Hora, *Mem. Indian Mus.*, Calcutta, 5, p. 747, fig. 29.

*Syntype* (1) : F 10187/1 ; Manikpatna, Lower Chilka, iii.1914 ; *Zoological Survey of Chilka Lake, 1914 Coll.*

354. *Acentrogobius globiceps* (Hora)

1923. *Ctenogobius globiceps* Hora, *Mem. Indian Mus.*, Calcutta, 5, p. 744, text-figs. 24, 25.

*Syntypes* (2) : F 10214/1 ; between Cherria and main land, Chilka Lake ; 20.vii.1914 ; *Zoological Survey of Chilka Lake, 1914 Coll.*

355. *Amblyotrypauchen arctocephalus* (Alcock)

1890. *Amblyopus arctocephalus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 432.

1899. *Amblyopus arctocephalus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 72 (*Ill. Zool. Investig. Fish.*, pl. 20, fig. 7).

1924. *Amblyotrypauchen fraseri* Hora, *Rec. Indian Mus.*, Calcutta, 26, p. 160, figs. 3-4.

*Syntype (arctocephalus)* (1) : F 12926 ; Bay of Bengal, off Orissa Coast, 50 fms. ; 7.i.1890 ; *R.I.M.S. "Investigator"* Coll.

*Holotype (fraseri)* : F 10819/1 ; Sand heads, mouth of river Hooghly, 20 fms. ; ii.1923 ; *P. V. Fraser Coll.*

356. *Brachyamblyopus burmanicus* Hora

1925. *Brachyamblyopus burmanicus* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 455.

*Syntypes* (2) : F 10746/1 ; a small pond opening into the Rangoon river about 3 miles below Rangoon, Burma ; *F. J. Meggitt Coll.*

357. *Callogobius seshaiyai* Jacob & Rangarajan

1960. *Callogobius seshaiyai* Jacob & Rangarajan, *J. zool. Soc. India*, Calcutta, 12(1), p. 20.

*Holotype* : F 1908/2 ; vellar estuary, Portonovo, South India ; *Jacob & Rangarajan Coll.*

358. *Cryptocentrus leptocephalus* Bleeker

1914. *Cryptocentrus rubropunctatus* Sewell, *Rec. Indian Mus.*, Calcutta, 10, p. 134, pl. 8, fig. 3.

*Holotype* : F 8033/1 ; Fisher Bay in Port Owen, Tavoy Island on the Coast of Burma ; 1911 ; *R.I.M.S. "Investigator"* Coll.

**359. Ctenotrypauchen banardi** Hora

1926. *Ctenotrypauchen banardi* Hora, *Rec. Indian Mus.*, Calcutta, 28, p. 221, text-figs. 1-2.

*Paratypes* (2) : F 10753/1 ; Natal Coast, S. Africa ; *South African Museum* (Exchange).

*Remarks* :—“ The type specimen and a cotype are preserved in the South African Museum, Cape Town ”

**360. Gobiopterus chuno** (Hamilton)

1923. *Micrapocryptes fragilis* Hora, *Mem. Indian Mus.*, Calcutta, 5, p. 751, figs. 31-33.

1934. *Gobiella birtwistlei* Herre, *Bull. Raffles Mus.*, Singapore, 9, p. 85.

*Syntypes* (35) (*fragilis*) : F 10165/1 ; Beliaghata canal near Gas Works, Calcutta ; 17.vii.1916 ; *B.L. Chaudhuri* Coll.

*Syntypes* (3) (*birtwistlei*) : F 13513/1 ; Singapore ; *A.W.C.T Herre* Coll.

**361. Obliquogobius cometus** (Alcock)

1890. *Gobius cometus* Alcock, *Ann. Mag, nat Hist.*, London, (6)6, p. 208, pl. 8, fig. 2.

1899. *Gobius cometus* Alcock, *Cat. Ind. Deep Sea Fish*, Calcutta, p. 71 (*Ill. Zool. Investig. Fish.*, pl. 20, fig. 3).

*Syntype* (1) : F 12729 ; Bay of Bengal, off Madras Coast, lat. 18° 30' N., long. 84° 46' E., 98-102 fms. ; 4.iii.1890 ; *R.I.M.S. "Investigator"* Coll.

**362. Oligolepis cylindriceps** (Hora)

1923. *Ctenogobius cylindriceps* Hora, *Mem. Indian Mus.*, Calcutta, p. 745, figs. 26, 27 & 28.

*Syntypes* (9) : F 10189/1 ; between Cherria and mainland, Chilka Lake ; 20.vii.1914 ; *Zoological Survey of Chilka Lake, 1914* Coll.

**363. Paragobiopsis ostreicola** (Chaudhuri)

1916. *Gobius ostreicola* Chaudhuri, *Rec. Indian Mus.*, Calcutta, 12, p. 105.

*Holotype* : F 10406/1 ; Oyster beds near Manikpur, Chilka Lake ; xii.1914 ; *Zoological Survey of Chilka Lake, 1914* Coll.

*Paratypes* (3) : F 10407/1 ; data exactly as for holotype.

**364. Raogobius andamanicus** Mukerji

1935. *Raogobius andamanicus* Mukerji, *Rec. Indian Mus.*, Calcutta, 37, p. 264, pl. 6, figs. 1 & 2.

*Holotype* : F 12980/1 ; Aberdeen, Andamans ; 12.ii.1934 ; *H.S. Rao* Coll.

*Remarks* :—Reg. No. (F 11788/1) as given in the original description is wrong.

**365. *Sicyopterus microcephalus* (Bleeker)**

1925. *Sicyopterus garra* Hora, *Rec. Indian Mus.*, Calcutta, 27, p. 35, pl. 2, figs. 2-5.

*Syntypes* (2) : F 10831/1 ; Birchgunge, South Andamans ; N. Annandale Coll.

**366. *Stigmatogobius minima* (Hora)**

1923. *Ctenogobius minima* Hora, *Mem. Indian Mus.*, Calcutta, 5, p. 749, text-fig. 30.

*Syntypes* (72) : F 10172/1 to F 10185/1 ; Chilka Lake ; ix. 1913 ; Zoological Survey of Chilka Lake, 1914 Coll.

**367. *Taenioides buchanani* (Day)**

1873. *Amblyopus buchanani* Day, *Proc. zool. Soc. Lond.*, London, p. 110.

*Syntype* (1) : F 76, Calcutta ; F. Day Coll.

*Syntype* (1) : F 2113 ; Moulmein ; Collector same as above.

**368. *Taenioides chilkensis* Chaudhuri**

1923. *Taenioides chilkensis* Chaudhuri, *Mem. Indian Mus.*, Calcutta, 5, p. 757, text-fig. 34.

*Syntypes* (5) : F 10385/1 ; Channel off Barhampur Island, Chilka, Orissa ; 2.ix. 1914 ; N. Annandale Coll.

**369. *Taenioides nigrimarginatus* Hora**

1924. *Taenioides nigrimarginatus* Hora, *Mem. Asiat. Soc. Beng.*, Calcutta, 6, p. 496, fig. 8.

*Holotype* : F 10465/1 ; Singgora, Tale Sap, Thailand, N. Annandale Coll.

*Paratypes* (2) : F 10466/1 ; data exactly as for holotype.

**Family 73. SCORPAENIDAE****370. *Centropogon indicus* Day**

1876. *Centropogon indicus* Day, *Fish India*, London, p. 155, pl. 38, fig. 2.

*Holotype* : F 1734 ; Madras ; F. Day Coll.

**371. *Minous coccineus* Alcock**

1890. *Minous coccineus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 428.

*Syntypes* (2) : F 12924 ; Bay of Bengal, off Ganjam Coast, 28 fms. ; 17-21.ii.1890 ; R.I.M.S. "Investigator" Coll.

**372. *Minous inermis* Alcock**

1889. *Minous inermis* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 299, pl. 22, fig. 4.

1899. *Minous inermis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 30, (Ill. Zool. Investig. Fish., pl. 18, fig. 3).

*Syntypes* (2) : F 12444 & F 12445 ; Godavari Coast, 70 fms. ; R.I.M.S. "Investigator" Coll.



**373. *Parascorpaena erostris* (Alcock)**

1896. *Scorpaena erostris* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 65(2), p. 302.

1899. *Scorpaena erostris* Alcock, *Ill. Zool. Investig. Fish.*, pl. 18, fig. 6.

*Syntypes* (2) : F 12977 & F 12978; Bay of Bengal, off Ceylon Coast, 34 fms.; *R.I.M.S. "Investigator"* Coll.

**374. *Pterois macrura* Alcock**

1896. *Pterois macrura* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 65 (2) p. 303,

1899. *Pterois macrura* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 30  
(*Ill. Zool. Investig. Fish.*, pl. 18, fig. 4).

*Syntypes* (6) : F 13823 to F 13828; Malabar Coast, 45 fms., *R.I.M.S.*,  
"Investigator" Coll.

**375. *Scorpaena bucephalus* Alcock**

1896. *Scorpaena bucephalus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 65(2),  
p. 302.

1899. *Scorpaena bucephalus* Alcock, *Ill. Zool. Investig. Fish.*, pl. 18, fig. 7.

*Syntype* (1) : F 13737; Laccadive Sea, off Malabar Coast, 36 fms.;  
*R.I.M.S. "Investigator"* Coll.

*Syntype* (1) : F 14084; Bay of Bengal, off Coromandel Coast, 33 fms.;  
collector same as above.

**376. *Sebastes muciparus* Alcock**

1889. *Sebastes muciparus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 298,  
pl. 22, fig. 3.

*Holotype* : F 12432; Bay of Bengal, off Ganjam Coast, 23 fms.,  
7.iii.1889 ; *R.I.M.S. "Investigator"* Coll.

**Family 74. TRIGLIDAE****377. *Lepidotrigla spiloptera* var. *longipinnis* Alcock**

1890. *Lepidotrigla spiloptera* var. *longipinnis* Alcock, *Ann. Mag. nat. Hist.*,  
London, p. 429, p. 42, pl. 18, fig. c.

1899. *Lepidotrigla spiloptera* var. *longipinnis* Alcock, *Cat. Ind. Deep Sea  
Fish.*, Calcutta, p. 68. (*Ill. Zool. Investig. Fish.*, pl. 31, fig. 1).

*Holotype* : F 12925; Bay of Bengal, off Ganjam Coast, 18 fms.,  
15.i.1890 ; *R.I.M.S. "Investigator"* Coll.

**378. *Peristedion adeni* (Lloyd)**

1907. *Peristethus adeni* Lloyd, *Rec. Indian Mus.*, Calcutta, 1, p. 8.

*Holotype* : F 1443/1; Arabian Sea, Gulf of Aden, 130 fms., 20.xii.  
1905; *R.I.M.S. "Investigator"* Coll.

**379. Peristedion investigatoris (Alcock)**

1898. *Peristethers investigatoris* Alcock, *Ann. Mag. nat. Hist.*, London, (7)2, p. 153.

1899. *Peristethus investigatoris* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 70 (*Ill. Zool. Investig. Fish.*, pl. 25, figs. 1, 1a).

*Syntypes* (2) : F 13037 & F 13038; Andaman sea, 188-220 fms.; *R.I.M.S. "Investigator"* Coll.

**380. Peristedion rivers-andersoni (Alcock)**

1894. *Peristethium rivers-andersoni* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 121, pl. 6, figs. 2, 2a, 2b.

1899. *Peristethium rivers-andersoni* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 68.

*Holotype* : F 13469 ; 13½ miles N. 64° . W. off Colombo Lt., 142-400 fms., 4.xii. 1893; *R.I.M.S. "Investigator"* Coll.

**381. Peristedion serrulatum (Alcock)**

1898. *Peristethus serrulatum* Alcock, *Ann. Mag. nat. Hist.*, London, (7) 2, p. 153.

1899. *Peristethus serrulatum* Alcock, *Cat. Ind. Deep Sea Fish.*, p. 69 (*Ill. Zool. Investig. Fish.*, pl. 25, figs. 2, 2a).

*Syntypes* (2) : F 296/1 & F 297/1; Andaman sea, 185 fms., 6.xii. 1897; *R.I.M.S. "Investigator"* Coll.

**382. Prionotus alepis Alcock**

1889. *Prionotus alepis* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 303, pl. 22, fig. 5.

*Syntypes* (2) : F 12442 & F 12443; Bay of Bengal, off Orissa Coast, 68 fms.; *R.I.M.S. "Investigator"* Coll.

## Order 22. PLEURONECTIFORMES

## Family 75. BOTHIDAE

**383. Arnoglossus brevirectis Alcock**

1890. *Arnoglossus brevirectis* Alcock, *Ann. Mag. nat. Hist.*, London (6)6, p. 433. (*Ill. Zool. Investig. Fish.*, pl. 22, fig. 4).

*Syntypes* (2) : F 12922 & F 12923 ; Bay of Bengal, off Ganjam Coast, 30 fms., 31.i.1890; *R.I.M.S. "Investigator"* Coll.

**384. Arnoglossus polylepis Alcock**

1889. *Arnoglossus polylepis* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 290, pl. 16, fig. 1.

*Holotype* : F 11750; Bay of Bengal, off the east coast of Ceylon, 34 fms.; *R.I.M.S. "Investigator"* Coll.

**385. *Arnoglossus tapeinosoma* (Bleeker)**

1889. *Arnoglossus macrolophus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 280, pl. 18, fig. 2.

*Holotype*. : F 12441; Bay of Bengal, 5 miles south of Ganjam, 25 fms., 12.iii.1889 ; *R.I.M.S.* "Investigator" Coll.

**386. *Chascanopsetta lugubris* Alcock**

1894. *Chascanopsetta lugubris* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 129, pl. 6, fig. 4.

1899. *Chascanopsetta lugubris* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta p. 125 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 3).

*Syntypes* (2) : F 13728 & 13729; Bay of Bengal, 145-250 fms., 30.i. 1894 ; *R.I.M.S.* "Investigator" Coll.

**387. *Citharichthys aureus* Day**

1878. *Citharichthys aureus* Day, *Fish India*, London, p. 422, pl. 9, fig. 3.

*Holotype* : F 1243; Madras; F. Day Coll.

**388. *Laeops guentheri* Alcock**

1890. *Laeops guentheri* Alcock, *Ann. Mag. nat. Hist.*, London, 6,(6) p. 438.

*Syntype* (1) : F 12888; Bay of Bengal, off Vizagapatnam Coast, 20 fms., 21.iii. 1890; *R.I.M.S.* "Investigator" Coll.

**389. *Laeops nigrescens* Lloyd**

1907. *Laeops nigrescens* Lloyd, *Rec. Indian Mus.*, Calcutta, 1, p. 9.

*Syntypes* (4) : F 1291/1 to F 1293/1 & F 1296/1; Arabian sea, Gulf of Aden, 130 fms., 20.xii. 1905; *R.I.M.S.* "Investigator" Coll.

**390. *Psettylis ocellata* Alcock**

1890. *Psettylis ocellata* Alcock, *Ann. Mag. nat. Hist.*, London, 6(6), p. 437, fig. 3.

*Syntype* (1) : F 12944; Bay of Bengal, off Ganjam coast, 9-13 fms., 20. xii. 1889; *R.I.M.S.* "Investigator" Coll.

**391. *Psettylis pelluceda* Alcock**

1890. *Psettylis pelluceda* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 437, fig. 2.

*Syntype* (1) : F 12940; Bay of Bengal, off Ganjam coast, 9-13 fms., 20. xii. 1889; *R.I.M.S.* "Investigator" Coll.

**392. *Pseudorhombus micrognathus* Norman**

1927. *Pseudorhombus micrognathus* Norman, *Rec. Indian Mus.*, Calcutta, 29, p. 16, pl. 3.

*Holotype* : F 3441/1; Puri beach, Orissa, N. Annandale Coll.

*Paratype* (1) : F 5039/1; data exactly as for holotype.

393. *Rhomboidichthys valde-rostratus* Jenkins

1890. *Rhomboidichthys valde-rostratus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 435.

*Holotype* : F 12910; off the south-east coast of Ceylon, 32 fms., 11.xi. 1889 ; *R.I.M.S.* " *Investigator* " Coll.

394. *Scianectes macrophthalmus* Alcock

1889. *Scianectes macrophthalmus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 292, pl. 16, fig. 4.

1899. *Scianectes macrophthalmus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 128 (*Ill. Zool. Investig. Fish.*, pl. 23, fig. 1).

*Holotype* : F 11721; S.W. of Akyab, 100 fms.; *R.I.M.S.* " *Investigator* " Coll.

## Family 76. PLEURONECTIDAE

395. *Brachypleura novaezeelandiae* Günther

1889. *Brachypleura xanthosticta* Alcock, *J. Asiat. Soc. Beng.*, 58(2), p. 281, pl. 17, fig. 3.

*Syntypes* (3) : F 12426 to F 12428; Bay of Bengal, off Orissa Coast, 25 fms., ii-iii. 1889; *R.I.M.S.* " *Investigator* " Coll.

396. *Poecilopsetta maculosa* Alcock

1894. *Poecilopsetta maculosa* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 130, pl. 7, fig. 1.

1899. *Poecilopsetta maculosa* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 127 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 1).

1894. *Poecilopsetta praelonga* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63 (2), p. 130, pl. 7, fig. 2.

1899. *Poecilopsetta praelonga* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 126 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 2).

*Holotype (maculosa)* : F 13732; Bay of Bengal, 145-250 fms., 30.i. 1894; *R.I.M.S.* " *Investigator* " Coll.

*Syntype (praelonga)* : F 61/1; S.W. of Ceylon, 180-217 fms., *R.I.M.S.* " *Investigator* " Coll.

397. *Samaris inornatus* Lloyd

1909. *Samaris inornatus* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 160.

*Syntypes* (2) : F 2401/1 & F 2402/1; Arabian sea, 20.xii.1905; *R.I.M.S.* " *Investigator* " Coll.

398. *Samariscus longimanus* Norman

1927. *Samariscus longimanus* Norman, *Rec. Indian Mus.*, Calcutta, 29, p. 46, pl. 7.

*Holotype* : F 10846/1; West of Ceylon, 102-105 fms.; *R.I.M.S.* " *Investigator* " Coll.

## Family 77. SOLEIDAE

399. *Aseraggodes cyaneus* (Alcock)

1890. *Solea cyanea* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 439.  
 1894. *Solea umbratilis* Alcock. *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 131.  
 1899. *Solea umbratilis* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 12  
 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 4).

*Syntype* (*cyanea*) : F 12918; Bay of Bengal, off Ganjam Coast, 33 fms., 17. i. 1890; R. I. M.S. "Investigator" Coll.

*Syntypes* (3) (*umbratilis*) : F 13616, F 13618 & F 13624; Bay of Bengal, 91-107 fms., 16. ii. 1894; R.I.M.S. "Investigator" Coll.

400. *Solea oculus* Alcock

1889. *Solea oculus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 285, pl. 18, fig. 3.

*Syntypes* (2) : F 12429 & F 12430; Bay of Bengal, Orissa Coast, 7 fms., 26. ii. 1889; R.I.M.S. "Investigator" Coll.

401. *Solea synapturoides* Jenkins

1910. *Solea synapturoides* Jenkins, *Mem. Indian Mus.*, Calcutta, 3, p. 28, pl. 3, figs. 4, 4a, 4b.

*Holotype* : F 3430/1; Bay of Bengal, off Ganjam Coast, 24-30 fms., 9-16.iii.1909; Bengal Fisheries "Golden Crown" Coll.

402. *Synaptura altipinnis* Alcock

1890. *Synaptura altipinnis* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 441.

*Holotype* : F 12917; Bay of Bengal, off Vizagapatam Coast, 25 fms; R.I.M.S. "Investigator" Coll.

## Family 78. CYNOGLOSSIDAE

403. *Aphoristia septemstriata* Alcock

1891. *Aphoristia septemstriata* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8 p. 125.  
 1899. *Aphoristia septemstriata* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 132 (*Ill. Zool. Investig. Fish.*, pl. 2, fig. 1).

*Syntype* (1) : F 13109; Andaman Sea, 188-220 fms., 9.xii.1890; R.I.M.S. "Investigator" Coll.

404. *Aphoristia trifasciata* Alcock

1894. *Aphoristia trifasciata* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 132.  
 1899. *Aphoristia trifasciata* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 133. (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 5).

*Syntypes* (10) : F 13611, F 13612, F 13598 to F 13602, F 13604 & F 13605; Bay of Bengal, 145-250 fms., 30.i. 1894; R.I.M.S. "Investigator" Coll.

405. *Aphoristia wood-masoni* Alcock

1889. *Aphoristia wood-masoni* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 294, pl. 17, fig. 1.

1899. *Aphoristia wood-masoni* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 131 (*Ill. Zool. Invest. Fish.*, pl. 16, fig. 4).

*Holotype* : F 11765; Andaman sea, 490 fms., 11-12. iv. 1888; *R.I.M.S.* "Investigator" Coll.

406. *Cynoglossus acinaces* Jenkins

1910. *Cynoglossus acinaces* Jenkins, *Rec. Indian Mus.*, Calcutta, 5, p. 130.

*Syntypes* (4) : F 4149/1; Morelgunge, Khulna dist., Bengal; 25.viii. 1909; *Bengal Fisheries Coll.*

407. *Cynoglossus brachycephalus* (Bleeker)

1878. *Cynoglossus brevirostris* Day, *Fish India*, London, p. 437, pl. 97, fig. 6.

*Holotype* : F 2690; Madras; *F. Day Coll.*

408. *Cynoglossus carpenteri* Alcock

1889. *Cynoglossus carpenteri* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 287, pl. 8, fig. 1.

1889. *Cynoglossus carpenteri* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 133 (*Ill. Zool. Investig. Fish.*, pl. 22, fig. 5).

*Syntypes* (2) : F 12433 & F 12423; Bay of Bengal, off Orissa Coast, 68 fms., 4.ii.1889; *R.I.M.S.* "Investigator" Coll.

409. *Cynoglossus deltae* Jenkins

1910. *Cynoglossus deltae* Jenkins, *Rec. Indian Mus.*, Calcutta, 5, p. 130.

*Syntypes* (2) : F 4150/1; Morelgunge, Khulna dist., Bengal; 25.viii. 1909; *R.I.M.S.* "Investigator" Coll.

410. *Cynoglossus intermedius* Alcock

1889. *Cynoglossus intermedius* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 288.

*Holotype* : F 12264; Bay of Bengal, off Orissa Coast, 7 fms., *R.I.M.S.* "Investigator" Coll.

411. *Cynoglossus praecisus* Alcock

1890. *Cynoglossus praecisus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 442 (*Ill. Zool. Investig. Fish.*, pl. 23, fig. 6).

*Syntype* (1) : F 12893; Bay of Bengal, off Ganjam Coast, 33 fms., 17.i.1890; *R.I.M.S.* "Investigator" Coll.

412. *Cynoglossus versicolor* Alcock

1890. *Cynoglossus versicolor* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6, p. 442 (*Ill. Zool. Investig. Fish.*, pl. 23, fig. 5).

*Holotype* : F 12895; Bay of Bengal, off Ganjam Coast, 11 fms., 9.1. 1890 ; R.I.M.S. " Investigator " Coll.

413. *Plagusia obscura* Jenkins

1910. *Plagusia obscura* Jenkins, *Rec. Indian Mus.*, Calcutta, 5, p. 134.

*Holotype* : F 1845/1; Karachi; W.D. Cumming Coll.

414. *Symphurus gilesii* (Alcock)

1889. *Aphoristia gilesii* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 58(2), p. 293, pl. 17, fig. 2.

1899. *Aphoristia gilesii* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 131, (*Ill. Zool. Investig. Fish.*, pl. 14, fig. 4).

*Holotype* : F 13630; Bay of Bengal, 210 fms., R.I.M.S. " Investigator " Coll.

Order 23. CHAUDHURIFORMES

Family 79. CHAUDHURIDAE

415. *Chaudhuria caudata* Annandale

1918. *Chaudhuria caudata* Annandale, *Rec. Indian Mus.*, Calcutta, 14, p. 41, pl. 1, fig. 1; pl. 4, figs. 1-10.

*Syntypes* (2): F 9402/1; Inle Lake, S. Shan States, alt. 3000 ft., N. Annandale Coll.

Order 24. MASTOCEMBELIFORMES

Family 80. MASTOCEMBELIDAE

416. *Mastocembelus armatus favus* Hora

1924. *Mastocembelus armatus* var. *favus* Hora, *Mem. Asiat. Soc. Beng.*, Calcutta, 6, p. 474, fig. 2.

*Holotype* : F 10340/1; from the mouth of the Patelung river near Lampaw, Siam; 12-16. i. 1916 ; N. Annandale Coll.

417. *Mastocembelus circumcinctus* Hora

1924. *Mastocembelus circumcinctus* Hora, *Mem. Asiat. Soc. Beng.*, Calcutta, 6, p. 475, fig. 3.

*Holotype* : F 10342/1; mouth of Patelung river in the inner portion of the Tale Sap; 12-16. i. 1916; N. Annandale Coll.

418. *Mastocembelus manipurensis* Hora

1921. *Mastocembelus manipurensis* Hora, *Rec. Indian Mus.*, Calcutta, 22, p. 206, pl. 9, fig. 3.

*Holotype* : F 13630/1; Khurda stream, a mile from Thanga, Manipur, Assam ; S. L. Hora Coll.

419. *Rhynchobdella dhanshorii* Hora

1921. *Rhynchobdella dhanshorii* Hora, *Rec. Indian Mus.*, Calcutta, 22, p. 205, pl. 9, figs. 2.

*Holotype* : F 9989/1; Dhanshori stream about a mile from Dinapur, Assam ; S. L. Hora Coll.

Order 25. TETRAODONTIFORMIDAE

Family 81. TETRAODONTIFORMES

420. *Halimochirurgus centriscoides* Alcock

1899. *Halimochirurgus centriscoides* Alcock, *Proc. Asiat. Soc. Beng.*, Calcutta, p. 78.

1899. *Halimochirurgus centriscoides* Alcock, *Cat. Ind. Deep. Sea Fish.*, Calcutta, p. 209 (*Ill. Zool. Investig. Fish.*, pl. 31, fig. 3).

*Holotype* : F 781/1; Gulf of Mannar, 143 fms., 22. iv. 1899; R.I.M.S. "Investigator" Coll.

421. *Triacanthodes ethiops* Alcock

1894. *Triacanthodes ethiops* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63(2), p. 137, pl. 7, fig. 6.

1899. *Triacanthodes ethiops* Alcock, *Cat. Ind. Deep Sea Fish*, Calcutta, p. 208 (*Ill. Zool. Investig. Fish.*, pl. 15, fig. 9).

*Holotype* : F 13709; Bay of Bengal, 145-250 fms., 30. i. 1894; R.I.M.S. "Investigator" Coll.

422. *Triacanthus weberi* Chaudhuri

1910. *Triacanthus weberi* Chaudhuri, *J. Asiat. Soc. Beng.*, Calcutta, 6, p. 497, pl. 32.

*Syntypes* (4) : F 3507/1, F 4078/1, F 4080/1 & F 4081/1; Bay of Bengal, off Gopalpur, Ganjam Coast ; *Bengal Fisheries "Golden Crown"* Coll.

*Syntypes* (3) : F 3511/1, F 4058/1 & F 4082/1; Arakan Coast, Burma ; Collector same as above.

*Syntype* (1) : F 4072/1; mouth of river Hooghly; Collector same as above.

Family 82. TETRAODONTIDAE

423. *Tetraodon (Monotretus) travancoricus* Hora & Nair

1941. *Tetraodon (Monotretus) travancoricus* Hora & Nair, *Rec. Indian Mus.*, Delhi, 43, p. 391, fig. 4.

*Holotype* : F 13601/1; River Rambha, Travancore; K. Bhaskaran Nair Coll.

*Paratypes* (9) : F 13601/1; data exactly as for holotype.

424. *Tropidichthys investigatoris* Annandale & Jenkins

1914. *Tropidichthys investigatoris* Annandale & Jenkins, *Mem. Indian Mus.*, Calcutta, 3, p. 16, pl. 1, fig. 4.

*Syntypes* (2) : F 436/1 & 437/1; Andaman sea, 55 fms., 14. iv. 1898; R.I.M.S. "Investigator" Coll.



## Order 26. LOPHIFORMES

## Family 83. LOPHIFORMEIDAE

425. *Lophiodes lugubris* (Alcock)

1894. *Lophius lugubris* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, p. 55 (*Ill. Zool. Investig. Fish.*, pl. 14, fig. 1).

*Holotype* : F 13467; 13½ miles N. 64° W. off Colombo Light House, 142-400 fms., 4.xii. 1893; *R.I.M.S.* "Investigator" Coll.

426. *Lophiomus setigerus* (Vahl)

1889. *Lophius indicus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, 58(2), p. 302.

1899. *Lophius iudicus* Alcock. *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 53. (*Ill. Zool. Investig. Fish.*, pl. 19, fig. 3).

*Syntypes* (2) : F 12450 & F 12451; Bay of Bengal, 5 miles S. of Ganjam Coast, 25-60 fms., 12. iii. 1889; *R.I.M.S.* "Investigator" Coll.

427. *Lophius gracilimanus* Alcock

1899. *Lophius gracilimanus* Alcock. *Cat. Ind. Deep Sea Fish.*, p. 54 (*Ill. Zool. Investig. Fish.*, pl. 29, fig. 3).

*Syntypes* (3) : F 488/1 to 490/1; Laccadive sea, off the Malabar Coast, 68-148 fms., 15.x.1898; *R.I.M.S.* "Investigator" Coll.

428. *Lophius mutilus* Alcock

1893. *Lophius mutilus* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 62(2), p. 179.

1899. *Lophius mutilus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 5 (*Ill. Zool. Investig. Fish.*, pl. 10, fig. 2).

*Holotype* : F 13438; Bay of Bengal, 128 fms., 1893; *R.I.M.S.* "Investigator" Coll.

429. *Lophius triradiatus* Lloyd

1909. *Lophius triradiatus* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 166.

*Holotype* : F 878/1; Laccadive sea, 259-360 fms., 17. i. 1900; *R.I.M.S.* "Investigator" Coll.

430. *Lophodolos indicus* Lloyd

1909. *Lophodolos indicus* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 167.

*Holotype* : F 1024/1; S. W. of Cape Comorin, 888 fms., 20. x. 1902; *R.I.M.S.* "Investigator" Coll.

## Family 84. CHAUNACIDAE

431. *Chaunax apus* Lloyd

1909. *Chaunax apus* Lloyd, *Mem. Indian Mus.*, Calcutta; 2, p. 169.

*Holotype* : F 2404/1; Bay of Bengal, off Akyab Coast, 250 fms., 1 i. 1908; *R.I.M.S.* "Investigator" Coll.

## Family 85. ONCOCEPHALIDAE

432. *Dibranchus micropus* Alcock

1891. *Dibranchus micropus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 25, pl. 7, figs. 2, 2a, 2b.

1899. *Dibranchus micropus* Alcock, *Cat. Ind. Deep Sea Fish., Calcutta*, p. 63 (*Ill. Zool. Investig. Fish.*, pl. 20, fig. 1).

*Syntypes* : F 13029 & F 13030; Bay of Bengal, 240 fms., 24.xii. 1890; *R.I.M.S.* "Investigator" Coll.

433. *Dibranchus nasutus* Alcock

1891. *Dibranchus nasutus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 24, pl. 7, fig. 1.

1899. *Dibranchus nasutus* Alcock, *Cat. Ind. Deep Sea Fish., Calcutta*, p. 63 (*Ill. Zool. Investig. Fish.*, pl. 20, fig. 2).

*Holotype* : F 13028; Andaman Sea, 188-220 fms., 9.xii. 1890; *R.I.M.S.* "Investigator" Coll.

434. *Halicmetus ruber* Alcock

1891. *Halicmetus ruber* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 27, pl. 8, fig. 1, 1a, 1b.

1899. *Halicmetus ruber* Alcock, *Cat. Ind. Deep Sea Fish., Calcutta*, p. 66 (*Ill. Zool. Investig. Fish.*, pl. 19, fig. 5).

*Syntypes* (2) : F 13025 & F 13026, Andaman Sea, 188-220 fms. 9. xii. 1890; *R.I.M.S.* "Investigator" Coll.

435. *Halieutaea coccinea* Alcock

1889. *Halieutaea coccinea* Alcock, *Ann. Mag. nat. Hist.*, London, (6)4, p. 382.

1899. *Halieutaea coccinea* Alcock, *Cat. Ind. Deep Sea Fish.*, pl. 61 (*Ill. Zool. Investig. Fish.*, pl. 19, fig. 1).

*Holotype* : F 11741; Andaman Sea, 7 miles south-east by south of Ross Island, 265 fms., *R.I.M.S.* "Investigator" Coll.

436. *Halieutaea fumosa* Alcock

1894. *Halieutaea fumosa* Alcock, *J. Asiat. Soc. Beng.*, Calcutta, 63 (2), p. 119.

1899. *Halieutaea fumosa* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 62 (*Ill. Zool. Investig. Fish.*, pl. 14, fig. 2).

*Syntype* (1) : F 13716; Bay of Bengal, 145-250 fms., 30.i. 1894; *R.I.M.S.* "Investigator" Coll.

437. *Halieutaea indica* Annandale & Jenkins

1910. *Halieutaea indica* Annandale & Jenkins, *Mem. Indian Mus.*; Calcutta, 3, p. 19, pl. 12, fig. 4.

*Syntypes* (8) : F 2207/1, F 4142/1 to F 4143/1, F 4145/1, F 2205/1, F 2206/1, F 3545/1 & F 4192/1; Bay of Bengal, off Orissa Coast; *Bengal Fisheries* "Golden Crown" Coll.

438. *Halieutaea nigra* Alcock

1891. *Halieutaea nigra* Alcock, *Ann. Mag. nat. Hist.*, London, (6)8, p. 24

1899. *Halieutaea nigra* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 60  
(*Ill. Zool. Investig. Fish.*, pl. 19, fig. 2).

*Holotype* : F 13027; Andaman Sea, 180-220 fms., 9.xii. 1890; *R.I.M.S.*  
“*Investigator*” Coll.

439. *Malthopsis luteus* Alcock

1891. *Malthopsis luteus* Alcock, *Ann. mag. nat. Hist.*, London, (6)8, p. 26,  
pl. 8, figs. 2, 2a.

1899. *Malthopsis luteus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta, p. 64  
(*Ill. Zool. Investig. Fish.*, pl. 19, fig. 4).

*Syntypes* (5) : F 13014 to F 13016, F 13018 & F 13021; Andaman  
Sea, 188-220 fms., 9.xii.1890 ; *R.I.M.S.* “*Investigator*” Coll.

440. *Malthopsis triangularis* Lloyd

1909. *Malthopsis triangularis* Lloyd, *Mem. Indian Mus.*, Calcutta, 2, p. 169.

*Syntypes* (2) : F 1121/1; & F 1125/1; Andaman sea, 279 fms., *R.I.M.S.*  
“*Investigator*” Coll.

## Family 86. ONEIRODIDAE

441. *Paroneiroides glomerosus* Alcock

1890. *Paroneiroides glomerosus* Alcock, *Ann. Mag. nat. Hist.*, London, (6)6,  
p. 206, pl. 9, fig. 6.

1899. *Paroneiroides glomerosus* Alcock, *Cat. Ind. Deep Sea Fish.*, Calcutta,  
p. 57 (*Ill. Zool. Investig. Fish.*, pl. 28, fig. 4).

*Holotype* : F 12840; Bay of Bengal, off Madras coast, lat. 15° 14'  
N., long. 81° 9' E., 1260 fms., 188-90; *R.I.M.S.* “*Investigator*” Coll.

## III—INDEX

A		A—contd.	
	PAGES		PAGES
<i>Abhoyai, Garra</i>	. 111	<i>Akysidae</i> . . . .	126
<i>Aborichthys</i>	119	<i>Akysis</i> . . . .	126
<i>Aborichthys elongatus</i>	119	<i>Akysis variegatus variegatus</i>	126
<i>Aborichthys garoensis</i>	119	<i>alcocki, Dasyatis (Himantura)</i>	97
<i>Aborichthys kempfi</i>	. 119	<i>alcocki, Dysalotus</i> . . . .	146
<i>acanthonotus, Nemichthys</i>	135	<i>alcocki, Proscyllium</i> . . . .	95
<i>Acentrogobius</i>	152	<i>alcocki, Trygon</i>	97
<i>Acentrogobius cyanomos</i>	152	<i>alepis, Prionotus</i>	156
<i>Acentrogobius globiceps</i>	152	<i>Alepocephalidae</i> . . . .	99
<i>acinaces, Cynoglossus</i>	160	<i>Alepocephalus</i> . . . .	99
<i>Acropoma</i> . . . .	143	<i>Alepocephalus blanfordi</i>	99
<i>Acropoma splendens</i>	143	<i>Alepocephalus edentulus</i>	99
<i>acuticephala, Danio (Brachydanio)</i>	107	<i>Alepocephalus macrops</i>	100
<i>acuticephalus, Noemacheilus</i>	121	<i>almorae, Labeo</i>	112
<i>adeni, Peristedion</i>	155	<i>alta, Nuria</i>	109
<i>adeni, Peristethus</i>	155	<i>altipinnis, Synaptura</i>	159
<i>adhesipinnis, Centridermichthys</i>	146	<i>altus, Esomus</i>	109
<i>adhesipinnis, Uranoscopus</i>	146	<i>Amblycepididae</i>	126
<i>Adiposia</i>	. 120	<i>Amblyceps</i>	126
<i>Adiposia macmahoni</i>	120	<i>Amblyceps horai</i>	126
<i>Adiposia rhadinaeus</i>	120	<i>Amblyopus</i>	152
<i>adiscus, Discognathus</i>	107	<i>Amblyopus arctocephalus</i>	152
<i>Aetomylaeus</i> . . . .	97	<i>Amblyotrypauchen</i>	152
<i>Aetomylaeus nieuhofi cornifera.</i>	97	<i>Amblyotrypauchen arctocephalus</i>	152
<i>affinis, Narcetes</i>	100	<i>Amblyotrypauchen fraseri</i>	152
<i>afghana, Noemacheilus griffithi</i> .	122	<i>Amblypharyngodon</i>	104
<i>ahli, Esomus</i>	108	<i>Amblypharyngodon saranensis</i>	104
<i>akhtari, Glyptosternum</i>	128	<i>Anabantidae</i> . . . .	151
<i>akhtari, Noemacheilus</i> . . . .	121	<i>analicarens, Syngnathus</i> . . . .	141
		<i>anamalaiensis, Glyptothorax</i>	128
		<i>andamanica, Raja</i> . . . .	96

III—INDEX—*contd.*

A— <i>contd.</i>	PAGES	A— <i>concl.</i>	PAGES
<i>andamanica, Raja</i>	96	<i>arenatus, Puntius</i>	115
<i>andamanicus, Raogobius</i>	153	<i>argenteum, Glyptophidium</i>	148
<i>andamensis, Eleotris</i>	151	<i>argyropastus, Physiculus</i>	. 137
<i>Andamia</i>	146	<i>Ariidae</i>	125
<i>Andamia raoi</i>	146	<i>Arius</i>	125
<i>andersonii, Exostoma</i>	127	<i>Arius satparanus</i>	125
<i>andersonii, Glaridoglanis</i>	127	<i>armenicum, Glyptosternum</i>	. 128
<i>anguilla, Noemacheilus</i>	121	<i>Arnoglossus</i>	156
<i>Anguilliformes</i>	132	<i>Arnoglossus brevirictis</i>	. 156
<i>anguilliformes, Halosaurus</i>	136	<i>Arnoglossus macrolophus</i>	157
<i>annandalei, Danio</i>	107	<i>Arnoglossus polylepis</i>	156
<i>annandalei, Diptychus</i>	108	<i>Arnoglossus tapeinosoma</i>	157
<i>annandalei, Engraulis</i>	99	<i>Aseraggodes</i>	159
<i>annandalei, Garra</i>	109	<i>Aseraggodes cyaneus</i>	159
<i>annandalei, Glyptothorax</i>	128	<i>atratus, Evermannella</i>	103
<i>annandalei, Lepidocephalichthys</i>	121	<i>atratus, Odontostomus</i>	. 103
<i>annandalei, Microphis</i>	140	<i>Aulastomatomorpha</i>	101
<i>annandalei, Thrissocles</i>	99	<i>Aulastomatomorpha phospherops</i>	101
<i>Aphoristia</i>	159	<i>aureus, Citharichthys</i>	157
<i>Aphoristia gilesii</i>	161	<i>auricoronae, Caranx</i>	144
<i>Aphoristia septemstriata</i>	159	<i>auropurpureus, Barilius</i>	. 106
<i>Aphoristia trifasciata</i>	. 159	<b>B</b>	
<i>Aphoristia woodmasoni</i>	160	<i>Bagridae</i>	. 125
<i>Apogonidae</i>	143	<i>baileyi, Oreinus</i>	. 113
<i>Apua</i>	. . . 120	<i>Balitora</i>	. . 118
<i>Apua fusca</i>	. . . 120	<i>Balitora brucei</i> var. <i>burmanicus</i>	118
<i>apus, Chaunax</i>	. . . 163	<i>baluchiorum, Scaphiodon</i>	. . 116
<i>arabica, Garra</i>	. . 109	<i>banardi, Ctenotrypauchen</i>	. . 153
<i>arctocephalus, Amblyopus</i>	152	<i>Barbus</i>	. . 104
<i>arctocephalus, Amblyotrypau-</i> <i>chen</i>	. . . 152	<i>Barbus arenatus</i>	. . 115
<i>arenatus, Barbus</i>	. . . 115	<i>Barbus belayewi</i>	. . 104
		<i>Barbus (Puntius) binduchitra</i>	. 116

## III—INDEX—contd.

B—contd.	PAGES	B—contd.	PAGES
<i>Barbus cauveriensis</i> .	104	<i>Bathyseriola cyanea</i> . .	143
<i>Barbus clevatus burtoni</i> .	105	<i>Bathypterois</i> .	103
<i>Barbus cogginii</i> .	105	<i>Bathypterois guentheri</i> .	103
<i>Barbus fraseri</i> .	105	<i>Bathypterois insularum</i> .	103
<i>Barbus jerdoni</i> var. <i>maciveri</i>	105	<i>Bathytroctes</i> .	100
<i>Barbus McClellandi</i> . .	105	<i>Bathytroctes squamosus</i> . .	100
<i>Barbus (Puntius) micropogon</i> sub. sp. <i>periyarensis</i>	105	<i>belayewi, Barbus</i> . . .	104
<i>Barbus narayani</i>	105	<i>belayewi, Petrus</i> . . .	145
<i>Barbus oatesii</i>	115	<i>belense (var.), Scaphiodon</i> <i>watsoni</i> .	117
<i>Barbus (Puntius) ophiocephalus</i>	106	<i>Beloniformes</i>	146
<i>Barbus sewelli</i>	106	<i>Bembropidae</i> . . .	145
<i>Barbus (Puntius) smithi</i>	106	<i>Bembrops</i> .	145
<i>Barilius</i> .	106	<i>Bembrops caudimacula</i>	145
<i>Barilius auropurpureus</i>	106	<i>Bembrops platyrhynchus</i>	145
<i>Barilius dogarsinghi</i>	106	<i>bengalensis, Thyrsites</i>	151
<i>barraeimiae, Garra</i>	109	<i>Bengalichthys</i>	98
<i>bascanichthys</i>	134	<i>Bengalichthys impennis</i>	98
<i>Bascanichthys deraniyagalai</i>	134	<i>Benthobatis</i>	98
<i>Batasio</i>	126	<i>Benthobatis moresbyi</i>	98
<i>Batasio travancoria</i>	126	<i>berdmorei, Botia</i> .	120
<i>Bathyclupea</i>	102	<i>berdmorie, Exostoma</i>	127
<i>Bathyclupea hoskynii</i>	102	<i>berdmorie, Syncrossus</i>	120
<i>Bathyclupeidae</i> .	102	<i>Bhanotia</i>	139
<i>Bathyclupeiformes</i> . .	102	<i>Bhanotia sewelli</i> .	139
<i>Bathygadus</i>	137	<i>bhattacharyae, Petrosirtes</i> .	147
<i>Bathygadus furvescens</i> .	137	<i>bhimachari, Noemacheilus</i> .	122
<i>Bathymyrus</i>	132	<i>binduchitra, Barbus (Puntius)</i>	116
<i>Bathymyrus echinorhynchus</i> .	132	<i>birdi, Botia</i> . .	120
<i>Bathyonus</i> .	147	<i>birostris, Manta</i> . . .	97
<i>Bathyonus glutinosus</i>	147	<i>birtwistlei, Gobiella</i> . .	153
<i>Bathyseriola</i>	143	<i>blanfordi, Alepocephalus</i> . .	99

III—INDEX—*contd.*

B— <i>contd.</i>	PAGES	B— <i>concl'd.</i>	PAGES
<i>blanfordi</i> , <i>Cyprinodon</i>	141	<i>browni</i> , <i>Danio</i>	107
<i>bleekeri</i> , <i>Pseudosciaena</i>	144	<i>brucei</i> , <i>Schizocypris</i>	117
<i>bleekeri</i> , <i>Sciaena</i>	144	<i>brunnea</i> , <i>Narcine</i>	. 98
<i>bleekeri</i> , <i>Synagris</i>	143	<i>brunneus</i> , <i>Otolithoides</i>	. 144
<i>Blennidae</i>	146	<i>brunneus</i> , <i>Otolithus</i>	. 144
<i>blockii</i> , <i>Panchax panchax</i>	. 142	<i>bucephalus</i> , <i>Dysomma</i>	. . 134
<i>blythi</i> , <i>Exostoma</i>	. . 130	<i>bucephalus</i> , <i>Scorpaena</i>	. 155
<i>blythi</i> <i>Macrones</i>	125	<i>buchanani</i> , <i>Taenioides</i>	154
<i>blythi</i> , <i>Myersglanis</i>	. . . 130	<i>burmanica</i> , <i>Channa</i>	. 142
<i>blythii</i> , <i>Mystus</i>	125	<i>burmanicus</i> , (var.), <i>Balitora</i>	
<i>Bothidae</i>	156	<i>brucei</i>	118
<i>Botia</i>	120	<i>burmanicus</i> , <i>Brachyamblyopus</i>	152
<i>Botia, berdmorei</i>	120	<i>burmanicus</i> , <i>Dermogenys</i>	136
<i>Botia birdi</i>	120	<i>burmanicus</i> , <i>Glyptothorax</i>	128
<i>Botia dayi</i>	120	<i>burmanicus</i> , <i>Lactarius</i>	143
<i>Botia histrionica</i>	120	<i>burmanicus</i> , <i>Salarias</i>	. 147
<i>Botia lohachata</i>	120	<i>burtoni</i> , <i>Barbus clevatus</i>	105
<i>Botia nebulosa</i>	120	C	
<i>Botia striata</i>	121	<i>caeruleostigma</i> , <i>Laubuca</i>	. 112
<i>Brachyamblyopus</i>	152	<i>calamara</i> , var., <i>Chrysophrys berda</i>	144
<i>Brachyamblyopus burmanicus</i>	152	<i>Callionymidae</i>	151
<i>brachycephalus</i> , <i>Cynoglossus</i>	160	<i>Callionymus</i>	151
<i>Brachypleura</i>	158	<i>Callionymus carebares</i>	. 151
<i>Brachypleura novaezeelandiae</i>	158	<i>Callionymus ornatipinnis</i>	. 151
<i>Brachypleura xanthosticta</i>	158	<i>Callogobius</i>	. . 152
<i>brachyrhynchus</i> , <i>Hippocampus</i>	140	<i>Callogobius seshaiyai</i>	. . 152
<i>brevidorsalis</i> , (var.), <i>Synpho-</i>		<i>Carangidae</i>	. . 143
<i>branchus pinnatus</i>	135	<i>Caranx auricoronae</i>	. . 144
<i>brevipinnis</i> , <i>Glyptothorax</i>	128	<i>Caranx guptae</i>	. . . 144
<i>brevirictis</i> , <i>Arnoglossus</i>	. . 156	<i>Carebares</i> , <i>Callionymus</i>	. . 151
<i>brevirostris</i> , <i>Cynoglossus</i>	. 160	<i>carinicauda</i> , <i>Halosaurichthys</i>	. 135
<i>Brotulidae</i>	. . . 147	<i>carpenteri</i> , <i>Cynoglossus</i>	. . 160
		<i>caudata</i> , <i>Chaudhuria</i>	. . . 161

## III—INDEX—contd.

C—contd.	PAGES	C—contd.	PAGES
<i>caudimacula, Bembrops</i>	. 145	<i>Chaudhuriformes</i>	. . . 161
<i>eauveriensis, Barbus</i>	. 104	<i>Chaunacidae</i>	. . . 163
<i>cavia, Glyptothorax</i>	. 128	<i>Chaunax</i>	. . . 163
<i>cavernosus, Hymenocephalus</i>	137	<i>Chaunax apus</i>	. . . 163
<i>Centridermichthys</i>	. . 146	<i>Chela</i>	. . . 106
<i>Centridermichthys adhestipinnis</i>	146	<i>Chela dadiburjori</i>	. . . 106
<i>centriscoides, Halimochirurgus</i>	162	<i>Chela (Allochela) fasciata</i>	. . 106
<i>Centrophorus</i>	96	<i>Chelidoperca</i>	. . 143
<i>Centrophorus rossi</i>	. 96	<i>Chelidoperca investigatoris</i>	. 143
<i>Centropogon</i>	154	<i>Chiasmodontidae</i>	. . 146
<i>Centropogon indicus</i>	. 154	<i>Chiasmodus</i>	. . . 145
<i>Centropristis</i>	. . 143	<i>Chiasmodus niger</i>	. . 145
<i>Centropristis investigatoris</i>	143	<i>chilkensis, Ophichthys</i>	. . 134
<i>Centroscyllium</i>	. . . 96	<i>chilkensis, Taenioides</i>	. 154
<i>Centroscyllium ornatum</i>	. 96	<i>Chlorophthalmus</i>	. . 103
<i>Ceratoptera</i>	97	<i>Chlorophthalmus corniger</i>	. . 103
<i>Ceratoptera orissa</i>	. . . 97	<i>choprae, Danio (Brachydanio)</i>	. 108
<i>Chaetodontidae</i>	. . . 145	<i>Chopraia</i>	. . . 118
<i>Channa</i>	. . . 142	<i>Chopraia rupicola</i>	. . 118
<i>Channa burmanica</i>	. . . 142	<i>chrysea, Rita</i>	. . . 125
<i>Chapra, Gudusia</i>	. . . 99	<i>Chrysophrys</i>	. . 144
<i>Chascanopsetta</i>	. . 157	<i>Chrysophrys berda calamara</i>	. 144
<i>Chascanopsetta lugubris</i>	. 157	<i>chuno, Gobiopterus</i>	. . . 153
<i>Chatoessus</i>	. . 98	<i>circumcinctus, Mastocembelus</i>	. 161
<i>Chatoessus modestus</i>	. 98	<i>Cirrhinus</i>	. . . 107
<i>chaudhurii, Garra</i>	. . 109	<i>Cirrhinus horai</i>	. . . 107
<i>chaudhurii, Glyptosternum</i>	. . 127	<i>cirrhosus, Semiplotus</i>	. . 118
<i>Chaudhuria</i>	. . . 161	<i>Citharichthys</i>	. . . 157
<i>Chaudhuria caudata</i>	. . . 161	<i>Citharichthys aureus</i>	. . . 157
<i>Chaudhuridae</i>	. . . 161	<i>Clariidae</i>	. . . 131



III—INDEX—contd.

C—contd.	PAGES	C—contd.	PAGES
<i>Clupeidae</i> . . . . .	98	<i>Crenidens indicus</i> . . . . .	145
<i>Clupeiformes</i> . . . . .	98	<i>Crossocheilus</i> . . . . .	107
<i>Clupisoma</i> . . . . .	131	<i>Crossocheilus diplochilus</i>	107
<i>Clupisoma prateri</i> . . . . .	131	<i>Cryptocentrus</i>	152
<i>Cobitidae</i> . . . . .	119	<i>Cryptocentrus leptocephalus</i>	152
<i>coccinea, Halieutaea</i>	164	<i>Cryptocentrus rubropunctatus</i>	152
<i>coccineus, Minous</i>	154	<i>Ctenogobius</i>	153
<i>Coelorhynchus</i>	137	<i>Ctenogobius cylindriceps</i>	153
<i>Coelorhynchus quadricristatus</i>	137	<i>Ctenogobius dentifer</i>	152
<i>cogginii, Barbus</i> . . . . .	105	<i>Ctenogobius globiceps</i>	152
<i>Coloconger</i>	132	<i>Ctenogobius minima</i> . . . . .	154
<i>Coloconger raniceps</i>	132	<i>Ctenotrypauchen</i>	153
<i>cometus, Gobius</i> . . . . .	153	<i>Ctenotrypauchen banardi</i>	153
<i>cometus, Obliquogobius</i>	153	<i>Culter</i> . . . . .	107
<i>Congromuraena</i>	132	<i>Cultrops siamensis</i>	107
<i>Congromuraena longicauda</i>	132	<i>cyanea, Solea</i>	159
<i>Congromuraena macrocerus</i> . . . . .	132	<i>cyanea, Bathyseriola</i>	143
<i>Congromuraena musteliceps</i>	132	<i>cyaneus, Aseraggodes</i>	159
<i>Congromuraena nasica</i>	132	<i>cyanomos, Acentrogobius</i>	152
<i>Congromuraena squaliceps</i>	133	<i>cyclograptus, Taeniolabrus</i> . . . . .	166
<i>conjugator, Neobythites (Mono-</i> <i>mitopus)</i>	149	<i>cylindriceps, Ctenogobius</i>	153
<i>cornifera, Aetomylaeus</i> <i>nieuhofii</i> . . . . .	97	<i>cylindriceps, Oligolepis</i> . . . . .	153
<i>cornifera, (var.), Myliobatis</i> <i>nieuhofii</i> . . . . .	97	<i>Cynoglossidae</i> . . . . .	159
<i>corniger, Chlorophthalmus</i>	103	<i>Cynoglossus</i> . . . . .	160
<i>corythaeolum, Diplophos</i>	101	<i>Cynoglossus acinaces</i> . . . . .	160
<i>corythaeolum, Yarella</i> . . . . .	101	<i>Cynoglossus brachycephalus</i> . . . . .	160
<i>crassiceps, Uranoscopus</i> . . . . .	146	<i>Cynoglossus brevirostris</i> . . . . .	160
<i>Cremdens</i> . . . . .	145	<i>Cynoglossus carpenteri</i> . . . . .	160
		<i>Cynoglossus deltae</i> . . . . .	160
		<i>Cynoglossus intermedius</i> . . . . .	160
		<i>Cynoglossus praecisus</i> . . . . .	160

## III—INDEX—contd.

C—concl'd.	PAGES	D—cont'd.	PAGES
<i>Cynoglossus versicolor</i>	160	<i>denisonii, Puntius</i>	115
<i>Cyprinidae</i>	104	<i>dentifer, Ctenogobius</i>	152
<i>Cypriniformes</i>	104	<i>deraniyagalai, Bascanichthys</i>	134
<i>Cyprinus</i>	107	<i>Dermatorus</i>	147
<i>Cyprinus carpio</i> var. <i>intha</i>	107	<i>Dermatorus melanocephalus</i>	147
<i>Cyprinodon</i>	141	<i>Dermatorus trichiurus</i>	148
<i>Cyprinodon blanfordi</i>	141	<i>Dermogenys</i>	136
<i>Cyprinodon persicus</i>	141	<i>Dermogenys burmanicus</i>	136
<i>Cyprinodon pluristriatus</i>	141	<i>deterrai, Noemacheilus</i>	122
<i>Cyprinodontidae</i>	141	<i>dhanshorii, Rhynchobdella</i>	161
<i>Cyprinodontiformes</i>	141	<i>Dibranchus</i>	164
<b>D</b>		<i>Dibranchus micropus</i>	164
<i>dadyburjori, Chela,</i>	106	<i>Dibranchus nasutus</i>	164
<i>dadyburjori, Laubuca</i>	106	<i>Dinematichthys</i>	147
<i>Danio</i>	107	<i>Dinematichthys piger</i>	147
<i>Danio (Brachydanio) acuticephala</i>	107	<i>Diplacanthopoma</i>	148
<i>Danio annandalei</i>	107	<i>Diplacanthopoma raniceps</i>	148
<i>Danio browni</i>	107	<i>Diplacanthopoma ravers-ander-sonii</i>	148
<i>Danio (Brachydanio) choprae</i>	108	<i>Diplacanthopoma squamiceps</i>	148
<i>Danio feegradei</i>	108	<i>diplochilus, Crossocheilus</i>	107
<i>Danio naganensis</i>	108	<i>Diplophos</i>	101
<i>Danio (Brachydanio) shanensis</i>	108	<i>Diplophos corythaeolum</i>	101
<i>Danio (Brachydanio) sondhii</i>	108	<i>Diplophysa</i>	121
<i>Dasyatis</i>	97	<i>Diplophysa stewarti</i>	121
<i>Dasyatis (Himantura) alcocki</i>	97	<i>Diptychus</i>	108
<i>Dasyatis (Himantura) favus</i>	97	<i>Diptychus annandalei</i>	108
<i>Dasyatis (Amphotistiuis) microps</i>	97	<i>Discognathus</i>	107
<i>daukesi, Scaphiodon</i>	117	<i>Discognathus adiscus</i>	107
<i>dayi, Botia</i>	120	<i>Discognathus elegans</i>	110
<i>dayi, Rohtee</i>	116	<i>Discognathus gravely</i>	109
<i>deitae, Dynoglossus</i>	160		
<i>denisonii, Labeo</i>	115		

## III—INDEX—contd.

D—concl'd.	PAGES	E—cont'd.	PAGES
<i>Discognathus phryne</i>	111	<i>Engraulis kempi</i> . . . . .	99
<i>disparis</i> , <i>Parhomaloptera</i>	119	<i>Engraulis rambhae</i> . . . . .	99
<i>dogarsinghi</i> , <i>Barilius</i>	106	<i>Epibulus</i> . . . . .	145
<i>Dorichthys</i>	140	<i>Epibulus striatus</i> . . . . .	145
<i>Dorichthy dunckeri</i>	140	<i>Erethistoides</i> . . . . .	127
<i>Dorichthys heraldi</i>	140	<i>Erethistoides montana</i>	127
<i>Dorichthys insularis</i>	140	<i>Erethistoides montana pipri</i>	127
<i>Dorichthys ocellatus</i>	140	<i>erostris</i> , <i>Parascorpaena</i>	155
<i>dunckeri</i> , <i>Dorichthys</i>	140	<i>erostris</i> , <i>Scorpaena</i> . . . . .	155
<i>Dysalotus</i> . . . . .	146	<i>Esomus</i> . . . . .	108
<i>Dysalotus alcocki</i> . . . . .	146	<i>Esomus ahli</i> . . . . .	108
<i>Dysominidae</i>	134	<i>Esomus aitus</i>	109
<i>Dysomma</i> . . . . .	134	<i>ethiops</i> , <i>Triacanthodes</i>	162
<i>Dysomma bucephalus</i>	134	<i>ethelwynnae</i> , <i>Garra</i>	109
<i>Dysommopsis</i> . . . . .	134	<i>Euchiloglanis</i>	127
<i>Dysommopsis mucipara</i>	134	<i>Euchiloglanis hodgarti</i>	127
<b>E</b>		<i>Euglyptosternum</i>	128
<i>echinorhynchus</i> , <i>Bathymyrus</i>	132	<i>Euglyptosternum lineatum</i>	128
<i>edentulus</i> , <i>Alepocephalus</i>	99	<i>Evermannella</i>	103
<i>Ehirava</i> . . . . .	98	<i>Evermannella atratus</i> . . . . .	103
<i>Ehirava fluviatilis</i>	98	<i>Evermanellidae</i>	103
<i>Elasmobranchii</i>	95	<i>Exostoma</i>	127
<i>elegans</i> , <i>Discognathus</i>	110	<i>Exostoma andersoii</i>	127
<i>Eleotridae</i>	151	<i>Exostoma berdmorei</i>	127
<i>Eleotris</i>	151	<i>Exostoma blythi</i>	130
<i>Eleotris andamensis</i> . . . . .	151	<i>Exostoma stoliczkae</i>	128
<i>elongatus</i> , <i>Aborichthys</i> . . . . .	119	<i>Exostomus stuarti</i> . . . . .	127
<i>elongatus</i> , <i>Stomias</i> . . . . .	101	<i>Exostoma vinciguerrae</i>	127
<i>emanueli</i> , <i>Pygidium emanueli</i> . . . . .	131	<b>F</b>	
<i>Engraulidae</i> . . . . .	99	<i>fasciata</i> , <i>Chela</i> ( <i>Allochela</i> ) . . . . .	106
<i>Engraulis</i> . . . . .	99	<i>favus</i> , <i>Dasyatis</i> ( <i>Himantura</i> ) . . . . .	97
<i>Engraulis annandylsi</i> . . . . .	99	<i>favus Mastoeembelus</i>	
		<i>armatus</i> . . . . .	161

## III—INDEX—contd.

F—contd.	PAGES	G—contd.	PAGES
<i>favus, Trygon</i> . . . . .	97	<i>Garra persica</i> . . . . .	111
<i>feegradei, Danio</i> . . . . .	108	<i>Garra platycephala</i> . . . . .	110
<i>flabellispinnis, Macrurus</i> . . . . .	138	<i>Garra prashadi</i> . . . . .	110
<i>flavofasciata, Vaillantella</i> . . . . .	125	<i>Garra rossica</i> . . . . .	111
<i>fluviatilis, Ehirava</i> . . . . .	98	<i>Garra rufa obtusa</i> . . . . .	111
<i>fragilis, Lamprogrammus</i> . . . . .	149	<i>Garra rupecula</i> . . . . .	111
<i>fragilis, Micrapocryptes</i> . . . . .	153	<i>Garra salweenica</i> . . . . .	111
<i>fraseri, Amblyotrypauchen</i> . . . . .	152	<i>garra, Sicyopterus</i> . . . . .	154
<i>fraseri, Barbus</i> . . . . .	105	<i>Gasterosteiformes</i> . . . . .	139
<i>fumosa, Halieutaea</i> . . . . .	164	<i>Gavialiceps</i> . . . . .	135
<i>furvescens, Bathygadus</i> . . . . .	137	<i>Gavialiceps microps</i> . . . . .	135
<i>fusca, Apua</i> . . . . .	120	<i>Gempylidae</i> . . . . .	151
<b>G</b>		<i>gigas, Nannocapichthys</i> . . . . .	141
<i>Gadiformes</i> . . . . .	137	<i>gilesii, Aphoristia</i> . . . . .	161
<i>garoensis, Aborichthys</i> . . . . .	119	<i>gilesii, Symphurus</i> . . . . .	161
<i>Garra</i> . . . . .	109	<i>Glaridoglanis</i> . . . . .	127
<i>Garra abhoyai</i> . . . . .	111	<i>Glaridoglanis andersonii</i> . . . . .	127
<i>Garra annandalei</i> . . . . .	109	<i>globiceps, Acentrogobius</i> . . . . .	152
<i>Garra arabica</i> . . . . .	109	<i>globiceps, Ctenogobius</i> . . . . .	152
<i>Garra barraeimiae</i> . . . . .	109	<i>glomerosus, Paroneirodes</i> . . . . .	165
<i>Garra chaudhuri</i> . . . . .	109	<i>glutinosus, Bathyonus</i> . . . . .	147
<i>Garra ethelwynnae</i> . . . . .	109	<i>Glyptophidium</i> . . . . .	148
<i>Garra gotyla gotyla</i> . . . . .	109	<i>Glyptophidium argenteum</i> . . . . .	148
<i>Garra gravelyi</i> . . . . .	109	<i>Glyptophidium macropus</i> . . . . .	148
<i>Garra hughi</i> . . . . .	110	<i>Glyptosternum</i> . . . . .	129
<i>Garra jenkinsonianum</i> . . . . .	110	<i>Glyptosternum akhtari</i> . . . . .	126
<i>Garra jerdoni</i> . . . . .	110	<i>Glyptosternum armenicum</i> . . . . .	126
<i>Garra kempi</i> . . . . .	110	<i>Glyptosternum chaudhuri</i> . . . . .	127
<i>Garra lamta</i> . . . . .	110	<i>Glyptosternum hodgarti</i> . . . . .	127
<i>Gorra McClellandi</i> . . . . .	110	<i>Glyptosternum madraspatanum</i> . . . . .	129
<i>Garra monti-salsa</i> . . . . .	109	<i>Glyptosternum reticulatum</i> . . . . .	128
<i>Garra mullya</i> . . . . .	110	<i>Glyptosternum saisii</i> . . . . .	130
<i>Garra nasuta</i> . . . . .	111		

III—INDEX—contd.

G—contd.	PAGES	G—concl'd.	PAGES
<i>Glyptosternum stuarti</i>	127	<i>Gonialosa modesta</i>	98
<i>Glyptothorax</i>	128	<i>Gonostomidae</i>	101
<i>Glyptothorax anamalaiensis</i>	128	<i>gotyla, Garra gotyla</i>	109
<i>Glyptothorax annandalei</i>	128	<i>gracilimanus, Lophius</i>	103
<i>Glyptothorax brevipinnis</i>	128	<i>gravelyi, Discognathus</i>	109
<i>Glyptothorax burmanicus</i>	128	<i>gravelyi, Garra</i>	109
<i>Glyptothorax cavia</i>	128	<i>Gudusia</i>	99
<i>Glyptothorax conirostre poonaensis</i>	129	<i>Gudusia chapra</i>	99
<i>Glyptothorax horai</i>	129	<i>guentheri, Bathypterois</i>	103
<i>Glyptothorax kashmirensis</i>	129	<i>guentheri, Laeops</i>	137
<i>Glyptothorax madraspatanum</i>	129	<i>guentheri, Scopelarchus</i>	102
<i>Glyptothorax sinense manipurensis</i>	130	<i>guentheri, Xenodermichthys</i>	100
<i>Glyptothorax platypogonoides</i>	129	<i>guptae, Caranx</i>	144
<i>Glyptothorax prashadi</i>	129	<i>Gymnapogon</i>	143
<i>Glyptothorax ribeiroi</i>	129	<i>Gymnapogon japonicus</i>	143
<i>Glyptothorax saisii</i>	130	<i>Gymnocypris</i>	111
<i>Glyptothorax shawi</i>	130	<i>Gymnocypris hobsonii</i>	111
<i>Glyptothorax siamensis</i>	129	<i>Gymnocypris waddellii</i>	111
<i>Glyptothorax trewavasae</i>	130	<b>H</b>	
<i>Glyptothorax trilineatus</i>	130	<i>Halicometus</i>	164
<i>Glyptothorax tuberculatus</i>	130	<i>Haliometus ruber</i>	164
<i>Gobiella</i>	153	<i>Haliutaea</i>	164
<i>Gobiella birtwistlei</i>	153	<i>Haliutaea coccinea</i>	164
<i>Gobiidae</i>	152	<i>Haliutaea fumosa</i>	164
<i>Gobiopterus</i>	153	<i>Haliutaea indica</i>	164
<i>Gobiopterus chuno</i>	153	<i>Haliutaea nigra</i>	165
<i>Gobius</i>	153	<i>Halimochirurgus</i>	162
<i>Gobius cometus</i>	153	<i>Halimochirurgus centriscoides</i>	162
<i>Gobius ostreicola</i>	153	<i>Halosaurichthys</i>	133
<i>Gonialosa</i>	98	<i>Halosaurichthys carinicauda</i>	135
		<i>Halosaurichthys nigerrimus</i>	135
		<i>Halosauridae</i>	135

## III—INDEX—contd.

H—contd.	PAGES	H—concl'd.	PAGES
<i>Halosauriformes</i> . . .	135	<i>Holacanthus alternans</i> var. <i>meleagris</i> . . .	145
<i>Halosaurus</i> . . .	136	<i>Homaloptera</i> . . .	118
<i>Halosaurus anguilliformes</i> . . .	136	<i>Homaloptera leonardi</i> . . .	118
<i>Halosaurus hoskynii</i> . . .	136	<i>Homaloptera rupicola</i> . . .	118
<i>Halosaurus parvipennis</i> . . .	136	<i>Homaloptera smithi</i> . . .	118
<i>Haplogenyis</i> . . .	133	<i>Homaloptera weberi</i> . . .	118
<i>Haplogenyis petersi</i> . . .	133	<i>homaloptera, Psilorhynchus</i> . . .	114
<i>Harpodon</i> . . .	102	<i>Homalopteridae</i> . . .	118
<i>Harpodon squamosus</i> . . .	102	<i>Horaglanis</i> . . .	131
<i>hemingi, Photichthys</i> . . .	101	<i>Horaglanis krishnai</i> . . .	131
<i>hemingi, Triplophos</i> . . .	101	<i>horai, Amblyceps</i> . . .	126
<i>Hemiramphidae</i> . . .	136	<i>horai, Chela</i> . . .	114
<i>hendersoni, Lissochilus</i> . . .	113	<i>horai, Cirrhinus</i> . . .	107
<i>henshawi, Labeo</i> . . .	112	<i>horai, Glypto:horax</i> . . .	129
<i>Heptocara</i> . . .	149	<i>horai, Hippocampus</i> . . .	140
<i>Heptocara simum</i> . . .	149	<i>horai, Noemacheilus</i> . . .	122
<i>heraldi, Dorichthys</i> . . .	140	<i>horai, Oxygaster</i> . . .	114
<i>Heterolepis, Macrurus</i> . . .	137	<i>Horaichthys</i> . . .	141
<i>hextii, Tauredophidium</i> . . .	100	<i>Horaichthys setnai</i> . . .	141
<i>Hippocampus</i> . . .	140	<i>Horalabiosa</i> . . .	142
<i>Hippocampus brachyrhynchus</i> . . .	140	<i>Horalabiosa joshuai</i> . . .	142
<i>Hippocampus horai</i> . . .	140	<i>hoskynii, Bathyclupea</i> . . .	102
<i>hishni, Mugil (Liza)</i> . . .	142	<i>hoskynii, Halosaurus</i> . . .	136
<i>hispidum, Scyliorhinus (Halaelurus)</i> . . .	95	<i>hoskynii, Macrurus</i> . . .	138
<i>hispidum, Scyllium</i> . . .	95	<i>hughi, Garra</i> . . .	110
<i>histrionica, Botia</i> . . .	120	<i>hutchinsoni, Noemacheilus</i> . . .	122
<i>hobsonii, Gymnocypris</i> . . .	111	<i>Hymenocephalus cavernosus</i> . . .	137
<i>hodgarti, Euchiloglanis</i> . . .	127	I	
<i>hodgarti, Glyptosternum</i> . . .	127	<i>impennis, Bengalichthys</i> . . .	98
<i>hodgarti, Moringua</i> . . .	133	<i>indica, Halieutaea</i> . . .	164
<i>Holacanthus</i> . . .	145		

III—INDEX—contd.

I—contd.	PAGES	J—contd.	PAGES
<i>indica, Kali</i> . . .	146	<i>Johnius</i> . . .	144
<i>indicus, Centropogon</i> . . .	154	<i>Johnius osseus</i> . . .	144
<i>indicus, Crenidens</i> . . .	145	<i>jonesi, Travancoria</i> . . .	119
<i>indicus, Lophius</i> . . .	163	<i>joshuai, Horalabiosa</i> . . .	141
<i>indicus, Lophodolos</i> . . .	163	<b>K</b>	
<i>indicus, Notacanthus</i> . . .	136	<i>Kali</i> . . .	146
<i>indicus, Saurus</i> . . .	102	<i>Kali indica</i> . . .	146
<i>indicus, Synodus</i> . . .	102	<i>kangjupkhulensis, Noemacheilus</i>	122
<i>Indostomidae</i> . . .	139	<i>kangrae, Noemacheilus</i> . . .	122
<i>Indostomus</i> . . .	139	<i>kashmirensis, Glyptothorax</i> . . .	129
<i>Indostomus paradoxus</i> . . .	139	<i>kashmirensis, Noemacheilus</i> . . .	123
<i>inermis, Minous</i> . . .	154	<i>kempi, Aborichthys</i> . . .	119
<i>inglisi, Noemacheilus rupecola</i> . . .	124	<i>kempi, Engraulis</i> . . .	9
<i>inornatus, Samaris</i> . . .	158	<i>kempi, Garra</i> . . .	114
<i>insularis, Dorichthys</i> . . .	140	<i>kempi, Olyra</i> . . .	131
<i>insularum, Bathypterois</i> . . .	103	<i>kempi, Thrissocles</i> . . .	99
<i>intermedius, Cynoglossus</i> . . .	160	<i>khavalchor, Neotropius</i> . . .	131
<i>intha Cyprinus carpio</i> . . .	107	<i>kobonensis (var.), Rasbora</i>	116
<i>investigatoris, Centropristis</i> . . .	143	<i>ra. bora</i> . . .	116
<i>investigatoris, Chelidoperca</i> . . .	143	<i>krishnai, Horaglanis</i> . . .	131
<i>investigatoris, Pentachus (Parapristis)</i> . . .	95	<i>kunki, Labeo</i> . . .	112
<i>investigatoris, Peristedion</i> . . .	156	<b>L</b>	
<i>investigatoris, Peristethus</i> . . .	156	<i>Labeo</i> . . .	112
<i>investigatoris, Syngnathus</i> . . .	141	<i>Labeo almorae</i> . . .	112
<i>investigatoris, Tropicichthys</i> . . .	162	<i>Labeo denisonii</i> . . .	115
<b>J</b>		<i>Labeo henschawi</i> . . .	112
<i>aponicus, Gymnapogon</i> . . .	143	<i>Labeo kunki</i> . . .	112
<i>jenkinsonianum, Garra</i> . . .	110	<i>Labeo melanomnyx</i> . . .	115
<i>jerdoni, Garra</i> . . .	110	<i>Labeo rilli</i> . . .	112
<i>johannis-davisi, Raja</i> . . .	96	<i>Labeo tezpurenensis</i> . . .	112
		<i>Labeo yunnanensis</i> . . .	112

## III—INDEX—contd.

L—contd.	PAGES	L—concl.	PAGES
<i>Labridae</i> . . . . .	145	<i>Lissochilus hendersoni</i> . . . . .	113
<i>Lactariae</i> . . . . .	143	<i>lohachata, Botia</i> . . . . .	120
<i>Lactarius</i> . . . . .	143	<i>longicauda, Congromuraena</i> . . . . .	132
<i>Lactarius burmanicus</i> . . . . .	143	<i>longimanus, Samariscus</i> . . . . .	158
<i>Laeops</i> . . . . .	157	<i>longipiñnis, var. Lepidotrigla</i> <i>spiloptera</i> . . . . .	155
<i>Laeops guentheri</i> . . . . .	157	<i>Lophiidae</i> . . . . .	163
<i>Laeops nigrescens</i> . . . . .	157	<i>Lophiformes</i> . . . . .	163
<i>lugubris, Lophius</i> . . . . .	163	<i>Lophiomus</i> . . . . .	163
<i>Laguvia</i> . . . . .	129	<i>Lophiomus setigerus</i> . . . . .	163
<i>Laguvia ribeiroi</i> . . . . .	129	<i>Lophius</i> . . . . .	163
<i>Laguvia shawi</i> . . . . .	130	<i>Lophius gracilimanus</i> . . . . .	163
<i>Lamniörmes</i> . . . . .	95	<i>Lophius indicus</i> . . . . .	163
<i>Lampanyctus</i> . . . . .	103	<i>Lophius lugubris</i> . . . . .	163
<i>Lampanyctus pyrso bolus</i> . . . . .	103	<i>Lophius mutilus</i> . . . . .	163
<i>Lamprogrammus</i> . . . . .	149	<i>Lophius triradiatus</i> . . . . .	163
<i>Lamprogrammus fragilis</i> . . . . .	149	<i>Lophodolos</i> . . . . .	163
<i>Lamprogrammus niger</i> . . . . .	149	<i>Lophodolos indicus</i> . . . . .	163
<i>lamta, Garra</i> . . . . .	110	<i>lophotes, Macrurus</i> . . . . .	138
<i>Laubuca</i> . . . . .	112	<i>lugubris, Chascanopse tta</i> . . . . .	157
<i>Laubuca casruleostigma</i> . . . . .	112	<i>juteus, Malthopsis</i> . . . . .	165
<i>Laubuca daüyburjori</i> . . . . .	106	<b>M</b>	
<i>leonardi, Homaloptera</i> . . . . .	118	<i>maciveri (var.), Barbus jerdoni</i> . . . . .	105
<i>Lepidocephalichthys</i> . . . . .	121	<i>mackenziei, Nemachilus</i> . . . . .	123
<i>Lepidocephalichthys annandalei</i> . . . . .	121	<i>macmahoni, Adiposia</i> . . . . .	120
<i>Lepidopygopsis</i> . . . . .	113	<i>macmahoni, Noemacheilus</i> . . . . .	120
<i>Lepidopygopsis typus</i> . . . . .	113	<i>macmahoni, Scaphiodon</i> . . . . .	117
<i>Lepidotrigla</i> . . . . .	155	<i>macrocerus, Congromuraena</i> . . . . .	132
<i>Lepidotrigla spiloptera var. longi-</i> <i>pinnis</i> . . . . .	155	<i>macrolophus Arnoglossus</i> . . . . .	157
<i>leptocephalus, Cryptocentrus</i> . . . . .	152	<i>macrolophus, Macrurus</i> . . . . .	138
<i>lineatum, Euglyptosternum</i> . . . . .	128	<i>Macrones</i> . . . . .	125
<i>Lissochilus</i> . . . . .	113	<i>Macrones blythi</i> . . . . .	125



III—INDEX—*contd.*

M— <i>contd.</i>	PAGES	M— <i>contd.</i>	PAGES
<i>Macrones merianiensis</i>	126	<i>Mastocembelidae</i> . . .	161
<i>Macrones pulcher</i>	126	<i>Mastocembeliformes</i> . . .	161
<i>macrophthalmus, Scianectes</i>	158	<i>Mastocembelus</i> . . .	161
<i>macrops, Alepocephalus</i>	100	<i>Mastocembelus armatus</i> var. <i>favus</i> . . .	161
<i>macropus, Glyptophidium</i>	148	<i>Mastocembelus circumcinctus</i> . . .	161
<i>macrura, Pterois</i>	155	<i>Mastocembelus manipurensis</i> . . .	161
<i>Macruridae</i> . . .	137	<i>mcClellandi, Barbus</i> . . .	105
<i>Macruriformes</i>	137	<i>mcClellandi, Garra</i> . . .	110
<i>Macrurus</i> . . .	137	<i>melanampyx, Labeo</i> . . .	115
<i>Macrurus flabellispinnis</i> . . .	138	<i>melanampyx, Puntius</i> . . .	115
<i>Macrurus heterolepis</i>	137	<i>melanocephalus, Dermatorus</i> . . .	147
<i>Macrurus h�skynii</i>	138	<i>meieagris</i> var. <i>Holacanthus</i> <i>alternans</i> . . .	145
<i>Macrurus lophotes</i>	138	<i>Manta</i> . . .	97
<i>Macrurus macrolophus</i> . . .	138	<i>Manta birostris</i> . . .	97
<i>Macrurus patersonii</i> . . .	139	<i>merianiensis, Macrones</i> . . .	126
<i>Macrurus polylepis</i> . . .	138	<i>merianiensis, Mystus</i> . . .	126
<i>Macrurus pumiliceps</i>	139	<i>Micrapocryptes</i> . . .	153
<i>Macrurus quadricristatus</i>	137	<i>Micrapocryptes fragilis</i> . . .	153
<i>Macrurus semiquincunciatus</i>	139	<i>microcephalus, Ophichthys</i> . . .	134
<i>Macrurus wood-masoni</i>	139	<i>microcephalus, Sicyopterus</i>	154
<i>maculosa, Poecilopsetta</i>	158	<i>micrognathus, Pseudorhombus</i> . . .	157
<i>maculatus, Saccogaster</i>	150	<i>Microphis</i> . . .	140
<i>madraspatanum, Glyptosternum</i>	129	<i>Microphis annandalei</i> . . .	140
<i>madraspatanum, Glyptothorax</i>	129	<i>microps, Dasyatis (Amphotistius)</i>	97
<i>malayensis, Puntius leiacanthus</i>	115	<i>microps, Gavialiceps</i> . . .	135
<i>Malthopsis</i>	165	<i>microps, Trygon</i> . . .	97
<i>Malthopsis luteus</i>	165	<i>micropus, Dibranchus</i> . . .	164
<i>Malthopsis triangularis</i>	165	<i>Microrasbora</i> . . .	113
<i>manipurensis, Glyptothorax</i> <i>sinense</i>	130	<i>Microrasbora rubscens</i> . . .	113
<i>manipurensis, Mastocembelus</i>	161	<i>minima, Ctenogobius</i> . . .	154
<i>marginatus, Nemipterus</i>	143		

## III—INDEX—contd.

M—contd.	PAGES	M—concl.	PAGES
<i>minima</i> , <i>Stigmatogobius</i> . . .	154	<i>Myctophum</i> . . . . .	104
<i>Minous</i> . . . . .	154	<i>Myctophum pterotum</i> . . . . .	104
<i>Minous coccineus</i> . . . . .	154	<i>Myersglanis</i> . . . . .	130
<i>Minous inermis</i> . . . . .	154	<i>Myersglanis blythi</i> . . . . .	130
<i>mirus</i> , <i>Platytrictogen</i> . . . . .	100	<i>Myliobatidae</i> . . . . .	97
<i>modesta</i> , <i>Gonialosa</i> . . . . .	98	<i>Myliobatus</i> . . . . .	97
<i>modestus</i> , <i>Chatoessus</i> . . . . .	98	<i>Myliobatus nieuhofii corni- fera</i> . . . . .	97
<i>modestus</i> , <i>Semiplotus</i> . . . . .	118	<i>Mystus</i> . . . . .	125
<i>molesworthi</i> , <i>Oreinus</i> . . . . .	113	<i>Mystus blythii</i> . . . . .	125
<i>monilis</i> , <i>Nemachilu</i> : . . . . .	123	<i>Mystus merianiensis</i> . . . . .	126
<i>montana</i> , <i>Erethistoides</i> . . . . .	127	<i>Mystus pulcher</i> . . . . .	126
<i>monti-salsa</i> , <i>Garra</i> . . . . .	109	N	
<i>moresbyi</i> , <i>Benthobatis</i> . . . . .	98	<i>naganensis</i> , <i>Danio</i> . . . . .	108
<i>Moridae</i> . . . . .	137	<i>Nannocapichthys</i> . . . . .	141
<i>Moringua</i> . . . . .	133	<i>Nannocapichthy gigass</i> . . . . .	141
<i>moringua hodgarti</i> . . . . .	133	<i>narayani</i> , <i>Barbus</i> . . . . .	105
<i>mucipara</i> , <i>Dysommopsis</i> . . . . .	134	<i>Narcetes</i> . . . . .	100
<i>muciparus</i> , <i>Sebastes</i> . . . . .	155	<i>Narcetes affinis</i> . . . . .	100
<i>Mugil</i> . . . . .	142	<i>Narcine</i> . . . . .	98
<i>Mugil (Liza) hishni</i> . . . . .	142	<i>Narcine brunnea</i> . . . . .	98
<i>Mugilidae</i> . . . . .	142	<i>nasica</i> , <i>Congromuraena</i> . . . . .	132
<i>Mugiliformes</i> . . . . .	142	<i>nasuta</i> , <i>Garra</i> . . . . .	111
<i>Mulichthys</i> . . . . .	151	<i>nasutus</i> , <i>Dibranchus</i> . . . . .	164
<i>Mulichthys squamiceps</i> . . . . .	151	<i>nebulosa</i> , <i>Botia</i> . . . . .	120
<i>mutiani</i> , <i>Polynemus sextarius</i> . . . . .	142	<i>nebulosus</i> , <i>Stomias</i> . . . . .	102
<i>mullya</i> , <i>Garra</i> . . . . .	110	<i>Noemacheilichthys</i> . . . . .	121
<i>multifasciatus</i> , <i>Noemacheilus</i> . . . . .	123	<i>Noemacheilichthys shimogensis</i> . . . . .	121
<i>multifilis</i> , <i>Paradicrolene</i> . . . . .	150	<i>Noemacheilus</i> . . . . .	121
<i>mnraenidae</i> . . . . .	132	<i>Noemacheilus acuticephalus</i> . . . . .	121
<i>musteiicep</i> , <i>Congromuraena</i> . . . . .	132	<i>Noemacheilus akhtari</i> . . . . .	121
<i>mutilus Laphius</i> . . . . .	163	<i>Noemacheilus anguilla</i> . . . . .	121

III—INDEX—contd.

N—contd.	PAGE	N—concld.	PAGES
<i>Noemacheilus bhimachari</i>	122	<i>Nemipterus marginatus</i>	143
<i>Noemacheilus deterrai</i>	122	<i>Neobythites</i>	149
<i>Noemacheilus griffithi afghana</i>	122	<i>Neobythites (Monomitopus)</i>	149
<i>Noemacheilus horai</i>	122	<i>Neobythites (Monomitopus) conjugator</i>	149
<i>Noemacheilus hutchinsoni</i>	122	<i>Neobythites (Monomitopus) pterotus</i>	149
<i>Noemacheilus kangjupkhulensis</i>	122	<i>Neobythites (Monomitopus) staciticus</i>	149
<i>Noemacheilus kangrae</i>	122	<i>Neotropius</i>	131
<i>Noemacheilus kashmirensis</i>	123	<i>Neotropius khavalchor</i>	131
<i>Noemacheilus mackenziei</i>	123	<i>Nettenchelys</i>	133
<i>Noemacheilus macmahoni</i>	120	<i>Nettenchelys taylori</i>	133
<i>Noemacheilus monilis</i>	123	<i>niger, Chiasmodus</i>	145
<i>Noemacheilus multifasciatus</i>	123	<i>niger, Lamprogrammus</i>	149
<i>Noemacheilus panguri</i>	123	<i>nigerrimus, Halosaurichthys</i>	135
<i>Noemacheilus paucifasciatus</i>	123	<i>nigra, Halieutaea</i>	165
<i>Noemacheilus peguensis</i>	123	<i>nigrescens, Laeops</i>	157
<i>Noemacheilus poonaensis</i>	124	<i>nigrescens, Psenes</i>	144
<i>Noemacheilus prashadi</i>	124	<i>nigricaudis, Paradierolene</i>	150
<i>Noemacheilus punjabensis</i>	124	<i>nigrimarginatus, Taenioides</i>	154
<i>Noemacheilus raoe</i>	124	<i>nigripinnis, Sirembo</i>	150
<i>Noemacheilus rtvulicola</i>	124	<i>Notacanthidae</i>	136
<i>Noemacheilus rupecola inglisi</i>	124	<i>Notacanthiformes</i>	136
<i>Noemacheilus salmonides</i>	124	<i>Notacanthus</i>	136
<i>Noemacheilus shebbeari</i>	125	<i>Notacanthus indicus</i>	136
<i>Noemacheilus vinciguerrae</i>	125	<i>novae-zeelandiae, Brachypleura</i>	158
<i>Noemacheilus yasinensis</i>	125	<i>Nuria</i>	109
<i>Noemichthyidae</i>	135	<i>Nuria alta</i>	109
<i>Nemichthys</i>	135	O	
<i>Nemichthys acanthonotus</i>	135	<i>oatesii, Barbus</i>	115
<i>Nemipterus</i>	143	<i>Obliquogobius</i>	153
		<i>Obliquogobius cometus</i>	153

## III—INDEX—contd.

O—contd.	PAGES	O—concl.	PAGES
<i>obscura, Plagusia</i>	161	<i>orissa, Ceratoptera</i>	97
<i>obtusa, Garra rufa</i> .	111	<i>ornatipinnis, Callionymus</i>	151
<i>ocellata, Psettytis</i> .	157	<i>ornatum, Centroscyllium</i>	96
<i>ocellatus, Dorichthys</i>	140	<i>ornatum, Paracentroscyllium</i> .	96
<i>ocellatus, Parasphaerichthys</i>	151	<i>orphoides, Puntius sarana</i>	116
<i>o'connori, Schizothorax</i>	117	<i>osseus, Johnius</i>	144
<i>oculus, Solea</i>	159	<i>osseus, Sciaena</i>	144
<i>Odontostomus</i> . . . .	103	<i>Osteocheilus</i> .	113
<i>Odontostomus atratus</i> .	103	<i>Osteocheilus hasseltii tweediei</i>	113
<i>Oligolepis</i> . . . .	153	<i>Osteochilus sondhii</i> .	113
<i>Oligolepis cylindriceps</i>	153	<i>ostreicola, Gobius</i> .	153
<i>Olyra</i> . . . .	131	<i>ostreicola, Paragobiopsis</i> .	153
<i>Olyra kempii</i> . . . .	131	<i>Otolithoides</i> .	144
<i>Olyridae</i> . . . .	131	<i>Otolithoides brunneus</i> .	144
<i>Oncocephalidae</i> .	164	<i>Otolithus</i>	144
<i>Oneirodidae</i> .	165	<i>Otolithus brunneus</i> .	144
<i>ophiceps, Pseudosciaena</i>	144	<i>Oxygaster</i> . . . .	114
<i>ophiceps, Sciaena</i>	144	<i>Oxygaster horai</i> . . . .	114
<i>Ophichthyidae</i> .	134	<b>P</b>	
<i>Ophichthys</i> .	134	<i>Panchax</i> . . . .	142
<i>Ophichthys chilensis</i> .	134	<i>Panchax panchax blockii</i> .	142
<i>Ophichthys microcephalus</i>	134	<i>Panchax parvus</i> . . . .	142
<i>Ophidiidae</i> . . . .	147	<i>panguri, Noemacheilus</i> . . . .	123
<i>Ophiocephalidae</i> . . . .	142	<i>Paracentroscyllium</i> . . . .	96
<i>Ophiocephaliformes</i>	142	<i>Paracentroscyllium ornatum</i> .	96
<i>ophiocephalus, Barbus (Puntius)</i>	106	<i>Paradicrolene</i> . . . .	150
<i>Oreinus</i>	113	<i>Paradicrolene multifilis</i> .	150
<i>Orginus baileyi</i>	113	<i>Paradicrolene nigricaudis</i> . . . .	150
<i>Orginus moresworthi</i>	113	<i>paradoxus, Indostomus</i> . . . .	139
<i>Greoglanis</i>	131	<i>Paragobiopsis</i> . . . .	153
<i>Oreoglanis siamensis</i> . . . .	131	<i>Paragobiopsis ostreicola</i> . . . .	153

III—INDEX—contd.

P—contd.	PAGES	P—contd.	PAGES
<i>Parhomaloptera</i> . . .	119	<i>persicus, Cyprinodon</i> . . .	141
<i>Parhomaloptera disparis</i>	119	<i>periyarensis Barbus (Puntius)</i>	
<i>Parapsilorhynchus</i> . . .	114	<i>micropogon</i> . . .	105
<i>Parapsilorhynchus prateri</i>	114	<i>petersi, Haplogenyis</i> . . .	133
<i>Parapsilorhynchus tentaculatus</i>	114	<i>Petroscirtes</i> . . .	147
<i>Parascorpaena</i> . . .	155	<i>Petroscirtes bhattacharyae</i> . . .	147
<i>Parascorpaena erostris</i> . . .	155	<i>Petrus</i> . . .	145
<i>Parasphaerichthys</i> . . .	151	<i>Petrus belayewi</i> . . .	145
<i>Parasphaerichthys ocellatus</i>	151	<i>phospherops, Aulastomatomorpha</i>	101
<i>Paroneiroides</i>	165	<i>Photichthys</i> . . .	101
<i>Paroneiroides glomeratus</i>	165	<i>Photichthys hemingi</i> . . .	101
<i>parvipennis, Halosaurus</i>	136	<i>phryne, Discognathus</i> . . .	106
<i>parvus, Panchax</i> . . .	142	<i>Physiculus</i>	137
<i>patersonii, Macrurus</i>	139	<i>Physiculus argyropastus</i>	137
<i>patersonii, Ventrifossa</i>	139	<i>Physiculus roseus</i> . . .	137
<i>paucifasciatus, Noemacheilus</i> . . .	123	<i>piger, Dinematichthys</i> . . .	147
<i>peguensis, Noemacheilus</i> . . .	123	<i>pipri, Erethistoides montana</i> . . .	127
<i>pelluceda, Psettylis</i> . . .	157	<i>Plagusia</i> . . .	161
<i>Pentachus (Parapristis)</i> . . .	95	<i>Plagusia obscura</i>	161
<i>Pentachus (Parapristis) investi-</i>		<i>platycephala, Garra</i> . . .	110
<i>gatoris</i> . . .	95	<i>platypogonoides, Glyptothorax</i>	129
<i>Percidae</i> . . .	143	<i>platyrhynchus, Bembrops</i> . . .	145
<i>Perciformes</i> . . .	143	<i>Platytroctogen</i> . . .	100
<i>Peristedion</i> . . .	155	<i>Platytroctogen mirus</i> . . .	100
<i>Peristedion adeni</i> . . .	155	<i>Pleuronectidae</i> . . .	158
<i>Peristedion investigatoris</i> . . .	156	<i>Pleuronectiformes</i>	156
<i>Peristedion rivers-andersoni</i>	156	<i>pluristriatus, Cyprinodon</i> . . .	141
<i>Peristedion serrulatum</i>	156	<i>Poecilopsetta</i> . . .	158
<i>Peristethium</i>	156	<i>Poecilopsetta maculosa</i> . . .	158
<i>Peristethium rivers-andersoni</i> . . .	156	<i>Poecilopsetta praelonga</i> . . .	158
<i>Peristethus</i>	155	<i>polylepis, Arnoglossus</i> . . .	156
<i>Peristethus adeni</i>	155	<i>polylepis, Macrurus</i> . . .	138
<i>Peristethus investigatoris</i>	156	<i>Polynemidae</i> . . .	142
<i>Peristethus serrulatum</i> . . .	156	<i>Polynemiformes</i> . . .	142
<i>persica, Garra</i> . . .	111	<i>Polynemus</i> . . .	142

## III—INDEX—contd.

P—contd.	PAGES	P—contd.	PAGES
<i>Polynemus sextarius mullani</i>	142	<i>Pseudosciaena bleekeri</i>	144
<i>Pomacanthus</i>	145	<i>Pseudosciaena ophiceps</i>	144
<i>Pomacanthus</i> (Pomacanthodes)	145	<i>Psilorhynchus</i>	114
<i>semicirculatus</i>	145	<i>Psilorhynchus homaloptera</i>	114
<i>Ponerodon</i>	145	<i>Psilorhynchus homaloptera</i> var.	114
<i>Ponerodon vastator</i>	145	<i>rowleyi</i>	114
<i>poonaensis</i> , <i>Noemacheilus</i>	124	<i>Psilorhynchus pseudecheneis</i>	114
<i>poonaensis</i> , <i>Glyptothorax conirostre</i>	129	<i>Pterois</i>	155
<i>powelli</i> , <i>Raja</i>	96	<i>Pterois macrura</i>	155
<i>praecisus</i> , <i>Cynoglossus</i>	160	<i>pterotum</i> , <i>Myctophum</i>	104
<i>praelonga</i> , <i>Poecilopsetta</i>	158	<i>pterotus</i> , <i>Neobythites</i>	149
<i>prashadi</i> , <i>Garra</i>	110	<i>pterotus</i> , <i>Scopelus</i> ( <i>Myctophum</i> )	104
<i>prashadi</i> , <i>Glyptothorax</i>	129	<i>pulcher</i> , <i>Macrones</i>	126
<i>prashadi</i> , <i>Noemacheilus</i>	124	<i>pulcher</i> , <i>Mystus</i>	126
<i>prateri</i> , <i>Clupisoma</i>	131	<i>pumiliceps</i> , <i>Macrurus</i>	139
<i>prateri</i> , <i>Parapsilorhynchus</i>	114	<i>punjabensis</i> , <i>Noemacheilus</i>	124
<i>Prionotus</i>	156	<i>Puntius</i>	115
<i>Prionotus alepis</i>	156	<i>Puntius arenatus</i>	115
<i>prometheoides</i> , <i>Rexea</i>	151	<i>Puntius arulius tambraparniei</i>	115
<i>P romyllantor</i>	133	<i>Puntius daruphani tweedei</i>	115
<i>Promyllantor purpureus</i>	133	<i>Puntius denisonii</i>	115
<i>Proscyllium</i>	95	<i>Puntius leiacanthus malayensis</i>	115
<i>Proscyllium alcocki</i>	95	<i>Puntius melanampyx</i>	115
<i>Psenes</i>	144	<i>Puntius sahyadriensis</i>	116
<i>Psenes nigrescens</i>	144	<i>Puntius sarana orphoides</i>	116
<i>Psettylis</i>	157	<i>Puntius titteya</i>	116
<i>Psettylis ocellata</i>	157	<i>purpureus</i> , <i>Promyllantor</i>	133
<i>Psettylis pellucida</i>	157	<i>Pycnocraspedum</i>	150
<i>pseudecheneis</i> , <i>Psilorhynchus</i>	114	<i>Pycnocraspedum squamipinne</i>	150
<i>Pseudorhombus</i>	157	<i>Pygidium</i>	131
<i>Pseudorhombus micrognathus</i>	157	<i>Pygidium emanueli emanueli</i>	131
<i>Pseudosciaena</i>	144		

III—INDEX—contd.

P—concl'd.	PAGES	R—cont'd.	PAGES
<i>pyrsobolus, Lampanyctus</i>	103	<i>resplendens, Sambwa</i>	116
<i>pyrsobolus, Scopelus</i>	104	<i>reticulatum, Glyptosternum</i>	128
Q		<i>reversa, Raja</i>	96
<i>quagga, Scyllorhinus (Halaelurus)</i>	95	<i>reversa, Raja</i>	96
<i>quagga, Scyllium</i>	95	<i>Rexea</i>	151
<i>quadricristatus, Coelorhynchus</i>	137	<i>Rexea prometheoides</i>	151
<i>quadricristatus, Macrurus</i>	137	<i>rhadinaea, Adiposia</i>	120
R		<i>rhadinaeus, Noemacheilus</i>	124
<i>raghava, Sphyræna</i>	142	<i>Rhinoptera</i>	97
<i>Raja</i>	96	<i>Rhinoptera sewelli</i>	97
<i>Raja andamanica</i>	96	<i>Rhomboidichthys</i>	158
<i>Raja reversa</i>	96	<i>Rhomboidichthys valde-rostratus</i>	158
<i>Raja</i>	96	<i>Rhynchobdella</i>	161
<i>Raja johannis-davisi</i>	96	<i>Rhynchobdella dhanshorii</i>	161
<i>Raja powelli</i>	96	<i>ribeiroi, Glyptothorax</i>	129
<i>Rajidae</i>	96	<i>ribeiroi, Laguvia</i>	129
<i>Rajiformes</i>	96	<i>rilli, Labeo</i>	112
<i>rambhae, Engraulis</i>	99	<i>Rita</i>	125
<i>rambhae, Thrissocles</i>	99	<i>Rita chrysea</i>	125
<i>raniceps, Coloconger</i>	132	<i>rivers-andersoni, Peristedion</i>	156
<i>raniceps, Diplacanthopoma</i>	148	<i>rivers-andersoni, Peristethium</i>	156
<i>Raogobius</i>	153	<i>rivulicola, Noemacheilus</i>	124
<i>Raogobius andamanicus</i>	153	<i>Rohtee</i>	116
<i>raoe, Noemacheilus</i>	124	<i>Rohtee dayi</i>	116
<i>raoi, Andamia</i>	146	<i>roseus, Physiculus</i>	137
<i>Rasbora</i>	116	<i>rossi, Centrophorus</i>	96
<i>Rasbora rasbora</i> var. <i>kobonensis</i>	116	<i>rossica, Garra</i>	111
<i>ravers-andersonii, Diplacanthopoma</i>	148	<i>rowleyi</i> var., <i>Psilorhynchus homaloptera</i>	114
<i>readingi, Scaphiodon</i>	117	<i>rubesens, Microrasbora</i>	113
		<i>ruber, Halicmetus</i>	164
		<i>rubropunctatus, Cryptocentrus</i>	152

## III—INDEX—contd.

R—concl.	PAGES	S—contd.	PAGES
<i>rupicola</i> , <i>Chopraia</i> . . .	118	<i>shebbeari</i> , <i>Noemacheilus</i> . . .	125
<i>rupecula</i> , <i>Garra</i> . . .	111	<i>Schilbeidae</i> . . .	131
<i>rupicola</i> , <i>Homaloptera</i> . . .	118	<i>Schizocypris</i> . . .	117
<b>S</b>		<i>Schizocypris brucei</i> . . .	117
<i>Saccogaster</i> . . .	150	<i>Schizopygopsis</i> . . .	117
<i>Saccogaster maculatus</i> . . .	150	<i>Schizopygopsis stewarti</i> . . .	117
<i>sahyadriensis</i> , <i>Puntius</i> . . .	116	<i>Schizothorax</i> . . .	117
<i>saisii</i> , <i>Glyptosternum</i> . . .	130	<i>Schizothorax o'connori</i> . . .	117
<i>saisii</i> , <i>Glyptothorax</i> . . .	130	<i>Sciaena</i> . . .	144
<i>Salarias</i> . . .	147	<i>Sciaena bleekeri</i> . . .	144
<i>Salarias burmanicus</i> . . .	147	<i>Sciaena ophiceps</i> . . .	144
<i>salmonides</i> , <i>Noemacheilus</i> . . .	124	<i>Sciaena osseus</i> . . .	144
<i>salweenica</i> , <i>Garra</i> . . .	111	<i>Sciaenidae</i> . . .	144
<i>Samaris</i> . . .	158	<i>Scianectes</i> . . .	158
<i>Samaris inornatus</i> . . .	158	<i>Scianectes macrophthalmus</i> . . .	158
<i>Samariscus</i> . . .	158	<i>Scopelarchidae</i> . . .	102
<i>Samariscus longimanus</i> . . .	158	<i>Scopelarchus</i> . . .	102
<i>Sambwa</i> . . .	116	<i>Scopelarchus guentheri</i> . . .	102
<i>Sambwa resplendens</i> . . .	116	<i>Scopelengys</i> . . .	104
<i>saranensis</i> , <i>Amblyaharyngodon</i> . . .	104	<i>Scopelengys tristis</i> . . .	104
<i>satparanus</i> , <i>Arius</i> . . .	125	<i>Scopelidae</i> . . .	103
<i>Sauromuraenesox</i> . . .	133	<i>Scopelus</i> . . .	103
<i>Sauromuraenesox vorax</i> . . .	133	<i>Scopelus (Myctophum) pterotus</i> . . .	104
<i>Saurus</i> . . .	102	<i>Scopelus (Myctophum) pyrsobolus</i> . . .	104
<i>Saurus indicus</i> . . .	102	<i>Scorpaena</i> . . .	155
<i>Scaphiodon</i> . . .	116	<i>Scorpaena bucephalus</i> . . .	155
<i>Scaphiodon baluchoirum</i> . . .	116	<i>Scorpaena erostris</i> . . .	155
<i>Scaphiodon daukesi</i> . . .	117	<i>Scorpaenidae</i> . . .	154
<i>Scaphiodon macmahoni</i> . . .	117	<i>Scyliorhinidae</i> . . .	95
<i>Scaphiodon readingi</i> . . .	117	<i>Scyliorhinus (Haloelurus)</i> . . .	95
<i>Scaphiodon watsoni</i> var. <i>belense</i> . . .	117	<i>Scyliorhinus (Haloelurus) hispidum</i> . . .	95



III—INDEX—*contd.*

<i>S—contd.</i>	PAGES	<i>S—contd.</i>	PAGES
<i>Scyliorhinus (Halaelurus) quagga</i>	95	<i>Sicyopterus</i> . . . . .	154
<i>Scyllium</i> . . . . .	95	<i>Sicyopterus garra</i> . . . . .	154
<i>Scyllium hispidum</i> . . . . .	95	<i>Siluridae</i> . . . . .	125
<i>Scyllium quagga</i> . . . . .	95	<i>simum, Hepthocara</i> . . . . .	149
<i>Sebastes</i> . . . . .	155	<i>Sirembo</i> . . . . .	150
<i>Sebastes muciparus</i> . . . . .	155	<i>Sirembo nigripinnis</i> . . . . .	150
<i>semicirculatus, Pomacanthus</i> ( <i>Pomacanthodes</i> ) . . . . .	145	<i>Sisoridae</i> . . . . .	126
<i>Semiplotus</i> . . . . .	118	<i>Sicyopterus</i> . . . . .	154
<i>Semiplotus cirrhosus</i> . . . . .	118	<i>Sicyopterus microcephalus</i> . . . . .	154
<i>Semiplotus modestus</i> . . . . .	118	<i>smithi, Barbus (Puntius)</i> . . . . .	106
<i>semiquincunciatus, Macrurus</i> . . . . .	139	<i>smithi, Homaloptera</i> . . . . .	118
<i>septemstriata, Aporistia</i> . . . . .	159	<i>Solea</i> . . . . .	159
<i>Serranidae</i> . . . . .	143	<i>Solea cyanea</i> . . . . .	159
<i>Serrivomeridae</i> . . . . .	135	<i>Solea oculus</i> . . . . .	159
<i>serrulatum, Peristeddon</i> . . . . .	156	<i>Solea synapturoides</i> . . . . .	159
<i>serrulatum, Peristethus</i> . . . . .	156	<i>Solea umbratilis</i> . . . . .	159
<i>seshaiyai, Callogobius</i> . . . . .	152	<i>Soleidae</i> . . . . .	159
<i>setigerus, Lophiomus</i> . . . . .	163	<i>sondhii, Danio (Brachydanio)</i> . . . . .	108
<i>setnai, Horaichthys</i> . . . . .	141	<i>sondhii, Osteochilus</i> . . . . .	113
<i>sewelli, Barbus</i> . . . . .	106	<i>Sparidae</i> . . . . .	144
<i>sewelli, Bhanotia</i> . . . . .	139	<i>Sphyaena</i> . . . . .	142
<i>sewelli, Rhinoptera</i> . . . . .	97	<i>Sphyaena raghava</i> . . . . .	142
<i>shanensis, Danio (Brachydanio)</i> . . . . .	108	<i>Sphyaenidae</i> . . . . .	142
<i>shawi, Glyptothorax</i> . . . . .	130	<i>splendens, Acropoma</i> . . . . .	143
<i>shawi, Laguvia</i> . . . . .	130	<i>splendens, Synagrops</i> . . . . .	143
<i>shebbeari, Noemacheilus</i> . . . . .	125	<i>squaliceps, Congromuraena</i> . . . . .	133
<i>shimogensis, Noemacheilichthys</i> . . . . .	121	<i>Squalidae</i> . . . . .	96
<i>siamensis, Culter</i> . . . . .	107	<i>Squaliformes</i> . . . . .	96
<i>siamensis, Glyptothorax</i> . . . . .	129	<i>squamiceps, Diplacanthopoma</i> . . . . .	148
<i>siamensis, Oreoglanis</i> . . . . .	131	<i>squamiceps, Mulichthys</i> . . . . .	151
		<i>squamilaterus, Xenodermichthys</i> . . . . .	101

## III—INDEX—contd.

S—contd.	PAGES	S—concl'd.	PAGES
<i>squamipinne, Pycnocraspedum</i>	150	<i>synapturoides, Solea</i> . . .	159
<i>squamosus, Bathytroctes</i>	100	<i>Syncrossus</i> . . .	120
<i>squamosus, Harpodon</i>	102	<i>Syncrossus bermorei</i> . . .	120
<i>steatiticus, Neobythites</i>	149	<i>Syngnathidae</i> . . .	139
<i>stewarti, Diplophysa</i> . . .	121	<i>Syngnathiformes</i> . . .	139
<i>stewarti, Schizopygopsis</i>	117	<i>Syngnathus</i> . . .	141
<i>Stigmatogobius</i>	154	<i>Syngnathus analicarens</i> . . .	141
<i>Stigmatogobius minima</i>	154	<i>Syngnathus investigatoris</i>	141
<i>stoliczkae, Exostoma</i>	128	<i>Synodidae</i> . . .	102
<i>Stomias</i> . . .	101	<i>Synodus</i> . . .	102
<i>Stomias affinis</i> . . .	101	<i>Synodus indicus</i> . . .	102
<i>Stomias elongatus</i>	101	T	
<i>Stomias nebulosus</i>	102	<i>Taenioides</i> . . .	154
<i>Stomiatidae</i>	101	<i>Taenioides buehanani</i> . . .	154
<i>striata, Botia</i> . . .	121	<i>Taenioides chilkensis</i> . . .	154
<i>strlatus, Epibulus</i>	145	<i>Taenioides nigrimarginatus</i>	154
<i>stuarti, Exostoma</i> . . .	127	<i>Taeniolabrus</i> . . .	146
<i>stuarti, Glyptosternum</i> . . .	127	<i>Taeniolabrus cyclograptus</i> . . .	146
<i>Sudidae</i> . . .	103	<i>tambraparniei, Puntius arulius</i> . . .	115
<i>Symphurus</i> . . .	161	<i>tapeinosoma, Arnoglossus</i> . . .	157
<i>Symphurus gilesii</i> . . .	161	<i>Tauredophidium</i> . . .	100
<i>Synagris</i> . . .	143	<i>Tauredophidium hextii.</i> . . .	100
<i>Synagris bleekeri</i>	143	<i>taylori, Nettekelys</i> . . .	133
<i>Synagrops</i>	143	<i>Teleostomi</i> . . .	98
<i>Synagrops splendens</i>	143	<i>tentaculatus, Parapsilorhynchus</i>	114
<i>Synaphobranchidae</i>	135	<i>Tetragonuridae</i> . . .	151
<i>Synaphobranchus</i>	135	<i>Tetraodon</i> . . .	162
<i>Synaphobranchus pinnatus</i> var.	135	<i>Tetraodon (Monotretus) travan-</i>	
<i>brevidorsalis</i>	135	<i>coricus</i> . . .	162
<i>Synaptura</i>	159	<i>Tetraodontidae</i> . . .	162
<i>Synaptura altipinnis</i> . . .	159	<i>Tetraodontiformes</i> . . .	162
		<i>tezpurenensis, Labeo</i> . . .	112

III—INDEX—contd.

T contd.	PAGES	T—concl.	PAGES
<i>Thrissocles</i> . . .	99	<i>tristis, Scopelengys</i> . . .	104
<i>Thrissocles annandalei</i> . . .	99	<i>Tropidichthys</i> . . .	162
<i>Thrissocles kemp</i> . . .	99	<i>Tropidichthys investigatoris</i>	162
<i>Thrissocles rambhae</i> . . .	99	<i>trucidans, Xenomystax</i> . . .	134
<i>Thyrsites</i> . . .	151	<i>Trygon</i> . . .	97
<i>Thyrsites bengalensis</i> . . .	151	<i>Trygon alcocki</i> . . .	97
<i>titteya, Puntius</i> . . .	116	<i>Trygon favus</i> . . .	97
<i>Torpedinidae</i> . . .	98	<i>Trygon microps</i> . . .	97
<i>Torpediniformes</i> . . .	98	<i>Trygonidae</i> . . .	97
<i>Trachinidae</i> . . .	145	<i>tuberculatus, Glyptothorax</i> . . .	130
<i>travancoria, Batasio</i>	126	<i>tweediei, Osteocheilus hasseltii</i>	113
<i>Travancoria</i> . . .	119	<i>tweediei, Puntius daruphani</i> . . .	115
<i>Travancoria jonesi</i> . . .	119	<i>tweediei, Wallago</i> . . .	125
<i>travancoricus, Tetraodon (Monotretus)</i>	162	<i>tweediei, Wallagonia</i> . . .	125
<i>trewavasae, Glyptothorax</i> . . .	130	<i>typus, Lepidopygopsis</i> . . .	113
<i>Triacanthodes</i>	162	<b>U</b>	
<i>Triacanthodes ethiops</i> . . .	162	<i>umbratilis, Solea</i> . . .	159
<i>Triacanthus</i> . . .	162	<i>Uranoscopidae</i> . . .	146
<i>Triacanthus weberi</i> . . .	162	<i>Uranoscopus</i> . . .	146
<i>triangularis, Malthopsis</i>	165	<i>Uranoscopus adhesipinnis</i> . . .	146
<i>trichiurus, Dermatorus</i> . . .	148	<i>Uranoscopus crassiceps</i> . . .	146
<i>Trichomycteridae</i>	131	<b>V</b>	
<i>Trichonotidae</i> . . .	146	<i>Vaillantella</i> . . .	125
<i>trifasciata, Aphoristia</i> . . .	159	<i>Vaillantella flavofasciata</i> . . .	125
<i>Triglidae</i>	155	<i>valde-rostratus, Rhomboidichthys</i> . . .	158
<i>trilineatus, Glyptothorax</i> . . .	130	<i>variegatus, Akysis variegatus</i> . . .	126
<i>Triplophos</i> . . .	101	<i>vastator, Ponerodon</i> . . .	145
<i>Triplophos hemingi</i> . . .	101	<i>Ventrifossa</i> . . .	139
<i>triradiatus, Lopsius</i> . . .	163	<i>Ventrifossa patersonii</i> . . .	139
		<i>versicolor, Cynoglossus</i> . . .	160
		<i>vinciguerrae, Exostoma</i> . . .	127

## III—INDEX—concl'd.

	PAGES		PAGES
V—cont'd.		X	
<i>vinciguerrae</i> , <i>Noemacheilus</i>	125	<i>xanthosticta</i> , <i>Brachypleura</i>	. 158
<i>vorax</i> , <i>Sauromuraenesox</i>	133	<i>Xenodermichthys</i>	. 101
W		<i>Xenodermichthys guentheri</i>	. 100
<i>waddellii</i> , <i>Gymnocypris</i>	111	<i>Xenodermichthys squamilaterus</i>	101
<i>Wallago</i>	125	<i>Xenomystax</i>	134
<i>Wallago tweediei</i>	125	<i>Xenomystax trucidans</i>	. 134
<i>Wallagonia</i>	125	Y	
<i>Wallagonia tweediei</i>	125	<i>Yarella</i>	. . 101
<i>weberi</i> , <i>Homaloptera</i>	118	<i>Yarella corythaeolum</i>	. 101
<i>weberi</i> , <i>Triacanthus</i>	162	<i>yasinensis</i> , <i>Noemacheilus</i>	125
<i>wood-masoni</i> , <i>Aphoristia</i>	160	<i>yunnanensis</i> , <i>Labeo</i>	112
<i>wood-masoni</i> , <i>Macrurus</i>	. . 139		

---