

**A CATALOGUE OF THE NAMED CEYLONESE TETRIGIDAE,
EUMASTACIDAE AND ACRIDIDAE (INSECTA: ORTHOP-
TERA) IN THE COLLECTION OF THE COLOMBO MUSEUM,
WITH RECORDS OF DISTRIBUTION.**

*By T. R. SANDRASAGARA, F.R.E.S., Entomological Laboratory Assistant,
National Museums of Ceylon, Colombo.*

CONTENTS.

	PAGE.
Introduction .	135
Family Tetrigidae .	135
Family Eumastacidae	142
Family Acrididae	142

INTRODUCTION.

In 1944, Mr. G. M. Henry, Assistant in Systematic Entomology, Colombo Museum, suggested that a Catalogue of Ceylon Insects should be published. Accordingly, a commencement was made with the family Mantidae and a joint paper by Mr. Henry and myself was prepared for publication, followed by a second paper on the family Tettigoniidae. At Mr. Henry's wish who has retired and is now living in England, the Director of National Museums, Ceylon, forwarded the typescript of these two papers to enable him to bring them up to date according to the latest literature. In the meantime, I have prepared the following paper which is based on the named material of the Ceylonese forms of Short-horned Grasshoppers belonging to the families Tetrigidae, Eumastacidae and Acrididae in the collection of the Colombo Museum. The total number recorded from Ceylon included in the present list is 114 species, distributed among 85 genera. The following catalogue is intended to facilitate the study of the known species and also to furnish a basis for their future study. It is desired to place on record observations on local distribution. The references to original descriptions of the species have been worked out as far as is practicable from the literature contained in the Colombo Museum Library.

Family TETRIGIDAE.

Genus *Deltonotus* Hancock, 1904.

Deltonotus subcucullatus (Walker).

1871. *Cat. Derm. Salt. Brit. Mus.* V, p. 830.

Localities.—Kandy; Hantane; Woodside, Urugala; West Haputale, Ohiya (Central Province); Rakwana (Sabaragamuwa Province); Badulla; Haputale; Punduloya (Uva Province); Ritigala (North Central Province).

Type in the British Museum (Natural History).

Deltonotus humilis Hebard.

1929. *Rev. Suisse Zool. Genève*. XXXVI, p. 568.

Localities.—Woodside, Urugala ; Mavusakanda, Gammaduwa (Central Province).

The *type-specimen* is a female collected at Elkhill, Nilgiris, South India, in January 1927. *Type* in the Geneva Museum.

Genus **Cladonotus** Saussure, 1861.

Cladonotus humbertianus Saussure.

1861. *Ann. Soc. Ent. Fr.* IV, p. 478.

Localities.—Kandy ; Mavusakanda, Gammaduwa (Central Province).

Type in the collection of the late De Saussure.

Cladonotus latiramus Hancock.

1904. *Spolia Zeylan. Colombo* II, pp. 114-116.

Locality.—Kandy (Central Province).

The *type-specimen* is a male collected by Mr. E. E. Green at Kandy, Ceylon in August, 1903. *Type* in the collection of Prof. Hancock.

Genus **Tettilobus** Hancock, 1909.

Tettilobus pelops (Walker).

1871. *Cat. Derm. Salt. Brit. Mus.* V, p. 843.

Localities.—Labugama (Western Province) ; Bulutota (Sabaragamuwa Province).

Type in the British Museum (Natural History).

Genus **Gignotettix** Hancock, 1909.

Gignotettix burri Hancock.

1909. *Trans. Ent. Soc. London*, p. 398, pl. xxii, fig. 5.

Locality.—Ohiya (Central Province).

The *type-specimen* is a male collected by Mr. E. E. Green at Punduloya, Ceylon. *Type* in the Oxford Museum.

Genus **Scelimena** Serville, 1839.

Scelimena gavialis Saussure.

1861. *Ann. Soc. Ent. Fr.* IV, p. 485.

Localities.—Labugama (Western Province) ; Kandy ; Woodside, Urugala ; Nitre Cave, Medamahanuwara ; Ohiya (Central Province) ; Balangoda ; Kitulgala ; Belihul Oya (Sabaragamuwa Province) ; Norwood ; Haldummulla ; Punduloya (Uva Province) ; Deniyaya (Southern Province).

Scelimena logani Hancock.1904. *Spolia Zeylan. Colombo II*, pp. 120-122.

Localities.—Kandy ; Sigiriya (Central Province) ; Balangoda ; Belihul Oya (Sabaragamuwa Province) ; Tissamaharama (Southern Province) ; Horovupotana ; Mihintale (North Central Province) ; Trincomalee ; Kantalai ; Kanniyai (Eastern Province).

Type in the Chicago Museum.

Genus **Gavialidium** Saussure, 1861.

Gavialidium crocodilus (Saussure).1861. *Ann. Soc. Ent. Fr.* IV, p. 481.

Localities.—Kandy ; Peradeniya ; Woodside, Urugala ; Mavusakanda, Gammaduwa ; Matale ; Madugoda (Central Province) ; Balangoda ; Kitulgala ; Belihul Oya ; Madola, Opanake (Sabaragamuwa Province) ; Haldummulla ; Wellawaya ; Bibile ; Punduloya (Uva Province).

Type in the Geneva Museum.

Genus **Thoradonta** Hancock, 1909.

Thoradonta sinuata Hancock.1915. *Rec. Ind. Mus.* XI, p. 81.

Locality.—Kandy (Central Province).

Thoradonta spiculoba Hancock.1912. *Mem. Dept. Agric. Ind. Ent.* IV, p. 138.

Locality.—Kandy (Central Province).

Genus **Eucriotettix** Hebard, 1929.

Eucriotettix spinilobus (Hancock).1904. *Spolia Zeylan. Colombo II*, pp. 129, 130.

Localities.—Colombo ; Labugama (Western Province) ; Kandy ; Woodside, Urugala (Central Province) ; Ratnapura ; Balangoda ; Kitulgala (Sabaragamuwa Province) ; Punduloya (Uva Province) ; Anuradhapura (North Central Province).

Eucriotettix tricarinatus (Bolivar).1887. *Ann. Soc. Ent. Belg.* XXXI, p. 224.

Localities.—Colombo ; Labugama ; Ingiriya (Western Province) ; Kandy (Central Province) ; Rakwana ; Belihul Oya (Sabaragamuwa Province) ; Wellawaya ; Kuda Oya (Uva Province) ; Horovupotana ; Mihintale (North Central Province) ; Tissamaharama (Southern Province) ; Kanniyai ; Trincomalee (Eastern Province).

Genus **Loxilobus** Hancock, 1904.

Loxilobus acutus Hancock.

1904. *Spolia Zeylan. Colombo* II, pp. 134, 135.

Localities.—Colombo ; Battaramulla ; Dehiwela ; Panadure (Western Province) ; Galle (Southern Province).

Loxilobus hancocki Kirby.

1910. *Syn. Cat. Orth.* III, p. 18.

Localities.—Peradeniya (Central Province) ; Punduloya (Uva Province).

Genus **Criotettix** Bolivar, 1887.

Criotettix miliarius (Bolivar).

1887. *Ann. Soc. Ent. Belg.* XXXI, p. 226.

Localities.—Colombo ; Kotte ; Battaramulla ; Dehiwela ; Panadure (Western Province) ; Kandy ; Ohiya (Central Province) ; Haldummulla ; Wellawaya (Uva Province) ; Balangoda (Sabaragamuwa Province).

Type in the collection of Brunner von Wattenwyl.

Genus **Systolederus** Bolivar, 1887.

Systolederus greeni Bolivar.

1901. *Ann. Soc. Ent. Fr.* LXX, p. 584.

Localities.—Labugama (Western Province) ; Kandy ; Woodside, Urugala ; Madugoda (Central Province) ; Balangoda ; Kitulgala ; Belihul Oya ; Ougaldowa ; Morningside, Rakwana (Sabaragamuwa Province) ; Maskeliya ; Badulla ; Punduloya (Uva Province).

Type in the collection of Pantel and Bolivar.

Genus **Eurymorphopus** Hancock, 1906.

Eurymorphopus latilobus Hancock.

1908. *Spolia Zeylan. Colombo* V, pp. 113, 114.

Localities.—Labugama (Western Province) ; Undugoda (Sabaragamuwa Province).

Genus **Spadotettix** Hancock, 1910.

Spadotettix fletcheri Hancock.

1910. *Spolia Zeylan. Colombo* VI, p. 147.

Localities.—Mavusakanda, Gammaduwa ; Madugoda (Central Province) ; Randeniya, Wellawaya ; Bintenne ; Madulsima ; Badulla (Uva Province) ; Trincomalee ; Kanniyai (Eastern Province) ; Habarane (North Central Province).

Genus **Apterotettix** Hancock, 1904.**Apterotettix obtusus** Hancock.1904. *Spolia Zeylan. Colombo* II, pp. 140, 141.

Localities.—Colombo (Western Province); Kandy; Peradeniya; Ohiya; Mavusakanda, Gammaduwa; Woodside, Urugala; Matale (Central Province).

Genus **Amphinotus** Hancock, 1915.**Amphinotus pygmaeus** Hancock.1915. *Rec. Ind. Mus.* XI, pp. 96, 97.

Localities.—Mavusakanda, Gammaduwa; Ohiya; Hakgala; Goatfell, Kandapola; Nuwara Eliya (Central Province); Haputale (Uva Province).

Amphinotus muscosus Henry.1933. *Ceylon J. Sci. (B)*. XVII, pp. 157-159.

Localities.—Mavusakanda, Gammaduwa (Central Province).

The *type-specimen* is a male captured at Mavusakanda Estate, Gammaduwa, Ceylon by Mr. G. M. Henry on 9-xi-1929. *Type* in the British Museum (Natural History).

Genus **Gingalina** Hebard, 1932.**Gingalina salebrosa** Hebard.1932. *Ceylon J. Sci. (B)*. XVII, pp. 23-25, fig. 2.

Localities.—Hakgala; Ohiya; Nuwara Eliya; Goatfell, Kandapola; Pidurutalagala (Central Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Nuwara Eliya, Ceylon on 12-v-1927. *Type* in the British Museum (Natural History).

Genus **Mazarredia** Bolivar, 1887.**Mazarredia insularis** Bolivar.1887. *Ann. Soc. Ent. Belg.* XXXI, p. 239.

Localities.—Peradeniya; Madugoda; Woodside, Urugala; Mavusakanda, Gammaduwa; Matale (Central Province); Rakwana; Belihul Oya; Ougaldowa; Madola, Opanake (Sabaragamuwa Province); Punduloya (Uva Province).

Mazarredia sculpta Bolivar.1887. *Ann. Soc. Ent. Belg.* XXXI, p. 238.

Locality.—Murunkan (Northern Province).

Type in the collection of Brunner von Wattenwyl.

Genus **Xistra** Bolivar, 1887.

Xistra stylata Hancock.

1907. *Trans. Ent. Soc. London*, pp. 231, 232.

Locality.—Lubugama (Western Province).

The *type-specimen* is a female collected from Puttalam, Ceylon. *Type* in the Oxford Museum.

Genus **Acrydium** Geoffroy, 1762.

Acrydium ceylonum (Hancock).

1904. *Spolia Zeylan. Colombo* II, pp. 143, 144.

Localities.—Colombo ; Ingiriya (Western Province) ; Peradeniya (Central Province).

Genus **Paratettix** Bolivar, 1887.

Paratettix cingalensis (Walker).

1871. *Cat. Derm. Salt. Brit. Mus.* V, p. 827.

Localities.—Colombo ; Ingiriya ; Battaramulla (Western Province) ; Peradeniya ; Ohiya ; Hakgala (Central Province) ; Ratnapura ; Balangoda ; Rakwana (Sabaragamuwa Province) ; Bandarawela ; Wellawaya ; Lunugala (Uva Province) ; Deniyaya (Southern Province).

Type in the British Museum (Natural History).

Genus **Copotettix** Bolivar, 1887.

Copotettix fossulatus Bolivar.

1887. *Ann. Soc. Ent. Belg.* XXXI, p. 288.

Localities.—Vavuniya ; Marichchukaddi (Northern Province).

Genus **Hedotettix** Bolivar, 1887.

Hedotettix attenuatus Hancock.

1904. *Spolia Zeylan. Colombo* II, pp. 151, 152.

Localities.—Colombo ; Kotte (Western Province) ; Peradeniya (Central Province) ; Kitulgala (Sabaragamuwa Province) ; Bibile (Uva Province) ; Maha Oya (Eastern Province) ; Galle (Southern Province).

Hedotettix gracilis (De Haan).

1842. *Temn. Verh. Orth.* p. 169.

Localities.—Colombo ; Kotte (Western Province) ; Badulla ; Wellawaya (Uva Province) ; Peradeniya (Central Province) ; Kitulgala (Sabaragamuwa Province) ; Maha Oya (Eastern Province) ; Wirawila (Southern Province).

Hedotettix gracilis (Haan) var. **abortus** Hancock.

1904. *Spolia Zeylan. Colombo* II, p. 151.

Localities.—Colombo ; Kotte (Western Province) ; Kandy (Central Province) ; Niroddumunai ; Trincomalee (Eastern Province).

Genus **Euparatettix** Hancock, 1904.

Euparatettix corpulentus Hancock.

1912. *Mem. Dept. Agric. Ind. Ent.* IV, p. 153.

Localities.—Kandy (Central Province) ; Wirawila (Southern Province) ; Niroddumunai ; Trincomalee (Eastern Province) ; Vavuniya ; Murunkan (Northern Province).

Euparatettix personatus (Bolivar).

1887. *Ann. Soc. Ent. Belg.* XXXI, p. 278.

Localities.—Colombo ; Kotte ; Dehiwela ; Panadure (Western Province) ; Kandy ; Peradeniya ; Sigiriya (Central Province) ; Kitulgala (Sabaragamuwa Province) ; Maha Oya (Eastern Province).

Euparatettix variabilis (Bolivar).

1887. *Ann. Soc. Ent. Belg.* XXXI, p. 276.

Localities.—Horovupotana (North Central Province) ; Wellawaya (Uva Province) ; Trincomalee (Eastern Province).

Type in the British Museum (Natural History).

Genus **Ergatettix** Kirby, 1914.

Ergatettix dorsifera (Walker).

1871. *Cat. Derm. Salt. Brit. Mus.* V, p. 825.

Localities.—Colombo (Western Province) ; Peradeniya (Central Province) ; Bibile (Uva Province) ; Trincomalee (Eastern Province).

Type in the British Museum (Natural History).

Ergatettix nodulosus (Hancock).

1912. *Mem. Dept. Agric. Ind. Ent.* IV, p. 155.

Localities.—Dehiwela (Western Province) ; Elephant Pass (Northern Province).

Family EUMASTACIDAE.

Genus **Phyllochoreia** Westwood, 1839.**Phyllochoreia equa** Burr.1899. *An. Soc. Esp. Madrid* XXVIII, p. 301.

Localities.—Woodside, Urugala ; Mavusakanda, Gammaduwa ; Madugoda (Central Province) ; Kalawewa (North Central Province) ; Marai Villu (North Western Province) ; Katagamuwa ; Butawa Modera (Southern Province) ; Trincomalee (Eastern Province) ; Vavuniya ; Puliyan-kulam (Northern Province).

Type in the Oxford Museum.

Genus **Orchetypus** Brunner von Wattenwyl, 1898.**Orchetypus rotundatus** Brunner von Wattenwyl.1898. *Abh. Senck. Ges.* XXIV, pp. 220, 221.

Localities.—Woodside, Urugala ; Mavusakanda, Gammaduwa ; Madugoda Ohiya ; Hakgala ; Nuwara Eliya (Central Province) ; Balangoda ; Rakwana (Sabaragamuwa Province) ; Deniyaya (Southern Province).

Type in the collection of Brunner von Wattenwyl.

Orchetypus rugifrons (Waterhouse).1914. *Faun. Brit. Ind. Orth.*, p. 81.

Locality.—Lubugama (Western Province).

Type in the British Museum (Natural History).

Genus **Burrinia** Bolivar y. Pieltain, 1930.**Burrinia humbertiana** (Saussure).1903. *Rev. Suisse. Zool. Genève* XI, p. 78.

Localities.—Marai Villu (North Western Province) ; Sigiriya (Central Province) ; Horovupotana ; Kalawewa (North Central Province) ; Balangoda (Sabaragamuwa Province) ; Katagamuwa (Southern Province) ; Tennamarawadi ; Trincomalee (Eastern Province) ; Elephant Pass ; Vavuniya ; Marichchukaddi ; Illuppaikkadavi ; Mannar (Northern Province).

Family ACRIDIDAE.

Subfamily *ACRIDINAE*.Genus **Acrida** Linnaeus, 1758.**Acrida exaltata** (Walker).1859. *Ann. Mag. Nat. Hist.* IV, p. 222.

Localities.—Colombo ; Kotte ; Dehiwela (Western Province) ; Peradeniya ; Ohiya ; Hakgala ; Mavusakanda, Gammaduwa ; Uda Pussellawa (Central Province) ; Marai Villu (North Western Province) ; Polonnaruwa ;

Horovupotana (North Central Province); Timbolketiya (Sabaragamuwa Province); Katagamuwa; Hambantota (Southern Province); Malpota; Welimada; Bandarawela; Bintenne; Galge; Wellawaya; Halgranoya (Uva Province); Kantalai; Kanniyai; Niroddumunai; Trincomalee; Maha Oya; Batticoola (Eastern Province); Elephant Pass; Murunkan (Northern Province).

Type in the British Museum (Natural History).

Genus **Acridella** Bolivar, 1893.

Acridella indica Bolivar.

1901. *Ann. Soc. Ent. Fr.* LXX, p. 589.

Localities.—Marai Villu (North Western Province); Anuradhapura (North Central Province); Galge; Tellula (Uva Province); Butawa Modera; Katagamuwa; Talgasmankada; Villapalawewa (Southern Province); Bagura; Mudamkulam (Eastern Province); Paranthan; Marichchukaddai; Talaimannar (Northern Province).

Genus **Gelastorrhinus** Burr, 1902.

Gelastorrhinus semipictus (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* III, pp. 512, 513.

Localities.—Kandy; Mavusakanda, Gammaduwa; Matale (Central Province); Belihul Oya (Sabaragamuwa Province); Randeniya; Wellawaya; Bintenne; Haldummulla (Uva Province).

Type in the British Museum (Natural History).

Genus **Psectrocnemus** Henry, 1940.

Psectrocnemus longiceps (Bolivar).

1901. *Ann. Soc. Ent. Fr.* LXX, p. 595.

Localities.—Marai Villu (North Western Province); Kopay, Jaffna (Northern Province).

Type in the collection of M. Pantel.

Genus **Pasiphimus** Bolivar, 1914.

Pasiphimus sagittaeformis Bolivar.

1914. *Trab. Mus. Cienc. Madrid* XX, p. 103.

Localities.—Bandarawela; Wellawaya; Bibile; Wewelakelle, Namunukula (Uva Province).

Genus **Leva** Bolivar, 1909.

Leva indica (Bolivar).

1901. *Ann. Soc. Ent. Fr.* LXX, p. 596.

Locality.—Murunkan (Northern Province).

Leva cruciata Bolivar.

1914. *Trab. Mus. Cienc. Madrid* XX, p. 65.

Localities.—Anuradhapura (North Central Province); Wellawaya (Uva Province); Niroddumunai; Trincomalee (Eastern Province); Vavuniya; Murunkan (Northern Province).

Genus **Wellawaya** Uvarov, 1927.

Wellawaya greeni Uvarov.

1927. *Ceylon J. Sci. (B)*. XIV, p. 98.

Localities.—Hakgala; West Haputale, Ohiya; Horton Plains (Central Province); Balangoda; Rakwana; Timbolketiya; Madola, Opanake (Sabaragamuwa Province); Haputale; Bandarawela; Koslanda; Binten-ne; Wellawaya; Haldummulla (Uva Province).

The *type-specimen* is a male collected by Mr. E. E. Green at Wellawaya, Ceylon in November 1905. *Type* in the British Museum (Natural History).

Genus **Zygophlaeoba** Bolivar, 1901.

Zygophlaeoba bolivari Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 160-162, pl. xxviii, figs. 1, 2.

Localities.—Timbolketiya (Sabaragamuwa Province); Vilapalawewa; Wirawila (Southern Province); Galge; Bibile; Bintenne (Uva Province).

The *type-specimen* is a female collected by Mr. G. M. Henry at Bibile, Ceylon on 19-vii-1929. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Zygophlaeoba varicornis Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 162-164, pl. xxviii, figs. 3-5.

Localities.—Marai Villu (North Western Province); Horovupotana (North Central Province); Wellawaya (Uva Province); Pulmoddai; Tennamaravadi; Kantalai; Kalkudah; Yan Oya; Trincomalee (Eastern Province); Elephant Pass; Vavuniya; Jaffna (Northern Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Kantalai, Ceylon on 16-vii-1927. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Bababuddinia** Bolivar, 1918.

Bababuddinia dimorpha Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 164-166, pl. xxix, figs. 1-4.

Localities.—Mihintale (North Central Province); Kantalai (Eastern Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Kantalai, Ceylon on 16-vii-1927. *Type* in the British Museum (Natural History).

Genus **Pseudophaeoba** Bolivar, 1914.**Pseudophaeoba henryi** Bolivar.1914. *Trab. Mus. Cienc. Madrid* XX, p. 91.

Localities.—Kotte ; Battaramulla ; Labugama (Western Province) ; Kandy ; Peradeniya ; Mavusakanda, Gammaduwa ; Woodside, Urugala ; Matale (Central Province) ; Kurunegala (North Western Province) ; Ritigala (North Central Province) ; Rakwana ; Madola, Opanake (Sabaragamuwa Province) ; Badulla ; Bintenne (Uva Province).

Genus **Paraduronia** Bolivar, 1909.**Paraduronia simoni** (Bolivar).1901. *Ann. Soc. Ent. Fr.* LXX, p. 593.

Localities.—Horton Plains ; Nuwara Eliya (Central Province).
Type in the collection of Dr. Bolivar.

Genus **Aeolopus** Fieber, 1853.**Aeolopus tamulus** (Fabricius).1798. *Ent. Syst. Suppl.* p. 195.

Localities.—Colombo ; Kotte (Western Province) ; Mavusakanda ; Gammaduwa (Central Province) ; Marai Villu (North Western Province) ; Mihintale ; Horovupotana (North Central Province) ; Yala (Southern Province) ; Pulmoddai ; Trincomalee (Eastern Province) ; Murunkan ; Elephant Pass (Northern Province).

Type in the British Museum (Natural History).

Genus **Aulacobothrus** Bolivar, 1901.**Aulacobothrus luteipes** (Walker).1871. *Cat. Derm. Salt. Brit. Mus.* V, *Suppl.* p. 82.

Localities.—Kandy ; Hakgala ; Uda Pussellawa ; Sigiriya (Central Province) ; Marai Villu (North Western Province) ; Anuradhapura ; Polonnaruwa ; Mihintale (North Central Province) ; Randeniya ; Wellawaya ; Bibile ; Bintenne ; Galge ; Tellula ; Oodoowerre, Demodera (Uva Province) ; Belihul Oya (Sabaragamuwa Province) ; Katagamuwa ; Talgasmankada ; Hiniduma ; Yala (Southern Province) ; Pullumalai ; Kantalai ; Kalkudah ; Trincomalee (Eastern Province) ; Cheddikulam (Northern Province).

Type in the British Museum (Natural History).

Subfamily *OEDIPODINAE*.Genus **Pternoscirta** Saussure, 1884.**Pternoscirta cinctifemur** (Walker).1859. *Ann. Mag. Nat. Hist.* IV, p. 223.

Localities.—Kandy ; Mavusakanda, Gammaduwa ; Uda Pussellawa ; Woodside, Urugala ; West Haputale, Ohiya ; Hatton ; Hakgala ; Matale (Central Province) ; Balangoda ; Ougaldowa ; Belihul Oya (Sabaragamawa Province) ; Maskeliya ; Punduloya ; Odoowerre, Demodera ; Kalugala, Namunukula ; Badulla (Uva Province).

Type in the British Museum (Natural History).

Genus **Chloebora** Saussure, 1884.

Chloebora marshalli (Henry).

1933. *Ceylon J. Sci. (B)*. XVII, pp. 166-169, pl. xxix, figs. 5-7.

Locality.—Bandarawela (Uva Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Bandarawela, Ceylon on 7-iv-1931. *Type* in the British Museum (Natural History)-*Paratypes* in the Colombo Museum.

Genus **Morphacris** Walker, 1871.

Morphacris fuscata Saussure var. **sulcata** (Thunberg).

1815. *Mem. Ac. Petersb.* V, p. 234.

Localities.—Colombo ; Kotte (Western Province) ; Anuradhapura ; Horovupotana (North Central Province) ; Kalkudah ; Niroddumunai, Trincomalee (Eastern Province) ; Vavuniya (Northern Province).

Genus **Dittopternis** Saussure, 1884.

Dittopternis turbata (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 776.

Localities.—Colombo ; Kotte (Western Province) ; Marai Villu (North Western Province) ; Kandy (Central Province) ; Ratnapura ; Balangoda ; Belihul Oya (Sabaragamaya Province) ; Mihintale (North Central Province) ; Hambantota ; Yala (Southern Province) ; Wellawaya ; Bandarawela ; Bintenne ; Haldummulla (Uva Province) ; Niroddumunai ; Trincomalee (Eastern Province) ; Elephant Pass ; Vavuniya ; Paranthan ; Talaimannar (Northern Province).

Type in the British Museum (Natural History).

Genus **Heteropternis** Stål, 1873.

Heteropternis respondens (Walker).

1859. *Ann. Mag. Nat. Hist.* IV, p. 223.

Localities.—Woodside, Urugala ; Mavusakanda, Gammaduwa Ohiya ; Hakgala ; Uda Pussellawa (Central Province) ; Bandarawela Maskeliya (Uva Province).

Type in the British Museum (Natural History).

Genus **Oedaleus** Fieber, 1853.

Oedaleus abruptus (Thunberg).

1815. *Mem. Ac. Petersb.* V, p. 233.

Localities.—Colombo (Western Province); Katugastota; Peradeniya; Ohiya; Woodside, Urugala; Uda Pussellawa; Horton Plains (Central Province); Horovupotana (North Central Province); Welimada; Galge; Bandarawela (Uva Province); Butawa Modera (Southern Province); Niroddumunai; Trincomalee; Kumena Wewa (Eastern Province); Marichchukaddi; Jaffna (Northern Province).

Genus **Gastrimargus** Saussure, 1884.

Gastrimargus africanus Saussure var. **orientalis** Sjostedt.

1928. *Sv. Ak. Handl.* VI, p. 41.

Localities.—Colombo; Kotte (Western Province); Kandy; Hantane; Hakgala; Ohiya; Woodside, Urugala; Movusakanda, Gammaduwa; Matale; Uda Pussellawa; Horton Plains (Central Province); Bandarawela; Welimada; Haldummulla; Halgranoya; Wellawaya; Bintenne; Badulla (Uva Province); Horovupotana (North Central Province); Pulmoddai; Trincomalee (Eastern Province); Vavuniya; Cheddikulam (Northern Province).

Genus **Trilophidia** Stål, 1873.

Trilophidia ceylonica Saussure.

1884. *Mém. Soc. Genève* XXVIII, p. 158.

Localities.—Colombo; Kotte; Battaramulla; Labugama (Western Province); Kandy; Horton Plains; Peradeniya; Hantane; Uda Pussellawa (Central Province); Anuradhapura; Mihintale (North Central Province); Belihul Oya (Sabaragamuwa Province); Deniyaya; Katalgamuwa (Southern Province); Wellawaya; Bintenne; Lunugala (Uva Province); Kantalai; Tennamaravadi; Trincomalee; Maha Oya; Batticaloa (Eastern Province); Vavuniya; Marichchukaddi; Murunkan (Northern Province).

Type in the British Museum (Natural History).

Genus **Acrotylus** Fieber, 1853.

Acrotylus humbertianus Saussure.

1884. *Mém. Soc. Genève* XXVIII, p. 189.

Localities.—Colombo (Western Province); Kandy; Hantane; Woodside, Urugala; Peradeniya (Central Province); Bintenne; Lunugala (Uva Province); Butawa Modera; Yala (Southern Province); Niroddumunai; Trincomalee (Eastern Province); Elephant Pass; Vavuniya; Murunkan; Marichchukaddi; Talaimannar (Northern Province).

Subfamily *PYRGOMORPHINAE*.Genus **Aularches** Stål, 1873.**Aularches miliaris** (Linnaeus).1758. *Syst. Nat.* (ed. 10), I, p. 432.

Localities.—Madampe ; Wellawa (North Western Province) ; Kandy ; Horton Plains ; Woodside, Urugala ; Mavusakanda, Gammaduwa (Central Province) ; Ambepussa (Sabaragamuwa Province) ; Haldummulla ; Wellawaya ; Badulla (Uva Province) ; Pulumalai (Eastern Province).

Genus **Atractomorpha** Saussure, 1861.**Atractomorpha crenulata** (Fabricius).1793. *Ent. Syst.* II, p. 28.

Localities.—Colombo ; Kotte ; Labugama (Western Province) ; Kandy ; Peradeniya ; Woodside, Urugala ; Mavusakanda, Gammaduwa (Central Province) ; Ratnapura ; Balangoda (Subaragamuwa Province) ; Mihintale (North Central Province) ; Wellawaya ; Bandarawela ; Bibile ; Maskeliya (Uva Province) ; Katagamuwa ; Yala (Southern Province) ; Pulmoddai ; Andankulam ; Trincomalee (Eastern Province) ; Murunkan ; Jaffna ; Cheddikulam ; Marichchukaddi ; Talaimannar (Northern Province).

Genus **Orthacris** Bolivar, 1884.**Orthacris filiformis** Bolivar.1884. *An. Soc. Esp. Madrid* XIII, pp. 439, 496.

Localities.—Kotte ; Battaramulla ; Dehiwela (Western Province) ; Matale (Central Province) ; Anuradhapura ; Polonnaruwa (North Central Province) ; Warahamankada ; Katagamuwa ; Butawa Modera ; Yala (Southern Province) ; Timbolketiya (Sabaragamuwa Province) ; Niroddumunai ; Tennamaravadi ; Kanniyai ; Trincomalee ; Kalkudah (Eastern Province) ; Elephant Pass ; Marichchukaddi ; Murunkan ; Talaimannar (Northern Province).

Type in the collection of Brunner von Wattenwyl.

Genus **Rakwana** Henry, 1933.**Rakwana ornata** Henry.1933. *Ceylon J. Sci.* (B). XVII, pp. 170, 171, pl. xxx, figs. 1-4.

Localities.—Rakwana ; Kitulgala (Sabaragamuwa Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Rakwana, Ceylon on 2.v.1929. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Subfamily *CATANTOPINAE*.Genus **Euthymia** Stål, 1875.**Euthymia finoti** Kirby.1914. *Faun. Brit. Ind. Orth.* p. 197.*Locality*.—Marai Villu (North Western Province).The *type-specimen* is a female collected at Trincomalee, Ceylon. *Type* in the British Museum (Natural History).**Euthymia kirbyi** Finot.1903. *Ann. Soc. Ent. Fr.* LXXI, pp. 629, 630.*Locality*.—Labugama (Western Province).Genus **Tarbaleus** Brunner von Wattenwyl, 1898.**Tarbaleus cingalensis** Kirby.1914. *Faun. Brit. Ind. Orth.* p. 201.*Localities*.—Woodside, Urugala ; Madugoda (Central Province) ; Glenmore, Haputale (Uva Province).The *type-specimen* is a female collected by Mr. E. E. Green at Punduloya, Ceylon in June 1903. *Type* in the British Museum (Natural History).**Tarbaleus gracilis** Uvarov.1927. *Ceylon J. Sci. (B)*. XIV, pp. 101, 102, pl. xii, fig. 2.*Localities*.—Ohiya ; Hakgala ; Goatfell, Kandapola ; Nuwara Eliya (Central Province).The *type-specimen* is a female collected by Mr. G. M. Henry at Hakgala, Ceylon on 5-iv-1924. *Type* in the British Museum (Natural History)**Tarbaleus crassibrachiatus** Henry.1933. *Ceylon J. Sci. (B)*. XVII, pp. 171-173, pl. xxxi, figs. 1, 2.*Locality*.—Labugama (Western Province).The *type-specimen* is a male captured in jungle by Mr. G. M. Henry at Labugama, Ceylon on 17-vi-1932. *Type* in the British Museum (Natural History).**Tarbaleus gammaduensis** Henry.1933. *Ceylon J. Sci. (B)*. XVII, pp. 173-176, pl. xxxi, figs. 3, 4.*Locality*.—Mavusakanda, Gammaduwa (Central Province).The *type-specimen* is a male collected by Mr. G. M. Henry at Mavusakanda Estate, Gammaduwa, Ceylon on 24-x-1932. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Eliya** Uvarov, 1927.**Eliya pedestris** Uvarov.

1927. *Ceylon J. Sci. (B)*. XIV, pp. 103, 104, pl. xii, fig. 3.

Localities.—Woodside, Urugala ; Mavusakanda Gammaduwa ; Nuwara Eliya (Central Province).

The *type-specimen* is a female collected by Mr. G. M. Henry at Elk Plains, Nuwara Eliya, Ceylon on 5-v-1923. *Type* in the British Museum (Natural History). *Paratype* in the Colombo Museum.

Eliya pictipes Uvarov.

1927. *Ceylon J. Sci. (B)*. XIV, pp. 104, 105, pl. xii, fig. 4.

Locality.—Deniyaya (Southern Province).

The *type-specimen* is a female collected by Mr. G. M. Henry at Deniyaya, Ceylon on 18-ix-1923. *Type* in the British Museum (Natural History).

Eliya gibbosa Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 176-179, pl. xxxi, figs. 1-3.

Localities.—Kurunegala—Dambulla (North Western Province) ; Rakwana ; Timbolketiya (Sabaragamuwa Province) ; Wellawaya (Uva Province).

The *type-specimen* is a female captured in jungle by Mr. G. M. Henry at Rakwana, Ceylon on 4-vi-1929. *Type* in the British Museum (Natural History). *Paratype* in the Colombo Museum.

Eliya venusta Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 179-182, pl. xxxii, figs. 4, 5.

Localities.—Labugama (Western Province) ; Rakwana (Sabaragamuwa Province).

The *type-specimen* is a male captured in jungle undergrowth by Mr. G. M. Henry at Rakwana, Ceylon on 4-vi-1929. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Cercina** Stål, 1878.**Cercina obtusa** Stål.

1878. *Bih. Sv. Ak. Handl.* V, pp. 49, 97.

Localities.—Ohiya, Hakgala ; Horton Plains ; Nuwara Eliya (Central Province).

Type in the collection of Brunner von Wattenwyl.

Cercina phillipsi Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 184-187, pl. xxxiii, figs. 1, 2.

Localities.—Mavusakanda, Gammaduwa ; Patnagala, Gammaduwa (Central Province) ; Punduloya (Uva Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Mavusakanda Estate, Gammaduwa, Ceylon on 1-viii-1932. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Spathosternum** Krauss, 1877.

Spathosternum prasiniferum (Walker).

1871. *Cat. Derm. Salt. Brit. Mus.* V, Suppl. p. 65.

Localities.—Colombo ; Kotte (Western Province) ; Kandy ; Hakgala ; Woodside, Urugala ; Matale ; Uda Pussellawa ; Peradeniya ; Oriya (Central Province) ; Anuradhapura (North Central Province) ; Ratnapura (Sabaragamuwa Province) ; Bandarawela ; Welimada ; Galge ; Wellawaya ; Bintenne ; Maskeliya (Uva Province) ; Katagamuwa (Southern Province) ; Kanniyai ; Kantalai ; Kalkudah ; Trincomalee ; Batticaloa (Eastern Province).

Type in the British Museum (Natural History).

Genus **Tristria** Stål, 1873.

Tristria pulvinata (Uvarov).

1921. *Ann. Mag. Nat. Hist.* VII, p. 497.

Localities.—Marai Villu (North Western Province) ; Woodside, Urugala (Central Province) ; Ritigala (North Central Province) ; Balongoda (Sabaragamuwa Province) ; Bintenne ; Haldumulla ; Wellawaya ; Badulla (Uva Province) ; Katagamuwa (Southern Province) ; Kantalai ; Kalkudah ; Kumena Wewa (Eastern Province) ; Cheddikulam (Northern Province).

Type in the British Museum (Natural History).

Genus **Oxya** Serville, 1831.

Oxya intricata Stål.

1861. *Eugenie's Resa. Orth.* p. 335.

Localities.—Colombo ; Kotte (Western Province) ; Kandy (Central Province) ; Badulla (Uva Province).

Oxya asinensis Willemse.

1925. *Tijdschr. Ent. Amsterdam* LXVIII, p. 32.

Localities.—Kandy ; Peradeniya (Central Province) ; Balangoda (Sabaragamuwa Province) ; Maskeliya (Uva Province).

The *type-specimen* is a female collected at Periya Ghat, Malabar District, South India on 6-x-1917. *Type* in the collection of the Imperial Bureau of Entomology, London.

Oxya nitidula (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 631.

Localities.—Colombo ; Kotte (Western Province) ; Kandy ; Peradeniya (Central Province) ; Mihintale ; Horovupotana (North Central Province) ; Murunkan (Northern Province).

Type in the British Museum (Natural History).

Genus **Oxyrrhepes** Stål, 1873.

Oxyrrhepes extensa (Walker).

1859. *Ann. Mag. Nat. Hist.* IV, p. 222.

Localities.—Labugama (Western Province); Kandy; Mavusakanda Gammaduwa; Nitre Cave, Medamahanuwara (Central Province); Belihul Oya (Sabaragamuwa Province).

Type in the British Museum (Natural History).

Genus **Leptacris** Walker, 1870.

Leptacris filiformis Walker.

1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 676.

Localities.—Polonnaruwa (North Central Province); Haldummulla; Wellawaya; Bintenne (Uva Province); Kantalai (Eastern Province).

Type in the British Museum (Natural History).

Genus **Ischnacrida** Stål, 1873.

Ischnacrida gracilis Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 192-194, pl. xxxvi, figs. 1-4.

Localities.—Polonnaruwa (North Central Province); Randeniya Wellawaya; Bintenne; Galge (Uva Province).

The *type-specimen* is a male captured in a grassy glade in the Bintenne District about 12 miles east of Alutnuwara, Ceylon by Mr. G. M. Henry on 11-x-1928. *Type* in the British Museum (Natural History).

Genus **Ochlandriphaga** Henry, 1933.

Ochlandriphaga xanthelytrana Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 188, 189, pl. xxxiv, figs. 1-5.

Locality.—Labugama (Western Province).

The *type-specimen* is a male collected by Mr. G. M. Henry in jungle undergrowth at Labugama, Ceylon on 17-vi-1932. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Bambusacris** Henry, 1933.

Bambusacris greeni Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 190-192, pl. xxxv, figs. 1-6.

Locality.—Labugama (Western Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Labugama, Ceylon on 2-viii-1932. *Type* in the British Museum (Natural History). *Paratype* in the Colombo Museum.

Genus **Urugalla** Uvarov, 1927.

Urugalla pearsoni Uvarov.

1927. *Ceylon J. Sci. (B)*. XIV, pp. 106, 107, pl. xii, figs. 5, 6.

Localities.—Woodside, Urugala; Mavusakanda, Gammaduwa (Central Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Woodside, Urugala, Ceylon on 17-iv-1924. *Type* in the British Museum (Natural History).

Genus **Acaeropa** Uvarov, 1927.

Acaeropa indica (Bolivar).

1884. *An. Soc. Esp. Madrid* XIII, p. 492.

Localities.—West Haputale, Ohiya ; Hakgala ; Horton Plains ; Elk Plains ; Sita Eliya ; Nuwara Eliya ; Ambawela (Central Province) ; Kitulgala (Sabaragamuwa Province) ; Haputale ; Muskeliya (Uva Province).

Type in the collection of Brunner von Wattenwyl.

Genus **Mesambria** Stål, 1878.

Mesambria dubia (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 632.

Localities.—Labugama (Western Province) ; Kandy ; Woodside, Urugala ; Mavusakanda, Gammaduwa ; West Haputale, Ohiya ; Madugoda (Central Province) ; Ratnapura ; Balangoda ; Kitulgala ; Rakwana ; Timbolketiya ; Opanake (Sabaragamuwa Province) ; Deniyaya ; Hiniduma (Southern Province) ; Haputale ; Bibile ; Punduloya ; Bintenne (Uva Province).

Type in the British Museum (Natural History).

Genus **Genimen** Bolivar, 1918.

Genimen ceylonicum Uvarov.

1927. *Ceylon J. Sci. (B)*. XIV, p. 110, pl. xii, figs. 7, 8.

Localities.—Labugama (Western Province) ; Kandy ; Lady Horton's Drive (Central Province) ; Kitulgala ; Madola, Opanake ; Timbolketiya (Sabaragamuwa Province) ; Deniyaya (Southern Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Kandy, Ceylon on 7-i-1924. *Type* in the British Museum (Natural History).

Genus **Genimenoides** Henry, 1934.

Genimenoides subapterum (Uvarov).

1927. *Ceylon J. Sci. (B)*. XIV, p. 111, pl. xii, fig. 9.

Localities.—Labugama ; Battaramulla (Western Province) ; Rakwana Balangoda ; Timbolketiya (Sabaragamuwa Province) ; Deniyaya (Southern Province) ; Wellawaya (Uva Province) ; Kanniyai ; Trincomalee (Eastern Province).

The *type-specimen* is a female collected by Mr. G. M. Henry at Kotte, Ceylon on 25-iii-1921. *Type* in the British Museum (Natural History).

Genimenoides coloratum Henry.

1934. *Ceylon J. Sci. (B)*. XVIII, pp. 196, 197, pl. xiv, figs. 3-6.

Localities.—Lady Horton's Drive, Kandy (Central Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Lady Horton's Drive, Kandy, Ceylon on 13-v-1933. *Type* in the British Museum (Natural History).

Genus **Anacridium** Uvarov, 1923.

Anacridium flavescens (Fabricius).

1793. *Ent. Syst.* II, p. 52.

Localities.—Marai Villu (North Western Province); Gadapotugala (North Central Province); Tissamarahama; Katagamawa; Yala (Southern Province); Bibile; Wellawaya (Uva Province); Marichchukaddi (Northern Province).

Genus **Patanga** Uvarov, 1923.

Patanga succincta (Linnaeus).

1763. *Amoen. Acad.* VI, p. 398.

Localities.—Matale (Central Province); Polonnaruwa (North Central Province).

Genus **Pachyacris** Uvarov, 1923.

Pachyacris violascens (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* III, pp. 587, 588.

Localities.—Dehiwela (Western Province); Kandy; Hantane; Horton Plains; Hakgala; Woodside, Urugala; Mavusakanda, Gammaduwa (Central Province); Bandarawela; Haldummulla; Badulla (Uva Province).

Type in the British Museum (Natural History).

Genus **Cyrtacanthacris** Walker, 1870.

Cyrtacanthacris tatarica (Linnaeus).

1758. *Syst. Nat.* (ed. 10), I, p. 432.

Localities.—Kotte; Battaramulla (Western Province); Kandy; Peradeniya; Mavusakanda, Gammaduwa; Woodside, Urugala (Central Province); Marai Villu (North Western Province); Polonnaruwa; Kalawewa (North Central Province); Hambantota; Wirawila; Katagamawa (Southern Province); Wellawaya; Randeniya; Bibile; Bintenne; Galge (Uva Province); Niroddumunai; Trincomalee (Eastern Province); Vavuniya; Murunkan (Northern Province).

Genus **Teratodes** Brulle, 1835.

Teratodes monticollis (Gray).

1832. *Griffith's Anim. Kingd.* XV, p. 215, pl. lxiv.

Localities.—Sigiriya (Central Province); Kekirawa (North Central Province).

Type in the British Museum (Natural History).

Genus **Pelecinotus** Bolivar, 1901.

Pelecinotus lankae Henry.

1933. *Ceylon J. Sci. (B)*. XVII, pp. 195-197, pl. xxxvi, figs. 5-7.

Localities.—Marai Villu (North Western Province); Anuradhapura (North Central Province); Marichchukaddi; Vavuniya (Northern Province).

The *type-specimen* is a male collected by Mr. G. M. Henry at Marichchukaddi, Ceylon on 15-iii-1933. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.

Genus **Eucoptacra** Bolivar, 1901.

Eucoptacra ceylonica Kirby.

1914. *Faun. Brit. Ind. Orth.* p. 241.

Localities.—Labugama; Battaramulla; Puwakpitiya (Western Province); Kandy; Madugoda; Uda Pussellawa; Lady Horton's Drive; Rattota; Mavusakanda, Gammaduwa (Central Province); Anuradhapura; Mihintale; Horovupotana; Ritigala (North Central Province); Balangoda; Madola, Opanake; Ratnapura; Rakwana; Belihul Oya; Timbolketiya (Sabaragamuwa Province); Tissamaharama; Katagamuwa; Butawa Modera; Deniyaya (Southern Province); Wellawaya; Bibile; Bintenne (Uva Province); Kantalai; Tennamaravadi; Pulmoddai; Yan Oya; Trincomalee (Eastern Province); Elephant Pass; Vavuniya (Northern Province).

Type in the British Museum (Natural History)

Genus **Epistaurus** Bolivar, 1889.

Epistaurus sinetyi Bolivar.

1901. *Ann. Soc. Ent. Fr.* LXX, p. 623.

Localities.—Battaramulla (Western Province); Anuradhapura (North Central Province); Katagamuwa; Talgasmankada (Southern Province).

Type in the collection of Dr. Bolivar.

Genus **Pirithoicus** Uvarov, 1940.

Pirithoicus ramachendrai (Bolivar).

1918. *Rev. Ac. Cienc. Madrid.* XVI, p. 403.

Localities.—Marai Villu (North Western Province) ; Kandy ; Madugoda ; Mavusakanda, Gammaduwa (Central Province) ; Horovupotana (North Central Province) ; Bintenne ; Randeniya ; Wellawaya ; Oodowerre, Demodera (Uva Province) ; Katagamuwa (Southern Province) ; Kanniyai, Niroddumunai ; Tennamaravadi ; Trincomalee (Eastern Province) ; Vavuniya ; Cheddikulam ; Marichchukaddi (Northern Province).

Genus **Catantops** Schaum, 1853.

Catantops splendens (Thunberg).

1815. *Mem. Ac. Petersb.* V, p. 236.

Localities.—Labugama (Western Province) ; Marai Villu (North Western Province) ; Woodside, Urugala ; Hantane ; Mavusakanda, Gammaduwa (Central Province) ; Horovupotana (North Central Province) ; Ratnapura ; Rakwana ; Madola, Opanake ; Timbolketiya (Sabaragamuwa Province) ; Wellawaya ; Bintenne ; Galge ; Maskeliya (Uva Province) ; Marichchukaddi (Northern Province).

Catantops innotabile (Walker).

1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 629.

Localities.—Colombo ; Battaramulla (Western Province) ; Mihintale ; Anuradhapura ; Polonnaruwa ; Horovupotana (North Central Province) ; Galge ; Randeniya ; Wellawaya (Uva Province) ; Tissamaharama ; Warahamankada ; Katagamuwa (Southern Province) ; Niroddumunai ; Trincomalee ; Kalkudah ; Kumena Wewa ; Tirukovil (Eastern Province) ; Marichchukaddi ; Cheddikulam (Northern Province).

Genus **Belonocnemis** Bolivar, 1914.

Belonocnemis elegantulus (Bolivar).

1908. *Mem. Soc. Ent. Belg.* XVI, p. 118.

Localities.—Randeniya ; Wellawaya (Uva Province).

Genus **Thisoicetrus** Brunner von Wattenwyl, 1898.

Thisoicetrus pulcher (Bolivar).

1901. *Ann. Soc. Ent. Fr.* LXX, p. 630.

Localities.—Marai Villu (North Western Province) ; Horovupotana ; Kalawewa (North Central Province) ; Bintenne (Uva Province) ; Pulmoddai ; Tennamaravadi ; Trincomalee ; Kantalai ; Kalkudah ; Arugam Bay (Eastern Province) ; Vavuniya ; Madawachchi (Northern Province).

Type in the collection of Pantel and Bolivar.

Genus **Tyloptropidius** Stål, 1873.**Tyloptropidius varicornis** (Walker).1870. *Cat. Derm. Salt. Brit. Mus.* IV, p. 667.

Localities.—Marai Villu (North Western Province) ; Woodside, Urugala ; Uda Pussellawa (Central Province) ; Polonnaruwa (North Central Province) ; Balangoda ; Belihul Oya ; Timbolketiya (Sabaragamuwa Province) ; Wellawaya ; Bandarawela ; Haldummulla ; Kalugala, Namunukula ; Bintenne ; Galge (Uva Province) ; Marichchukaddi (Northern Province).

Type in the British Museum (Natural History).

Genus **Euprepocnemis** Stål, 1873.**Euprepocnemis alacris** (Serville).1839. *Hist. Nat. Ins. Orth.* p. 682.

Localities.—Colombo ; Battaramulla (Western Province) ; Polpitiya (North Western Province) ; Kandy ; Peradeniya ; Ohiya ; Hakgala ; Uda Pussellawa : Mavusakanda, Gammaduwa ; Nuwara Eliya ; Ragalla (Central Province) ; Polonnaruwa ; Kalawewa (North Central Province) ; Miyanapalawa (Sabaragamuwa Province) ; Deniyaya ; Hiniduma ; Katagamawa (Southern Province) ; Wellawaya ; Punduloya ; Oodoverre, Demodera ; Badulla (Uva Province) ; Kantalai ; Kumuna Wewa (Eastern Province) ; Vavuniya ; Madawachchi (Northern Province).

Type in the Paris Museum.

Euprepocnemis kalkudensis Henry.1937. *Ceylon J. Sci. (B).* XX, pp. 343, 344, pl. xiv, figs. 1-4.

Localities.—Kalkudah (Eastern Province) ; Talaimannar (Northern Province).

The *type-specimen* is a male collected by Mr. G. M. Henry in scrub jungle at Kalkudah, Ceylon on 24-iv-1931. *Type* in the British Museum (Natural History).

Genus **Dubitacris** Henry, 1937.**Dubitacris robustus** Henry.1937. *Proc. Ent. Soc. London* VI, pp. 199, 200.

Localities.—Marai Villu (North Western Province) ; Anuradhapura ; Polonnaruwa ; Horovupotana ; Kalawewa (North Central Province) ; Niroddumunai ; Trincomalee (Eastern Province) ; Vavuniya (Northern Province).

The *type-specimen* is a female collected by Mr. G. M. Henry at Kalawewa, Ceylon on 25-i-1937. *Type* in the British Museum (Natural History). *Paratypes* in the Colombo Museum.